INDEXES TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 78, 1995

AUTHOR INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCES IN CERAMICS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Abate, Christopher and Scheetz, Barry E.
Aqueous Phase Equilibria in the System CaO–Al_2O_3–$CaCl_2$–H_2O: The Significance and Stability of Friedel's Salt. (4) 939

Abbaschian, Reza See Shaw, Leon

Abe, Yoshihiro See Kasuga, Toshihiro; Nogami, Masayuki; Ota, Yoshio

Adachi, Katsushige See Ikeda, Kiyohiko

Agarwal, Anand and Tomozawa, Minoru
Determination of Fictive Temperature of Soda–Lime Silicate Glass. (3) 827

Agarwal, Anand See Li, Hong

Aggarwal, Ishwar D. See Sanghera, Jas S.

Agrawal, Pradeep K. See Lackey, W. Jack

Ahmed, A. A. and Allah, E. W. Abd
Origin of Absorption Bands Observed in the Spectra of Silver Ion-Exchanged Soda–Lime–Silica Glass. (10) 2777

Ahmed, Mohamed A.; Hassaan, Mohamed Y.; Mahrous, Salah; Mikhail, Habib; and El-Desoky, Mohamed M.
Application of Magnetic Susceptibility to Study Low Iron Substitution in Tricalcium Aluminate. (7) 1958

Ai, Hua See Li, Jie-Fang

Ai, Jiu; Phegley, Lisa L.; Christen, Gert; and White, Robert L.
Effect of Silica on the Nonoxidative Thermal Degradation of an Acrylic Binder. (4) 874

Aizawa, Mamoru See Itatani, Kiyoshi

Aizawa, Masayuki See Suzuki, Masaaki

Akabori, Mitsuo See Kobayashi, Fumiaki

Akbar, Sheikh A. See Rahman, Matiur

Akbas, Mehmet A.; McCoy, Michael A.; and Lee, William E.
Microstructural Evolution during Pressureless Sintering of Lead Lanthanum Zirconate Titanate Ceramics with Excess Lead(II) Oxide. (9) 2417

Akhtar, M. Javed; Akhtar, Zeb-Un-Nisa; Jackson, Robert A.; and Catlow, C. Richard A.
Computer Simulation Studies of Strontium Titanate. (2) 421

Akhtar, Zeb-Un-Nisa See Akhtar, M. Javed

Akinc, Mufit See Han, Yong

Akiyama, Morito; Kokabi, Hamid Reza; Nonaka, Kazuhiro; Shobu, Kazuhisa; and Watanabe, Tadahiko
Influence of Substrate Temperature on Physical Structure of AlN Thin Films Prepared on Polycrystalline $MoSi_2$ by rf Magnetron Sputtering. (12) 3304

Aksay, Ilhan A. See Sakka, Yoshio

Alcover, Jean François See Massiot, Dominique

Al-Dulaijan, Salah U.; Al-Tayyib, Abdul-Hamid J.; Al-Zahrani, Mesfer M.; Parry-Jones, Gwilym; and Al-Mana, Abdulaziz I.
^{29}Si MAS-NMR Study of Hydrated Cement Paste and Mortar Made with and without Silica Fume. (2) 342

Alexander, Kathleen B.; Becher, Paul F.; Wang, Xun-Li; and Hsueh, Chun-Hway
Internal Stresses and the Martensite Start Temperature in Alumina–Zirconia Composites: Effects of Composition and Microstructure. (2) 291

Allah, E. W. Abd See Ahmed, A. A.

Allemeh, Seyed M. and Sandhage, Kenneth H.
Effect of High-Temperature, High-Oxygen-Fugacity Annealing on the Stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10\pm\delta}$-type Compound. (9) 2513

Alles, Aldo B. See Capurso, Joseph S.

Al-Mana, Abdulaziz I. See Al-Dulaijan, Salah U.

Almeida, Rui M. See Du, Xin Min

Al-Tayyib, Abdul-Hamid J. See Al-Dulaijan, Salah U.

Al-Zahrani, Mesfer M. See Al-Dulaijan, Salah U.

Amarakoon, Vasantha R. W. See LaCourse, Brian C.

Anderko, Andrzej See Lencka, Malgorzata M.

Anderson, Collin D. See Weber, J. K. Richard

Andersson, Clarence A. See Heredia, Fernando E.

Andreasen, Jens H.; Møller, Carsten V.; and Karihaloo, Bhushan L.
Fatigue Crack Growth from Small Surface Cracks in Transformation-Toughened Ceramics. (2) 406

Anusavice, Kenneth J. See Thompson, Jeffrey Y.

Aoi, Tsuneharu See Nakamura, Yoshikazu

Aoki, Shigenori See Imanaka, Yoshihiko

Aoyama, Tatsuji; Kurata, Naoki; Hirota, Ken; and Yamaguchi, Osamu
Formation of $PbZrO_3$ by Transformation of Cubic ZrO_2 Solid Solution. (11) 3163

Arai, Masayuki; Binner, Jon G. P.; and Cross, Tom E.
High-Temperature Microwave Complex Permittivity of $YBa_2Cu_3O_{7-\delta}$ Superconductors. (7) 1974

Arashi, Haruo See Matsui, Koji

Arlt, Gottfried; Böttger, Ulrich; and Witte, Stefan
Dielectric Dispersion of Ferroelectric Ceramics and Single Crystals by Sound Generation in Piezoelectric Domains. (4) 1097

Armstrong, Timothy R. See Stevenson, Jeffry W.

Aruga, Atsushi See Nakamura, Yoshikazu

Arunachalam, V. S. See Ramakrishnan, N.

Arunajatesan, Sowmya and Carim, Altaf H.
Synthesis of Titanium Silicon Carbide. (3) 667

Asano, Hajime See Ohtaka, Osamu

Asif, S. A. Syed; Mutha, D. Victor Suvisesha; Sood, Ajay Kumar; and Biswas, Sanjay Kumar
Surface Damage of Yttria–Tetragonal Zirconia Polycrystals and Magnesia-Partially-Stabilized Zirconia in Single-Point Abrasion. (12) 3357

Atouf, Abdeltif See Haines, Julian

Auffrédic, Jean-Paul; Boultif, Ali; Langford, J. Ian; and Louër, Daniel
Early Stages of Crystallite Growth of ZnO Obtained from an Oxalate Precursor. (2) 323

Auh, Keun Ho See Shin, Dong-Woo

Avedisian, C. Thomas See Versteeg, Vera A.

Baaklini, George Y. See Chu, Ya-Cherng

Babonneau, Florence See Laine, Richard M.; Sorarù, Gian Domenico

Bae, Yong W.; Lee, Woo Y.; and Stinton, David P.
Effects of Temperature and Reagent Concentration on the Morphology of Chemically Vapor Deposited β-Ta_2O_5. (5) 1297

Bae, Yong W. See Lee, Woo Y.

Bahr, Hans-Achim See Fett, Theo

Bai, B. N. Pramila See Ravikiran, A.

Bai, Shr-Nan and Tseng, Tseung-Yuen
Degradation Phenomena Due to Impulse-Current in Zinc Oxide Varistors. (10) 2685

Baik, Dong Soo; No, Kwang Soo; Chun, John Soung-Soon; and Yoon, Yong Joon
Mechanical Properties of Mica Glass-Ceramics. (5) 1217

Baik, Sunggi See Chang, An-jae; Sohn, Kee-Sun

Baither, Dietmar; Baufeld, Bernd; and Messerschmidt, Ulrich
Defect Formation during Plastic Deformation of Y_2O_3-Partially-Stabilized ZrO_2 Single Crystals. (5) 1375

Bakis, Charles E. See Morscher, Gregory N.

Balamurali, Balasubramaniam See Thompson, Jeffrey Y.

Balmer, Mari Lou; Lange, Fred F.; Jayaram, Vikram; and Levi, Carlos G.
Development of Nano-Composite Microstructures in ZrO_2–Al_2O_3 via the Solution Precursor Method. (6) 1489

Bamberger, Carlos E. See Shoup, Shara S.

Bang, Jaecheol and Lu, Guo-Quan
Constrained-Film Sintering of a Borosilicate Glass: *In Situ* Measurement of Film Stresses. (3) 813

Barbé, Christophe J.; Harmer, Mark A.; and Scherer, George W.
Microstructure, Orientation, and Properties of Sol-Gel-Derived $KTiOPO_4$ Thin Films. (8) 2033

Barber, Greg D. and Yarbrough, Walter A.
Synthesis of Diamond from Carbon Disulfide in Hydrogen. (12) 3390

Bartlett, Andrew H. and Maschio, Roberto Dal
Failure Mechanisms of a Zirconia–8 wt% Yttria Thermal Barrier Coating. (4) 1018

Bastin, Guillaume F. See Goldstein, Joseph I.

Battaile, Corbett C.; Najafabadi, Reza; and Srolovitz, David J.
Simulation of Segregation to Free Surfaces in Cubic Oxides. (12) 3195

Baudín, Carmen; Martínez, Rafael; and Pena, Pilar
High-Temperature Mechanical Behavior of Stoichiometric Magnesium Spinel. (7) 1857

Baufeld, Bernd See Baither, Dietmar

Baumard, Jean F. See Chartier, Thierry

Beach, David B. See Paranthaman, Mariappan

Beaman, Donald R. See Hwang, C. James; Pyzik, Aleksander J.

Beauchamp, Edwin K.
Crack Front Stability and Hackle Formation in High Velocity Glass Fracture. (3) 689

Becher, Paul F. See Alexander, Kathleen B.; Hsueh, Chun-Hway; Sergo, Valter

Bekessy, Lambert See Montross, Charles S.

Belmonte, Manuel; Moya, José S.; and Miranzo, Pilar
Bimodal Sintering of Al_2O_3/Al_2O_3 Platelet Ceramic Composites. (6) 1661

Benko, Ewa
Chemical Equilibria in the Titanium(II) Hydride–Boron Nitride System. (3) 685
Berg, Rob van den See Chen, Zhong-Xin
Bergaya, Faiza See Massiot, Dominique
Berger, Axel
Nucleation and Growth of Inversion Domains in AlN: Part I, Study of Fundamental Processes. (1) 153
Berger, Marie-Hélène See Lavaste, Valérie
Bermejo, Edelio; le Mercier, Thierry; and Quarton, Michel
Microstructure and Physicochemical Studies of Pure and Zinc-Substituted Lithium Ferrites Sintered above 1000°C. (2) 365
Berndt, Christopher C. See Lin, Chung-Kwei
Bessada, Catherine See Bonafous, Laurent
Besson, Jacques See Lavaste, Valérie
Best, Philip E. See Markham, James R.
Bhatnagar, Ajay See Martin, Steve W.
Bhatt, Ramakrishna T. See Chu, Ya-Cherng
Bhowmik, Siddhartha See Martin, Steve W.
Bidinger, Donald D. See Sakka, Yoshio
Biest, Omer Van Der See Vleugels, Jef
Binner, Jon G. P. See Arai, Masayuki
Biswas, Sanjay Kumar See Asif, S. A. Syed; Ravikiran, A.
Blank, Paul See Krell, Andreas
Blendell, John E. See Hill, Michael D.
Blowhowiak, Kay Y. See Laine, Richard M.
Blumenthal, William R. See Conzone, Samuel D.
Boas, John F. See Caulfield, Kevin J.
Boch, Philippe See Lequeux, Nicolas
Boger, David V. See Leong, Yee-Kwong
Bolech, Mark; Cordfunke, Erik H. P.; Janssen, Frans J. J. G.; and Navrotsky, Alexandra
Standard Enthalpy of Formation of Lanthanum Zirconate. (8) 2257
Bonafous, Laurent; Bessada, Catherine; Massiot, Dominique; Coutures, Jean-Pierre; Rolland, Bruno Le; and Colombet, Pierre
^{29}Si MAS NMR Study of Dicalcium Silicate: The Structural Influence of Sulfate and Alumina Stabilizers. (10) 2603
Boncoeur, M. See Desmaison-Brut, M.
Bonnell, Dawn See Liang, Yong
Borovik, Valeri G.; Chushko, Victor M.; and Kovalev, Sergei P.
Computer-Aided, Single-Specimen Controlled Bending Test for Fracture-Kinetics Measurement in Ceramics. (5) 1305
Bosch, Pedro See Carrera, Luz María
Böttger, Ulrich See Arlt, Gottfried
Boultif, Ali See Auffrédic, Jean-Paul
Bourrat, Xavier; Turner, Kristofer S.; and Evans, Anthony G.
Microstructure of Silicon Carbide/Carbon Composites and Relationships with Mechanical Properties. (11) 3050
Bouthillette, Lionel O. See Stadler, Bethanie J. H.
Boutz, Michel M. R.; Winnubst, Louis; Burggraaf, Antonie J.; Nauer, Marco; and Carry, Claude
Low-Temperature Sinter Forging of Nanostructured Y-TZP and YCe-TZP. (1) 121
Bowman, Keith J. See Roeder, Ryan K.
Bozkurt, Nazim See Sacks, Michael D.
Bradt, Richard C. See Nunes, Silvia Irene; Suzuki, Hironori; Wong, Lana L.
Brandon, David G. See Levin, Igor
Braue, W. See Chowdhury, K. Das
Braun, Linda M. See Xu, Hockin H. K.
Breder, Kristin
Time-Dependent Strength Degradation of a Siliconized Silicon Carbide Determined by Dynamic Fatigue. (10) 2680
Breder, Kristin; Tennery, Victor J.; Strobel, Tina M.; Hurley, John P.; and Holowczak, John E.
Strength Measurements of Monolithic SiC and Al_2O_3/SiC Composites after Exposure to Coal Slag. (10) 2837
Brennan, John J. See Sun, Ellen Y.
Breval, Else; Srikanth, Varanasi; and Subbarao, Eleswarapu C.
Acoustic Emission and Microcracking in Sapphire, Sintered Al_2O_3, Al/Al_2O_3 Composite, and Aluminum. (9) 2541
Brezny, Rasto See Nanjangud, Savitha C.
Brinker, C. Jeffrey See Nishida, Fumito
Brinkman, Charles R. See Ding, Jow-Lian
Brito, Manuel E. See Hirao, Kiyoshi; Yasuoka, Masaki
Brooks, Douglas See Soboyejo, Wolé
Brooks, Keith G. See Klissurska, Radosveta D.
Brosha, Eric L.; Garzon, Fernando H.; Raistrick, Ian D.; and Davies, Peter K.
Low-Temperature Phase Equilibria in the Y-Ba-Cu-O System. (7) 1745
Brownlow, Darryl L. See Gupta, Prabhat K.
Bryan, Scott R. See Ogbuji, Linus U. J. T.
Bućko, Mirosław M.; Haberko, Krzysztof; and Faryna, Marek
Crystallization of Zirconia under Hydrothermal Conditions. (12) 3397
Bulbulian, Silvia See Carrera, Luz María
Bunsell, Anthony R. See Lavaste, Valérie
Burggraaf, Antonie J. See Boutz, Michel M. R.
Burns, S. J. and Chia, K. Y.
Nonlinear Hertzian Indentation Fracture Mechanics. (9) 2321; Nonlinear Compliance Testing Applied to Indentation Cracking in Ceramics. (9) 2328
Burton, Graeme R. See Latella, Bruno A.
Busnel, Jean-Pierre See Jaymes, Isabelle
Busse, Lynda E. See Sanghera, Jas S.
Cable, Michael See Frade, Jorge Ribeiro
Cady, Carl M.; Heredia, Fernando E.; and Evans, Anthony G.
In-Plane Mechanical Properties of Several Ceramic-Matrix Composites. (8) 2065
Cady, Carl M.; Mackin, Thomas J.; and Evans, Anthony G.
Silicon Carbide/Calcium Aluminosilicate: A Notch-Insensitive Ceramic-Matrix Composite. (1) 77
Calès, Bernard See Chevalier, Jérome
Callahan, Daniel L. See Morris, Jonathan C.
Calzada, M. Lourdes; Sirera, Rafael; Carmona, Francisco; and Jiménez, Basilio
Investigations of a Diol-based Sol–Gel Process for the Preparation of Lead Titanate Materials. (7) 1802
Campostrini, Renzo See Sorarù, Gian Domenico
Cannon, Rowland M. See Tanaka, Lao
Capurso, Joseph S.; Alles, Aldo B.; and Schulze, Walter A.
Processing of Laminated Barium Titanate Structures for Stress-Sensing Applications. (9) 2476
Caracoche, M. C. See Rivas, Patricia C.
Carangelo, Martin D. See Markham, James R.
Carim, Altaf H. See Arunajatesan, Sowmya; Kelkar, Girish P.; Wang, Yaozu
Carlson, William B. See Zheng, Jingmin
Carlsson, Roger See Lidén, Eva
Carlström, Elis See Lidén, Eva
Carmona, Francisco See Calzada, M. Lourdes
Carpenter, R. W. See Chowdhury, K. Das
Carrera, Luz María; Jimenez-Becerril, Jaime; Bosch, Pedro; and Bulbulian, Silvia
Effect of Synthesis Techniques on Crystallite Size and Morphology of Lithium Aluminate. (4) 933
Carry, Claude See Boutz, Michel M. R.
Carter, C. Barry See Kotula, Paul G.
Caruso, James See Senzaki, Yoshihide
Cass, Richard B. See McNulty, Thomas F.
Catlow, C. Richard A. See Akhtar, M. Javed
Caulfield, Kevin J.; Cooper, Ronald; and Boas, John F.
Point Defects in Electron-Irradiated Oxide Single Crystals. (4) 1054
Cawley, James D.
Reply to "Comment on 'Numerical Models for Predicting Tracer Profiles in Silicon Double-Oxidation Experiments' ". (9) 2573
Cawley, James D. See Eckel, Andrew J.; Park, Eun-Sung; Pujar, Vijay V.
Čerović, Ljiljana S.; Milonjić, Slobodan K.; and Kostic-Gvozdenovic, Ljiljana
Intrinsic Equilibrium Constants of β-Silicon Carbide Obtained from Surface Charge Data. (11) 3093
Chae, Ki-Woong; Kim, Doh-Yeon; and Niihara, Koichi
Sintering of Al_2O_3–TiC Composite in the Presence of Liquid Phase. (1) 257
Chaim, Rachman and Talanker, Vladimir
Microstructure and Mechanical Properties of SiC Platelet/Cordierite Glass-Ceramic Composites. (1) 166
Chan, Helen M. See Thompson, A. Mark
Chan, Tien-Yin and Lin, Shun-Tian
Effects of Stearic Acid on the Injection Molding of Alumina. (10) 2746
Chang, An-jae; Rhee, Shi-Woo; and Baik, Sunggi
Kinetics and Mechanisms for Nitridation of Floating Aluminum Powder. (1) 33
Chao, Luen-Yuan, Lakshminarayanan, R., Shetty, Dinesh K., and Cutler, Raymond A.
Rolling-Contact Fatigue and Wear of CVD-SiC with Residual Surface Compression. (9) 2307
Chartier, Thierry; Ferrato, Marc; and Baumard, Jean F.
Supercritical Debinding of Injection Molded Ceramics. (7) 1787
Chaudhri, M. Munawar See Kurkjian, Charles R.
Chen, I-Wei See Chen, San-Yuan; Jacobs, David S.; Menon, Mohan
Chen, Jiayu See Trolier-McKinstry, Susan
Chen, Long-Ching See Soboyejo, Wolé; Fan, Danan; Wang, Yunzhi; Yang, Wei
Chen, Makan See Lee, William E.
Chen, Pu-Woei and Chung, D. D. L.
Carbon-Fiber-Reinforced Concrete as an Intrinsically Smart Concrete for Damage Assessment during Dynamic Loading. (3) 816
Chen, San-Yuan and Chen, I-Wei
Cracking during Pyrolysis of Oxide Thin Films—Phenomenology, Mechanisms, and Mechanics. (11) 2929
Chen, Wai-Rue See Tuan, Wei-Hsing
Chen, Weihua See Rahman, Matiur
Chen, Xiuyen See Zok, Frank W.
Chen, Zhong-Xin; Eyden, Joost van der; Koot, Wouter; Berg, Rob van den; Mechelen, Jan van; and Derking, Anke
Preparation of Zinc Titanate Thin Films by Low-Pressure Metalorganic Chemical Vapor Deposition. (11) 2993
Chevalier, Jérome; Olagnon, Christian; Fantozzi, Gilbert; and Calès, Bernard
Crack Propagation Behavior of Y-TZP Ceramics. (7) 1889
Chia, K. Y. See Burns, S. J.
Chiang, C. K. See Hill, Michael D.
Chiang, Yet-Ming See Terwilliger, Chrysanthe D.; Yamada, Atsushi
Chick, Larry A. See Stevenson, Jeffry W.
Chien, Fen-Ren; Clifton, Rodney J.; and Nutt, Steven R.
Stress-Induced Phase Transformation in Single Crystal Titanium Carbide. (6) 1537
Chindaudom, Pong See Trolier-McKinstry, Susan
Chmielewski, David H. and Sandhage, Kenneth H.
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ Thick Films at Elevated Oxygen Pressures and Temperatures. (9) 2504
Cho, Jaephil See Martin, Steve W.
Cho, Sang-Hee See Lee, Joon-Hyung
Cho, Seong-Jai; Um, Chang-Do; and Kim, Seock-Sam
Wear and Wear Transition Mechanism in Silicon Carbide during Sliding. (4) 1076
Cho, Seong-Jai See Oh, Kyung-Sik
Cho, Sung-Baek; Nakanishi, Kazuki; Kokubo, Tadashi; Soga, Naohiro; Ohtsuki, Chikara; Nakamura, Takashi; Kitsugi, Toshiaki; and Yamamuro, Takao
Dependence of Apatite Formation on Silica Gel on Its Structure: Effect of Heat Treatment. (7) 1769
Cho, Sung R. See Jang, Hyun M.
Cho, Woo-Seok; Yashima, Masatomo; Kakihana, Masato; Kudo, Akihiko; Sakata, Tadayoshi; and Yoshimura, Masahiro
Room-Temperature Preparation of Highly Crystallized Luminescent $SrWO_4$ Film by an Electrochemical Method. (11) 3110
Choi, Seung K. See Goldstein, Joseph I.
Choi, Yoon and Rhee, Shi-Woo
Reaction of TiO_2–Al–C in the Combustion Synthesis of TiC–Al_2O_3 Composite. (4) 986
Chou, Tsu-Wei See Kuo, Wen-Shyong; Nakano, Kikuo
Chowdhury, K. Das; Carpenter, R. W.; Braue, W.; Liu, J.; and Ma, H.
Chemical and Structural Widths of Interfaces and Grain Boundaries in Silicon Nitride–Silicon Carbide Whisker Composites. (10) 2579
Choy, Jin-Ho; Han, Yang-Su; Sohn, Jeong-Ho; and Itoh, Mitsuru
Microwave Characteristics of BaO-TiO_2 Ceramics Prepared via a Citrate Route. (5) 1169
Christen, Gert See Ai, Jiu
Chu, Fan; Damjanovic, Dragan; Steiner, Olivier; and Setter, Nava
Piezoelectricity and Phase Transitions of the Mixed-Layer Bismuth Titanate Niobate $Bi_7Ti_4NbO_{21}$. (11) 3142
Chu, Fan; Reaney, Ian M.; and Setter, Nava
Role of Defects in the Ferroelectric Relaxor Lead Scandium Tantalate. (7) 1947
Chu, Ya-Cherng; Lavrentyev, Anton I.; Rokhlin, Stanislav I.; Baaklini, George Y.; and Bhatt, Ramakrishna T.
Ultrasonic Evaluation of Initiation and Development of Oxidation Damage in Ceramic-Matrix Composites. (7) 1809
Chun, John Soung-Soon See Baik, Dong Soo
Chung, Chia-Chi See Wu, Tai-Bor
Chung, D. D. L. See Chen, Pu-Woei
Chushko, Victor M. See Borovik, Valeri G.
Cima, Michael J. See Hirakata, Keigo
Clark, Arthur E. See Pereira, Marivalda M.
Clarke, David R. See He, Jun; Sergo, Valter; Srikant, V.
Claussen, Nils See Kaplan, Wayne D.; Meschke, Frank
Clifton, Rodney J. See Chien, Fen-Ren
Clinard, Frank W., Jr. See Yano, Toyohiko
Cofer, Cameron G. See Kim, Dong-Pyo
Colombet, Pierre See Bonafous, Laurent
Conzone, Samuel D.; Blumenthal, William R.; and Varner, James R.
Fracture Toughness of TiB_2 and B_4C Using the Single-Edge Precracked Beam, Indentation Strength, Chevron Notched Beam, and Indentation Strength Methods. (8) 2187
Cook, Robert F. See Thompson, A. Mark
Cooper, Elizabeth A. and Mason, Thomas O.
Mechanism of La_2CuO_4 Solid-State Powder Reaction by Quantitative XRD and Impedance Spectroscopy. (4) 857
Cooper, Ronald See Caulfield, Kevin J.
Cordfunke, Erik H. P. See Bolech, Mark
Cosgrove, Joseph E. See Markham, James R.
Cotterell, Brian; Ong, Sze Woo; and Qin, Caidong
Thermal Shock and Size Effects in Castable Refractories. (8) 2056
Coutures, Jean-Pierre See Bonafous, Laurent
Coyle, Thomas W. See Liao, Hongmei
Cross, Leslie Eric See Elissalde, Catherine; Mulvihill, Maureen L.
Cross, Tom E. See Arai, Masayuki
Curtin, William A.
Toughening by Crack Bridging in Heterogeneous Ceramics. (5) 1313
Cutler, Raymond A. See Chao, Luen-Yuan
Czubarow, Paul See Narula, Chaitanya K.

Dai, Xunhu; Xu, Zhengkui; and Viehland, Dwight
Effect of Oxygen Octahedron Rotations on the Phase Stability, Transformational Characteristics, and Polarization Behavior in the Lead Zirconate Titanate Crystalline Solution Series. (10) 2815
Dai, Xunhu See Xu, Zhengkui
Dai, Yisheng; Takahashi, Katsuo; and Yamaguchi, Ichirou
Water Corrosion Behavior of Fluoroaluminate Glass. (1) 184
Damjanovic, Dragan See Chu, Fan
Damodaran, Alaatoor D. See Koshy, Jacob
Danchaivijit, Sawai; Shetty, Dinesh K.; and Eldridge, Jeffrey
Critical Stresses for Extension of Filament-Bridged Matrix Cracks in Ceramic-Matrix Composites: An Assessment with a Model Composite with Tailored Interfaces. (5) 1139
D'Andrea, Gennaro See Sorarù, Gian Domenico
Danforth, Stephen C. See Yu, Sung Hun
Dariel, Mordecai S. See Yeheskel, Jacob
Dauskardt, Reinhold H. See Gilbert, Christopher J.
Davies, Peter K. See Brosha, Eric L.; Mather, Scott A.
De Aza, Piedad N.; Guitián, Francisco; and De Aza, Salvador
Phase Diagram of Wollastonite–Tricalcium Phosphate. (6) 1653
De Aza, Salvador See De Aza, Piedad N.
Déchamps, Michel; Djaričić, Boro; and Pickering, Stephen
Structure of Zirconia Prepared by Homogeneous Precipitation. (11) 2873
De Jonghe, Lutgard C. See Hong, Wan-Shick; Mitchell, Tyrone, D., Jr.
Delalut, Uroš See Makovec, Darko
Demczyk, Brian G. See Narula, Chaitanya K.
Denk, Ingrid; Münch, Wolfram; and Maier, Joachim
Partial Conductivities in $SrTiO_3$: Bulk Polarization Experiments, Oxygen Concentration Cell Measurements, and Defect-Chemical Modeling. (12) 3265
Derby, Jeffrey J. See Martínez-Herrera, Jorge I.
Derking, Anke See Chen, Zhong-Xin
Desai, Priyadarshi G.; Xu, Zhengkui; and Lewis, Jennifer A.
Synthesis and Properties of $CaAl_2O_4$-Coated Al_2O_3 Microcomposite Powders. (11) 2881
Desmaison-Brut, M.; Montintin, J.; Valin, F.; and Boncoeur, M.
Influence of Processing Conditions on the Microstructure and Mechanical Properties of Sintered Yttrium Oxides. (3) 716
Dharani, L. R. See Hong, Wei
Dimos, Duane See Sinclair, Michael B.
Ding, Jow-Lian; Liu, Kenneth C.; Brinkman, Charles R.; and Lin, Shengbin
Development of a High-Temperature Deformation and Life Prediction Model for an Advanced Silicon Nitride Ceramic. (11) 3057
Dion, Pascal See Massiot, Dominique
Djaričić, Boro See Déchamps, Michel
Dokiya, Masayuki See Montross, Charles S.
Domergue, Jean-Marc; Vagaggini, Emmanuel; and Evans, Anthony G.
Relationships between Hysteresis Measurements and the Constituent Properties of Ceramic Matrix Composites: II, Experimental Studies on Unidirectional Materials. (10) 2721
Domergue, Jean-Marc See Vagaggini, Emmanuel
Dorris, Stephen E. See Luo, Jian Shu
Douy, André See Jaymes, Isabelle
Drennan, John See Senda, Tetsuya
Drofenik, Miha See Rozman, Marko
Droillard, Christine; Voisard, Patrick; Heibst, Cyril; and Lamon, Jacques
Determination of Fracture Toughness in 2-D Woven SiC Matrix Composites Made by Chemical Vapor Infiltration. (5) 1201
Du, Xin Min; Orignac, Xavier; and Almeida, Rui M.
Striation-Free, Spin-Coated Sol–Gel Optical Films. (8) 2254
Du, Yang and Nowick, Arthur S.
Structural Transitions and Proton Conduction in Nonstoichiometric $A_3B'B''_2O_9$ Perovskite-Type Oxides. (11) 3033
Dunn, Bruce See Nishida, Fumito
Dunn, Martin L. See Li, Zhiguang
Dusza, J. See Šajgalik, Pavol
Dutta, Geeta See Mitra, Shantanu
Dutta, Indranath See Mitra, Shantanu
Dutton, Rollie E. See Gustafson, Cathleen M.
Dvorak, George J. and Sejnoha, Michal
Initial Failure Maps for Fibrous CCMC Laminates. (1) 205
Dwivedi, Priya J. and Green, David J.
Indentation Crack-Shape Evolution during Subcritical Crack Growth. (5) 1240; Determination of Subcritical Crack Growth Parameters by *In Situ* Observation of Indentation Cracks. (8) 2122
Eckebracht, Andrea See Kaplan-Diedrich, Hannelore
Eckel, Andrew J.; Cawley, James D.; and Parthasarathy, Triplicane A.
Oxidation Kinetics of a Continuous Carbon Phase in a Nonreactive Matrix. (4) 972
Economy, James See Kim, Dong-Pyo
Edirisinghe, Mohan J. See Moloney, Veronique M. B.
Egashira, Makoto See Lin, Feng-Cang
Eklund, Lars See Lidén, Eva
Ekström, Thommy See Nordberg, Lars O.
El-Desoky, Mohamed M. See Ahmed, Mohamed A.
Eldridge, Jeffrey See Danchaivijit, Sawai
Elissalde, Catherine and Cross, Leslie Eric
Dynamic Characteristics of Rainbow Ceramics. (8) 2233
Elthon, Don See George, Etienne; Tsang, Chi-Fo
Endo, Koretomo See Kishimoto, Akira
Ervas, Georgette Petot; Petot, Claude; Monceau, Daniel; Sproule, G. Irwin; and Graham, Michael J.
Kinetic Demixing of Solute Cations in Alumina Single Crystals during Cooling. (9) 2314
Evans, Anthony G. See Bourrat, Xavier; Cady, Carl M.; Domergue, Jean-Marc; Heredia, Fernando E.; Lamon, Jacques; Mackin, Thomas J.; Turner, Kristofer R.; Vagaggini, Emmanuel
Evans, Christopher J. See Padture, Nitin P.
Exarhos, Gregory J. See Laine, Richard M.
Eyden, Joost van der See Chen, Zhong-Xin
Faber, K. T. See Gu, W.-H.; Steyer, Todd E.
Fan, Danan and Chen, Long-Qing
Computer Simulation of Twin Formation during the Displacive $c \rightarrow t'$ Phase Transformation in the Zirconia–Yttria System. (3) 769
Fang, Tsang-Tse See Wu, Ma-Shine
Fantozzi, Gilbert See Chevalier, Jérome
Farnum, Eugene H. See Yano, Toyohiko
Faryna, Marek See Bućko, Mirosław M.
Feller, Steve See Martin, Steve W.
Ferber, Mattison K. See Wereszczak, Andrew A.
Fergus, Jeffrey W. and Worrell, Wayne L.
Effect of Carbon and Boron on the High-Temperature Oxidation of Silicon Carbide. (7) 1961
Ferraris, Monica See Lemoine, Patrick
Ferrato, Marc See Chartier, Thierry
Ferreira, Serafin See Siguín, Dionisio
Fert, André R. See Gotor, Francisco J.
Fett, Theo
Evaluation of the Bridging Relation from Crack-Opening-Displacement Measurements by Use of the Weight Function. (4) 945
Fett, Theo and Munz, Dietrich
Estimation of Bridging Interactions for Natural Cracks from Bending Strength of Coarse-Grained Al_2O_3. (1) 188
Fett, Theo; Munz, Dietrich; Thun, Gerhard; and Bahr, Hans-Achim
Evaluation of Bridging Parameters in Aluminas from *R*-Curves by Use of the Fracture Mechanical Weight Function. (4) 949
Foley, Michael R. See Wereszczak, Andrew A.
Folsom, Craig A. See Parthasarathy, Triplicane A.
Forst, Donald See Viehland, Dwight
Foufre, Luis See Siguín, Dionisio
Frade, Jorge Ribeiro and Cable, Michael
Numerical Solutions for Mixed Control of Powder Reactions for Spherical, Cylindrical, or Planar Particles. (1) 90
Francis, Lorraine Falter See Wright, John S.
Franks, George V.; Velamakanni, Bhaskar V.; and Lange, Fred F.
VibraForming and *In Situ* Flocculation of Consolidated, Coagulated, Alumina Slurries. (5) 1324
Franks, George V. See Luther, Erik P.
Fray, D. J. See Kale, G. M.
Freeman, Garth B. See Lackey, W. Jack
Freitag, Doug W. See Richardson, Kerry K.
Frischat, Günther H. See Kaplan-Diedrich, Hannelore
Fujikawa, Takao See Nanko, Makoto
Fujimoto, Shirou See Nakamura, Yoshikazu
Fujino, Shigeru; Takebe, Hiromichi; and Morinaga, Kenji
Measurements of Refractive Indexes and Factors Affecting Dispersion in Oxide Glasses. (5) 1179
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; and Yoshida, Hideto
Phase Stability Study on the Remelting Reaction in Ca_2SiO_4 Solid Solutions. (12) 3387
Fukuhara, Minoru See Goto, Seishi
Fukuyama, Koyo See Okada, Kiyoshi
Fuller, Edwin R., Jr. See Xu, Hockin H. K.
Furukawa, Osamu See Kanai, Hideyuki
Furusato, Isao See Ikesue, Akio
Gao, Lingxiang See Lehman, Richard L.
García, Fernando See Siguín, Dionisio
Garzon, Fernando H. See Brosha, Eric L.
Gauckler, Ludwig J. See Hidber, Pirmin C.; Risold, Daniel
George, Etienne; Elthon, Don; and Meen, James K.
Phase Equilibria of the SrO–CaO–CuO System at 950°C in 1 atm of Oxygen and at 10 kbar. (12) 3309
Gerblinger, Josef; Hausner, Martin; and Meixner, Hans
Electric and Kinetic Properties of Screen-Printed Strontium Titanate Films at High Temperatures. (6) 1451
Ghosh, Gorachand
Dispersion of Thermooptic Coefficients of Soda–Lime–Silica Glasses. (1) 218; Sellmeier Coefficients and Chromatic Dispersions for Some Tellurite Glasses. (10) 2828
Gilbert, Christopher J.; Dauskardt, Reinhold H.; and Ritchie, Robert O.
Behavior of Cyclic Fatigue Cracks in Monolithic Silicon Nitride. (9) 2291
Goela, Jitendra S. See Kim, Yongil; Wang, Hongyu
Gogotsi, Yury G. and Yoshimura, Masahiro
Low-Temperature Oxidation, Hydrothermal Corrosion, and Their Effects on Properties of SiC (Tyranno) Fibers. (6) 1439
Goldacker, Jeffrey See Li, Chien-Wei
Goldstein, Joseph I.; Choi, Seung K.; Van Loo, Frans J. J.; Bastin, Guillaume F.; and Metselaar, Rudi
Solid-State Reactions and Phase Relations in the Ti-Si-O System at 1373 K. (2) 313
Gongyi, Guo and Yuli, Chen
Formation and Properties of a Lead-Barium-Aluminum Phosphate Glass. (2) 501
Gopalan, Srikanth and Virkar, Anil V.
Interdiffusion and Kirkendall Effect in Doped Barium Titanate–Strontium Titanate Diffusion Couples. (4) 993
Gopalan, Venkatraman and Raj, Rishi
Structure–Optical Property Correlation of Epitaxial Potassium Niobate Thin Films Deposited on Magnesium Oxide (100) Substrates Using a Strontium Titanate Transition Layer. (7) 1825
Goto, Kiyoshi and Lee, William E.
The "Direct Bond" in Magnesia Chromite and Magnesia Spinel Refractories. (7) 1753
Goto, Seishi; Suenaga, Kenzo; Kado, Takeshi; and Fukuhara, Minoru
Calcium Silicate Carbonation Products. (11) 2867
Gotor, Francisco J.; Fert, André R.; Odier, Philippe; and Pellerin, Nadia
Grain Growth, Microstructure, and Superconducting Properties of Pure and Y_2BaCuO_5-Doped $YBa_2Cu_3O_{7-x}$ Ceramics. (8) 2113
Graham, Michael J. See Ervas, Georgette Petot
Graule, Thomas J. See Hidber, Pirmin C.
Green, David J. See Dwivedi, Priya J.; Nanjangud, Savitha C.; Sglavo, Vincenzo M.
Greenhut, Victor A. See Lehman, Richard L.
Greil, Peter
Active-Filler-Controlled Pyrolysis of Preceramic Polymers. (4) 835
Grutzeck, Michael W. See Kwan, Stephen
Gu, W.-H. and Faber, K. T.
Tensile Behavior of Microcracking SiC–TiB_2 Composites. (6) 1507
Guermazi, Mohamed
Oxidation and Temperature Effects on the Interfacial Shear Strength in SCS-6 Fiber-Reinforced Reaction-Bonded Silicon Nitride. (1) 269
Guiberteau, Fernando See Pajares, Antonia
Guitián, Francisco See De Aza, Piedad N.
Guo, Lu-Cun See Tomita, Yosinori
Gupta, Prabhat K.; Inniss, Daryl; Kurkjian, Charles R.; and Brownlow, Darryl L.
Determination of Crack Velocity as a Function of Stress Intensity from Static Fatigue Data—correction. (7) 2000
Gupta, Vijay and Pronin, Alexander
New Technique to Measure the Toughness of Thin-Film Interfaces. (5) 1397
Gustafson, Cathleen M.; Dutton, Rollie E.; and Kerans, Ronald J.
Fabrication of Glass Matrix Composites by Tape Casting. (5) 1423
Haber, Richard A. See Haerle, Andrew G.; Smith, Peter A.
Haberko, Krzysztof See Bućko, Mirosław M.
Haerle, Andrew G. and Haber, Richard A.
Ultrasonic Real-Time Monitoring of Cake Structure during Slip Casting. (3) 819
Haerle, Andrew G. See Smith, Peter A.
Haggerty, John S. See Sheldon, Brian W.
Haines, Julian; Léger, Jean Michel; and Atouf, Abdeltif
Crystal Structure and Equation of State of Cotunnite-Type Zirconia. (2) 445
Hallman, Paul F. See Stevenson, Jeffry W.
Halloran, John W. See King, Bruce H.
Hallstedt, Bengt
Thermodynamic Assessment of the CaO–MgO–Al_2O_3 System. (1) 193
Hallstedt, Bengt See Risold, Daniel
Hamaguchi, Hiro-o See Kim, Byung-Kook
Hamaji, Yukio See Kajiyoshi, Koji
Hampden-Smith, Mark J. See Senzaki, Yoshihide
Hampshire, Stuart See Ohashi, Masayoshi
Ham-Su, Rosaura and Wilkinson, David S.
Strength of Tape Cast and Laminated Ceramics. (6) 1580
Han, Yang-Su See Choy, Jin-Ho
Han, Yong and Akinc, Mufit
Zinc Sulfide/Gallium Phosphide Composites by Chemical Vapor Transport. (7) 1834
Hanada, Teiichi; Shinoda, Takuya; Tanabe, Setsuhisa; and Soga, Naohiro
Preparation and Elastic Properties of rf-Sputtered Amorphous Films in the System SiO_2–Y_2O_3. (5) 1383

Hanada, Teiichi See Tanabe, Setsuhisa
Hanaki, Yoshikazu See Nishida, Toshihiko
Handrock, James See Moody, Neville R.
Haneda, Hajime See Sakaguchi, Isao
Hanigofsky, John A. See Lackey, W. Jack
Hanyu, Hiroyuki See Sakai, Mototsugu
Hanyu, Naohiko See Yata, Kunio
Hao, Hongqi; Wang, Yonglan; Jin, Zhihao; and Wang, Xiaotian
Joining of Zirconia Ceramic to Stainless Steel and to Itself Using $Ag_{71}Cu_{28}Ti_1$ Filler Metal. (8) 2157
Hara, Naoki See Ohtaka, Osamu
Hardin, Regina D. See Lackey, W. Jack
Härdtl, Karl Heinz See Moos, Ralf
Harmer, Mark A. See Barbé, Christophe J.; Jagota, Sujata
Harmer, Martin P. See Thompson, A. Mark
Harrod, John F. See He, Jiliang
Hasegawa, Minoru See Itatani, Kiyoshi
Hasegawa, Yoshihisa See Suzuki, Masaaki
Hashida, Toshiyuki See Maalej, Mohamed
Hashimoto, Shinobu and Yamaguchi, Akira
Growth of Hollow Cr_3C_2 Polycrystals with Cr_2O_3. (7) 1985; Synthesis of Mg_2SiO_4 Whiskers by an Oxidation–Reduction Reaction. (7) 1989
Hassaan, Mohamed Y. See Ahmed, Mohamed A.
Hata, Kotaro; Kokubo, Tadashi; Nakamura, Takashi; and Yamamuro, Takao
Growth of a Bonelike Apatite Layer on a Substrate by a Biomimetic Process. (4) 1049
Hausner, Martin See Gerblinger, Josef
Haverlock, Tamara J. See Shoup, Shara S.
Hawley, M. E. See Reimanis, Ivar E.
Hay, Jack C. and White, Kenneth W.
Grain Boundary Phases and Wake Zone Characterization in Monolithic Alumina. (4) 1025
Hayakawa, Kei See Mizusaki, Junichiro
Hayashi, Masaru See Kanai, Hideyuki
Hayashi, Tetsusuke See Tanabe, Setsuhisa
He, Jiliang; Scarlete, Mihai; and Harrod, John F.
Silicon Nitride and Silicon Carbonitride by the Pyrolysis of Poly(methylsiladiazane). (11) 3009
He, Jun and Clarke, David R.
Determination of the Piezospectroscopic Coefficients for Chromium-Doped Sapphire. (5) 1347
He, Ming Y. See Mackin, Thomas J.
He, Yu See Zhao, Hong
Healy, Thomas W. See Leong, Yee-Kwong
Heibst, Cyril See Droillard, Christine
Hellstrom, Eric E. See Sung, Yeon Soo
Helmer, Thomas; Peterlik, Herwig; and Kromp, Karl
Coating of Carbon Fibers—The Strength of the Fibers. (1) 133
Hench, Larry L. See Pereira, Marivalda M.; West, Jon K.
Heo, Jong; Kim, Choon Gon; and Kim, You Song
Characterization and X-ray Photoelectron Spectroscopy Investigation of PbO–Bi_2O_3–Ga_2O_3 Glasses. (5) 1285
Heredia, Fernando E.; Evans, Anthony G.; and Andersson, Clarence A.
Tensile and Shear Properties of Continuous Fiber-Reinforced SiC/Al_2O_3 Composites Processed by Melt Oxidation. (10) 2790
Heredia, Fernando E.; McNulty, John C.; Zok, Frank W.; and Evans, Anthony G.
Oxidation Embrittlement Probe for Ceramic-Matrix Composites. (8) 2097
Heredia, Fernando E. See Cady, Carl M.
Heuer, Arthur H.
Artwork Reproduction in the *Journal*. (6) 1427
Heuer, Arthur H. See Laraia, Vincent J.
Hibi, Toshiyuki See Ota, Toshitaka
Hidber, Pirmin C.; Graule, Thomas J.; and Gauckler, Ludwig J.
Competitive Adsorption of Citric Acid and Poly(vinyl alcohol) onto Alumina and Its Influence on the Binder Migration during Drying. (7) 1775
Higuchi, Yukio See Michiura, Nobuhiko
Hikichi, Yasuo See Ota, Toshitaka
Hikita, Kazuyasu; Miyayama, Masaru; and Yanagida, Hiroaki
New Approach to Selective Semiconductor Gas Sensors Using a dc-Biased *pn* Heterocontact. (4) 865
Hill, Barry C. See Murphy, Dawn
Hill, Michael D.; Blendell, John E.; Vaudin, Mark D.; and Chiang, C. K.
Processing Effects on Microstructure and Superconducting Properties of Sintered $YBa_2Cu_3O_{6+x}$. (7) 1953
Hillinger, Gerald and Hlavacek, Vladimir
Direct Synthesis and Sintering of Silicon Nitride/Titanium Nitride Composite. (2) 495
Hillman, C. See Ho, S.
Hirai, Hisako; Kukino, Satoru; Ohwada, Takeshi; and Kondo, Ken-ichi
Dependence of Diamond Transition on Microtexture in Graphite Starting Materials under Shock Compression. (8) 2079
Hirai, Toshio See Yamane, Hisanori
Hirakata, Keigo; Rhine, Wendell E.; and Cima, Michael J.
Carbon Determination in Small Amounts of Ceramic Powder by Coulombic Titration. (10) 2834; Organic Acid Adsorption on Lead Titanate Surfaces. (9) 2563
Hirano, Katsuhiko See Mizusaki, Junichiro
Hirano, Masanori See Kato, Eturo
Hirano, Shingo; Kawabata, Akio; Yoshinaka, Masaru; Hirota, Ken; and Yamaguchi, Osamu
Formation and Characterization of Ce_2ZrO_6 Prepared by the Hydrazine Method. (5) 1414
Hirano, Shin-Ichi; Yogo, Toshinobu; Kikuta, Ko-Ichi; Noda, Ken-Ichi; Ichida, Masao; and Nakamura, Arao
Synthesis of $KTiOPO_4$ (KTP) Thin Films Using Metallo-organics. (11) 2956
Hirano, Shin-ichi See Yogo, Toshinobu
Hirao, Kiyoshi; Ohashi, Masayoshi; Brito, Manuel E.; and Kanzaki, Shuzo
Processing Strategy for Producing Highly Anisotropic Silicon Nitride. (6) 1687
Hirao, Kiyoshi See Ohashi, Masayoshi; Ohji, Tatsuki; Yasuoka, Masaki
Hirayama, Shigekazu See Nakamura, Yoshikazu
Hiremath, Basavaraj V. See Trolier-McKinstry, Susan
Hirota, Ken See Aoyama, Tatsuji; Hirano, Shingo; Kawabata, Akio
Hirotsuru, Hideki See Kim, Young-Wook; Mitomo, Mamoru
Hlavacek, Vladimir See Hillinger, Gerald
Ho, S.; Hillman, C.; Lange, F. F.; and Suo, Z.
Surface Cracking in Layers Under Biaxial, Residual Compressive Stress. (9) 2353
Hockey, Bernard J. See Luecke, William E.
Hoffman, Mark; Mai, Yiu-Wing; Wakayama, Shuichi; Kawahara, Masanori; and Kishi, Teruo
Crack-tip Degradation Processes Observed during *in situ* Cyclic Fatigue of Partially Stabilized Zirconia. (10) 2801
Hoffmann, M. J. See Šajgalik, Pavol
Hoke, Darren A. and Meyers, Marc A.
Consolidation of Combustion-Synthesized Titanium Diboride-Based Materials. (2) 275
Holowczak, John E. See Breder, Kristin
Holt, J. Birch See Wang, Lily L.
Hon, Min-Hsiung See Tsai, Ming-Shyong; Yeh, Chih-Hung
Hong, Kug Sun See Kim, Byung-Kook
Hong, Seong Jae and Virkar, Anil V.
Lattice Parameters and Densities of Rare-Earth Oxide Doped Ceria Electrolytes. (2) 433
Hong, Wan-Shick; De Jonghe, Lutgard C.; Yang, Xi; and Rahaman, Mohamed N.
Reaction Sintering of ZnO–Al_2O_3. (12) 3217
Hong, Wei and Dharani, L. R.
Pressureless Sintering of a Ceramic Matrix with Multiple Rigid Inclusions: Finite Element Model. (6) 1593
Horita, Teruhisa; Choi, Jin-Sam; Lee, You-Kee; Sakai, Natsuko; Kawada, Tatsuya; Yokokawa, Harumi; and Dokiya, Masayuki
Reaction between Calcium-Doped Lanthanum Chromite and Silica. (7) 1729
Housley, Robert M. See Morgan, Peter E. D.
Howell, F. Scott See Itatani, Kiyoshi
Hsia, K. Jimmy See Xin, Yun-Biao
Hsu, Jen-Yen See Sundaram, S. Kamakshi
Hsueh, Chun-Hway and Becher, Paul F.
Determination of the *R*-Curve from the Strength–Indentation Load Relation. (8) 2237
Hsueh, Chun-Hway See Alexander, Kathleen B.
Huang, Chin-Kuan See Tsaih, Wen-Chou
Huang, Xue-Ning; Kuo, Chu Kun; and Nicholson, Patrick S.
Modification of α-Al_2O_3 Platelet/ZrO_2 Matrix Interface by Epitaxial Growth of β″-Al_2O_3 on the α-Al_2O_3. (4) 892
Huang, Xue-Ning See Kuo, Chu Kun
Huang, Yong See Zhang, Zongtao
Huang, Zhengren; Jiang, Dongliang; and Tan, Shouhong
Colloidal Processing of SiC Whisker Composites. (8) 2240
Hughes, Anthony E.
Segregation in Single-Crystal Fully Stabilized Yttria-Zirconia. (2) 369
Hunn, David L. See Richardson, Kerry K.
Hurd, Alan J. See Nishida, Fumito
Hurley, John P. See Breder, Kristin
Hussler, John W. See Senzaki, Yoshihide
Hutchinson, John W. See Lu, Tian-Jian
Hwang, C. James; Susnitzky, David W.; and Beaman, Donald R.
Preparation of Multication α-SiAlON Containing Strontium. (3) 588
Hwang, C. James; Susnitzky, David W.; Newman, Robert A.; Beaman, Donald R.; and Pyzik, Aleksander J.
Controlled Crystallization in Self-Reinforced Silicon Nitride with Y_2O_3, SrO, and CaO: Crystallization Behavior. (11) 3072
Hwang, Cheol Seong and Kim, Hyeong Joon
Deposition of Pb(Zr,Ti)O_3 Thin Films by Metal-Organic Chemical Vapor Deposition Using β-diketonate Precursors at Low Temperatures. (2) 329; Pb-Diffusion Barrier Layers for $PbTiO_3$ Thin Films Deposited on Si Substrates by Metal Organic Chemical Vapor Deposition. (2) 337
Hwang, Robert Q. See Moody, Neville R.
Ichida, Masao See Hirano, Shin-Ichi
Ide, M. See Yoda, Mitsuo
Igaki, Hisashi See Ikeda, Kiyohiko
Igarashi, Shin-ichi and Kawamura, Mitsunori
Detection of Failures around Main Cracks and Their Relation to the Fracture Toughness of Cement Pastes. (7) 1715
Igashira, Ken'ichiro See Tanaka, Isao
Iizuka, Toshihiro See Nakano, Takashi
Ikari, Masanori See Yano, Toyohiko
Ikeda, Kiyohiko; Yoshikawa, Akira; Adachi, Katsushige; Kaizu, Koichi; and Igaki, Hisashi
Effect of Growth and Coalescence of Multisurface Cracks on Static Fatigue Behavior of Glass Ceramics. (12) 3383
Ikegami, Takayasu See Sakaguchi, Isao; Yashima, Masatomo
Ikesue, Akio; Furusato, Isao; and Kamata, Kiichiro
Fabrication of Polycrystalline, Transparent YAG Ceramics by a Solid-State Reaction Method. (1) 225
Ikesue, Akio; Kamata, Kiichiro; and Yoshida, Kunio
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG Ceramics for High-Efficiency Solid-State Lasers. (9) 2545
Ikesue, Akio; Kinoshita, Toshiyuki; Kamata, Kiichiro; and Yoshida, Kunio
Fabrication and Optical Properties of High-Performance Polycrystalline Nd:YAG Ceramics for Solid-State Lasers. (4) 1033
Ikuhara, Yuichi See Sasaki, Yukichi
Imanaka, Yoshihiko; Aoki, Shigenori; Kamehara, Nobuo; and Niwa, Koichi
Cristobalite Phase Formation in Glass/Ceramic Composites. (5) 1265
Imura, Toru See Nakano, Kikuo
Inaba, Hideaki
Nonstoichiometry and Its Effect on the Magnetic Properties of a Manganese-Zinc Ferrite. (11) 2907
Inaba, Minoru See Mineshige Atsushi
Inagaki, Michio See Ito, Yoshiho; Sakai, Mototsugu; Shimada, Shiro
Inniss, Daryl See Gupta, Prabhat K.
Inoue, Hiroyuki See Soga, Kohei
Inoue, Satoru See Soga, Kohei
Inoue, Tatsuya See Kasuga, Toshihiro
Inui, Saburo See Ota, Yoshio
Ioroi, Tsutomu See Ogumi, Zempachi
Iseki, Takayoshi See Yano, Toyohiko
Ishihara, Tatsumi See Mizuhara, Yukako
Ishizaki, Kozo See Nanko, Makoto
Ishizawa, Nobuo See Yashima, Masatomo
Isomura, Kenji See Kamiya, Hidehiro
Itatani, Kiyoshi; Hasegawa, Minoru; Aizawa, Mamoru; Howell, F. Scott; Kishioka, Akira; and Kinoshita, Makio
Some Properties of Aluminum Carbide Powder Prepared by the Pyrolysis of Alkylaluminum. (3) 801
Ito, Hiroshige See Uematsu, Keizo
Ito, Suketoshi See Fukuda, Koichiro
Ito, Yasuhiro See Yogo, Toshinobu
Ito, Yoshiho; Shimada, Shiro; and Inagaki, Michio
Molten-Salt Synthesis of $Ba_{1-x}Pb_xTiO_3$ in the System $BaTiO_3$–$PbCl_2$. (10) 2695
Itoh, Masayoshi See Narisawa, Masaki
Itoh, Mitsuru See Choy, Jin-Ho
Ivankovic, Hrvoje See Nass, Ruediger
Iwami, Tomoaki; Tadanaga, Kiyoharu; Tatsumisago, Masahiro; Minami, Tsutomu; and Tohge, Noboru
Preparation of CdS-doped Glasses from Gels Containing Diethyldithiocarbamatocadmium. (6) 1668
Iwamoto, Yuji See Takahashi, Hideo
Iwashita, Tetsushi See Ota, Yoshio
Iyi, Nobuo See Tanaka, Hidehiko
Izumi, Fujio See Ohtaka, Osamu
Jackson, Robert A. See Akhtar, M. Javed
Jacob, K. Thomas and Waseda, Yoshio
Phase Relations in the System La-Rh-O and Thermodynamic Properties of $LaRhO_3$. (2) 440
Jacobs, David S. and Chen, I-Wei
Cyclic Fatigue in Ceramics: A Balance between Crack Shielding Accumulation and Degradation. (3) 513
Jacobson, Nathan S. See Lee, Kang N.
Jagota, Anand and Scherer, George W.
Viscosities and Sintering Rates of Composite Packings of Spheres. (3) 521
Jagota, Anand See Jagota, Sujata
Jagota, Sujata; Harmer, Mark A.; Lemon, Michael F.; Jagota, Anand; and McCarron, Eugene M., III
Pillared Smectite Clay Coatings for Ceramic-Matrix Composites. (8) 2243
Jahanmir, Said See Xu, Hockin H. K.
Jakubenas, Kevin and Marcus, H. L.
Silicon Carbide from Laser Pyrolysis of Polycarbosilane. (8) 2263
Jakus, Karl See Murphy, Dawn
James, Peter F. See Lee, William E.
Janas, Victor F.; McNulty, Thomas F.; Walker, Francis R.; Schaeffer, Robert P.; and Safari, Ahmad
Processing of 1-3 Piezoelectric Ceramic/Polymer Composites. (9) 2425
Janas, Victor F. and Safari, Ahmad
Overview of Fine-Scale Piezoelectric Ceramic/Polymer Composite Processing. (11) 2945
Janas, Victor F. See Livneh, Shai S.; McNulty, Thomas F.

Jang, Hyun M.
Surface Precipitation Route for the Development of Cordierite–Zirconia Composites. (3) 723
Jang, Hyun M.; Cho, Sung R.; and Lee, Kyu-Mann
Mechanism of Formation of Perovskite Phase and Dielectric Properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ Ceramics Prepared by Columbite Precursor Routes. (2) 297
Janssen, Frans J. J. G. See Bolech, Mark
Jayaram, Vikram See Balmer, Mari Lou; Salas, Olimpia
Jaymes, Isabelle; Douy, André; Massiot, Dominique; and Busnel, Jean-Pierre
Synthesis of a Mullite Precursor from Aluminum Nitrate and Tetraethoxysilane via Aqueous Homogeneous Precipitation: An ^{27}Al and ^{29}Si Liquid- and Solid-State NMR Spectroscopic Study. (10) 2648
Jayne, Douglas T. and Matthiesen, Mary M.
Removing Hydroxypropyl Methylcellulose Sizing from Sapphire Fibers by Ultraviolet/Ozone Cleaning. (10) 2861
Jennings, Hamlin M. and Tennis, Paul D.
Model for the Developing Microstructure in Portland Cement Pastes—correction. (9) 2575
Ji, Yangyang; Liang, Jingkui; Xie, Sishen; and Yu, Yude
Subsolidus Phase Equilibria of the CaO–B_2O_3–BaO System. (3) 765
Jiang, Dongliang See Huang, Zhengren
Jiang, Qing See Zhang, Ying
Jiang, Yendao See Xu, Zhengkui
Jiang, Zuozhao See Zhang, Zongtao
Jimbo, Genji See Kamiya, Hidehiro
Jiménez, Basilio See Calzada, M. Lourdes
Jimenez-Becerril, Jaime See Carrera, Luz María
Jin, Zhihao See Hao, Hongqi
Jin, Zhi-He and Mai, Yiu-Wing
Effects of Damage on Thermal Shock Strength Behavior of Ceramics. (7) 1873
Jin, Zongzhe See Zhang, Guojun; Zhao, Hong
Johnson, D. Lynn See Spotz, Mark S.
Johnson, Sylvia M.; Lamoreau, Robert H.; and Loehman, Ronald E.
Crystallization of a Lithium Silicate Glass-Ceramic under Pressure. (4) 1115
Johnson, William C. See Reinke, Christian
Jun-ichiro, Tsubaki See Kamiya, Hidehiro
JunIchiro, Tsubaki See Takahashi, Hideo
Kado, Takeshi See Goto, Seishi
Kaizu, Koichi See Ikeda, Kiyohiko
Kaji, Masaki See Uchimura, Hiroshi
Kajiyoshi, Koji; Tomono, Kunisaburo; Hamaji, Yukio; Kasanami, Toru; and Yoshimura, Masahiro
Short-Circuit Diffusion of Ba, Sr, and O during $ATiO_3$ (A = Ba, Sr) Thin-Film Growth by the Hydroth~rmal–Electrochemical Method. (6) 1521
Kakegawa, Kazuyuki; Matsunaga, Osamu; Kato, Tamani; and Sasaki, Yoshinori
Compositional Change and Compositional Fluctuation in $Pb(Zr,Ti)O_3$ Containing Excess PbO. (4) 1071
Kakihana, Masato See Cho, Woo-Seok; Yashima, Masatomo
Kale, G. M. and Fray, D. J.
Gibbs Energy of Formation of $CuGd_2O_4$ and Phase Relations in the Cu–Gd–O System. (7) 1882
Kamata, Kiichiro See Ikesue, Akio
Kamehara, Nobuo See Imanaka, Yoshihiko
Kameshima, Yoshikazu See Okada, Kiyoshi
Kamiya, Akira See Nakano, Kikuo
Kamiya, Hidehiro; Isomura, Kenji; Jimbo, Genji; and Jun-ichiro, Tsubaki
Powder Processing for the Fabrication of Si_3N_4 Ceramics: I, Influence of Spray-Dried Granule Strength on Pore Size Distribution in Green Compacts. (1) 49
Kamiya, Hidehiro See Takahashi, Hideo
Kammlott, Gunther W. See Kurkjian, Charles R.
Kanai, Hideyuki; Furukawa, Osamu; Nakamura, Shin-ichi; Hayashi, Masaru; Yoshiki, Masahiko; and Yamashita, Yohachi
Effects of Silver Doping on the Reliability of $(Pb_{0.875}Ba_{0.125})[(Mg_{1/3}Nb_{2/3})_{0.5}(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ Relaxor Dielectric Ceramics. (5) 1173
Kanai, Hideyuki; Furukawa, Osamu; Nakamura, Shin-ichi; and Yamashita, Yohachi
Role of PbO and Ag on Insulation Resistance Degradation in Relaxor-Based MLCs. (6) 1657
Kanamaru, Fumikazu See Kikkawa, Shinichi
Kang, Dong Heon See Yoon, Ki Hyun
Kang, Suk-Joong L. See Lee, Ho-Yong
Kansal, Pallavi and Laine, Richard M.
Group II Tris(glycolato)silicates as Precursors to Silicate Glasses and Ceramics. (3) 529
Kanzaki, Shuzo See Hirao, Kiyoshi; Ohashi, Masayoshi; Ohji, Tatsuki; Yasuoka, Masaki;
Kaplan, Wayne D.; Müllejans, Harald; Rühle, Manfred; Rödel, Jürgen; and Claussen, Nils
Ca Segregation to Basal Surfaces in α-Alumina. (10) 2841
Kaplan, Wayne D. See Levin, Igor
Kaplan-Diedrich, Hannelore; Eckebracht, Andrea; and Frischat, Günther H.
Viscosity and Surface Tension of Oxynitride Glass Melts. (4) 1123
Karbhari, Vistasp M. See Pitchumani, Rangarajan
Karihaloo, Bhushan L. See Andreasen, Jens H.; Thomsen, Niels B.
Kasanami, Toru See Kajiyoshi, Koji
Kasuga, Toshihiro; Inoue, Tatsuya; Tsuji, Kenji; Ota, Yoshio; and Abe, Yoshihiro
Preparation of Porous Ceramics with Calcium Metaphosphate Fiber Skeleton for Biomedical Use. (1) 245
Kasuga, Toshihiro See Ota, Yoshio
Kato, Ayako See Nogami, Masayuki
Kato, Eturo; Hirano, Masanori; and Nagai, Akihiro
Growth of Monoclinic ZrO_2 Thin, Flaky Crystals by Hydrothermal Decomposition of Zirconium Oxide Sulfate Crystals. (8) 2259
Kato, Namie See Kikkawa, Shinichi
Kato, Tamani See Kakegawa, Kazuyuki
Kato, Yoshio See Kobayashi, Fumiaki
Katz, Allan P. See Parthasarathy, Triplicane A.
Kawabata, Akio; Yoshinaka, Masaru; Hirota, Ken; and Yamaguchi, Osamu
Hot Isostatic Pressing and Characterization of Sol-Gel-Derived Chromium(III) Oxide. (8) 2271
Kawabata, Akio See Hirano, Shingo
Kawagoe, Tomoo See Mineshige, Atsushi
Kawaguchi, Yoshiaki See Yamade, Yoshiaki
Kawahara, Masanori See Hoffman, Mark
Kawamura, Mitsunori See Igarashi, Shin-ichi
Kelkar, Girish P. and Carim, Altaf H.
Phase Equilibria in the Ti–Al–O System at 945°C and Analysis of Ti/Al_2O_3 Reactions. (3) 572
Kellett, Bruce J. and Wilkinson, David S.
Processing and Properties of Alumina–Graphite Platelet Composites. (5) 1198
Kelly, Patrick M. See Wauchope, Corinna J.
Kennish, Richard A. See Laine, Richard M.
Kerans, Ronald J. See Gustafson, Cathleen M.
Khachaturyan, Armen G. See Wang, Yunzhi
Kikkawa, Shinichi; Kato, Namie; Taya, Noriko; Tada, Masakazu; and Kanamaru, Fumikazu
Formation of Infinite-Layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-y}Na_y)_{0.85}CuO_2$ in Tartrate Route. (5) 1387
Kikuchi, Kenji See Mineshige, Atsushi
Kikuta, Koichi See Hirano, Shin-Ichi; Yogo, Toshinobu
Kim, Byung-Kook; Hamaguchi, Hiro-o; Kim, In-Tae; and Hong, Kug Sun
Probing of 1:2 Ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ Ceramics by XRD and Raman Spectroscopy. (11) 3117
Kim, Chong Hee See Lee, Seung Kun; Moon, Young Tae
Kim, Choon Gon See Heo, Jong
Kim, Do Kyung See Lee, Seung Kun; Moon, Young Tae
Kim, Doh-Yeon See Chae, Ki-Woong; Oh, Kyung-Sik
Kim, Dong-Pyo; Cofer, Cameron G.; and Economy, James
Fabrication and Properties of Ceramic Composites with a Boron Nitride Matrix. (6) 1546
Kim, Hyeong Joon See Hwang, Cheol Seong
Kim, Hyoun-Ee; Moorhead, Arthur J.; Riu, Doh-Hyung; and Lee, Dong-Han
Effects of Heat Treatment in a Wet Hydrogen Atmosphere on the Reliability of Sintered α-Silicon Carbide. (6) 1708
Kim, Hyun-Min; Miyaji, Fumiaki; Kokubo, Tadashi; Ohtsuki, Chikara; and Nakamura, Takashi
Bioactivity of Na_2O–CaO–SiO_2 Glasses. (9) 2405
Kim, In-Tae See Kim, Byung-Kook
Kim, Nam See Viehland, Dwight
Kim, Sae-Hoon and Yoko, Toshinobu
Nonlinear Optical Properties of TeO_2-Based Glasses: MO_x–TeO_2 (M = Sc, Ti, V, Nb, Mo, Ta, and W) Binary Glasses. (4) 1061
Kim, Sae-Hoon See Terashima, Kentaro
Kim, Seock-Sam See Cho, Seong-Jai
Kim, Sung-Hee See Lee, Joon-Hyung
Kim, Sung S.
Calculations of Liquidus Curve and Subliquidus Miscibility Gap in the $LiTaO_3$–SiO_2 System. (4) 1101
Kim, Yongil; Zangvil, Avigdor; Goela, Jitendra S.; and Taylor, Raymond L.
Microstructure Comparison of Transparent and Opaque CVD SiC. (6) 1571
Kim, You Song See Heo, Jong
Kim, Young-Wook; Mitomo, Mamoru; and Hirotsuru, Hideki
Grain Growth and Fracture Toughness of Fine-Grained Silicon Carbide Ceramics. (11) 3145
Kimura, Koji See Sakata, Masaru
Kimura, Osamu; Matsumoto, Masafumi; and Sakakura, Mitsuo
Enhanced Dispersion Frequency of Hot-Pressed Z-Type Magnetoplumbite Ferrite with the Composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$. (10) 2857
King, Bruce H. and Halloran, John W.
Polycrystalline Yttrium Aluminum Garnet Fibers from Colloidal Sols. (8) 2141
Kinoshita, Makio See Itatani, Kiyoshi
Kinoshita, Toshiyuki See Ikesue, Akio
Kirkland, Timothy P. See Wereszczak, Andrew A.
Kishi, Teruo See Hoffman, Mark; Torizuka, Shiro; Yamade, Yoshiaki
Kishimoto, Akira; Endo, Koretomo; Nakamura, Yoshinobu; Motohira, Naobumi; Yanagida, Hiroaki; and Sugai, Kazuhito
Effect of High-Voltage Screening on Strength Distribution for Titanium Dioxide Ceramics. (8) 2248
Kishimoto, Akira; Sugai, Kazuhito; Nakamura, Yoshinobu; Motohira, Naobumi; and Yanagida, Hiroaki
A Simultaneous Loading System to Evaluate the Structural Reliability of Brittle Materials. (8) 2251
Kishioka, Akira See Itatani, Kiyoshi
Kitagaki, Kazuhisa See Yamashita, Kimihiro
Kitano, Shuhei See Narisawa, Masaki
Kleebe, Hans-Joachim See Sigl, Lorenz S.
Klein, Lisa C. See Pavlik, Robert S., Jr.; Rivas, Patricia C.; Yu, C. Charles
Klissurska, Radosveta D.; Brooks, Keith G.; Reaney, Ian M.; Pawlaczyk, Czeslaw; Kosec, Marija; and Setter, Nava
Effect of Nb Doping on the Microstructure of Sol–Gel-Derived PZT Thin Films. (6) 1513
Knowles, Kevin M. See Turan, Servet
Kobayashi, Fumiaki; Ogawa, Toru; Akabori, Mitsuo; and Kato, Yoshio
Anodic Dissolution of Uranium Mononitride in Lithium Chloride–Potassium Chloride Eutectic Melt. (8) 2279
Kodama, Tatsuya and Tamaura, Yutaka
Reaction Condition for the Synthesis of Ultrafine Particles of the High-Vacancy-Content Zn(II)-Bearing Ferrites from Iron(III) Tartrate Solution. (5) 1335
Kodas, Toivo T. See Senzaki, Yoshihide; Xiong, Yun
Kokabi, Hamid Reza See Akiyama, Morito
Kokubo, Tadashi See Hata, Kotaro; Kim, Hyun-Min
Kolar, Drago See Makovec, Darko
Komarneni, Sridhar See Liu, Chunling
Kondo, Ken-ichi See Hirai, Hisako
Kondo, Yoshihito See Nanko, Makoto
Koot, Wouter See Chen, Zhong-Xin
Kosec, Marija See Klissurska, Radosveta D.
Koshy, Jacob; Kumar, Krishnan Sudarsana; Kurian, Jose; Yadava, Yogendra P.; and Damodaran, Alaatoor D.
Rare-Earth Barium Stannates: Synthesis, Characterization, and Potential Use as Substrates for $YBa_2Cu_3O_{7-\delta}$ Superconductor. (11) 3088
Kostic-Gvozdenovic, Ljiljana See Čerović, Ljiljana S.
Kotula, Paul G. and Carter, C. Barry
Nucleation of Solid-State Reactions between Nickel Oxide and Aluminum Oxide. (1) 248
Koumoto, Kunihito See Tokiai, Takeo
Kouris, Demitris and Meisner, Mark
Residual Stresses in Unidirectional Composites with Closely Spaced Fibers. (12) 3316
Kovalev, Sergei P. See Borovik, Valeri G.
Kovar, Desiderio See O'Donnell, Heather L.
Krause, Ralph F., Jr. See Luecke, William E.; Xu, Hockin H. K.
Krell, Andreas
Load Dependence of Hardness in Sintered Submicrometer Al_2O_3 and ZrO_2. (5) 1417
Krell, Andreas and Blank, Paul
Grain Size Dependence of Hardness in Dense Submicrometer Alumina. (4) 1118
Krell, Andreas; Blank, Paul; Pippel, Eckhard; and Woltersdorf, Jörg
Sintering ZrO_2/TiC Composites with TiH_2: The Role of Transient Liquid Phase and of Substoichiometry. (10) 2641
Krishnan, Shankar See Weber, J. K. Richard
Kriven, Waltraud M. See Kuo, Dong-Hau
Kromp, Karl See Helmer, Thomas
Kudo, Akihiko See Cho, Woo-Seok
Kuharuangrong, Sutin and Schulze, Walter
Compositional Modifications of 10%-Pb-Doped $Bi_{0.5}Na_{0.5}TiO_3$ for High-Temperature Dielectrics. (8) 2274
Kukino, Satoru See Hirai, Hisako
Kulik, Joseph See Morris, Jonathan C.
Kumar, Krishnan Sudarsana See Koshy, Jacob
Kumar, Susmit and Singh, Raj N.
Thermal Conductivity of Polycrystalline Materials. (3) 728
Kume, Shoichi See Ohtaka, Osamu
Kung, Fred H. See Sanghera, Jas S.
Kuo, Chu Kun; Huang, Xue-Ning; and Nicholson, Patrick S.
Structure of Na– and Ca–β″-Al_2O_3 Coatings on α-Al_2O_3 Single-Crystal Platelets. (3) 824
Kuo, Chu Kun See Huang, Xue-Ning
Kuo, Dong-Hau and Kriven, Waltraud M.
Characterization of Yttrium Phosphate and a Yttrium Phosphate/Yttrium Aluminate Laminate. (11) 3121
Kuo, Wen-Shyong and Chou, Tsu-Wei
Multiple Cracking of Unidirectional and Cross-Ply Ceramic Matrix Composites. (3) 745; Elastic Response and Effect of Transverse Cracking in Woven Fabric Brittle Matrix Composites. (3) 783
Kurata, Naoki See Aoyama, Tatsuji
Kurian, Jose See Koshy, Jacob

Kurkjian, Charles R.; Kammlott, Gunther W.; and Chaudhri, M. Munawar
Indentation Behavior of Soda–Lime Silica Glass, Fused Silica, and Single-Crystal Quartz at Liquid Nitrogen Temperature. (3) 737
Kurkjian, Charles R. See Gupta, Prabhat K.
Kuwabara, Makoto See Shimooka, Hirokazu
Kwan, Stephen; LaRosa, Judith; and Grutzeck, Michael W.
^{29}Si and ^{27}Al MASNMR Study of Strätlingite. (7) 1921
Kwon, Oh-Hun; Nordahl, C. Scott; and Messing, Gary L.
Submicrometer Transparent Alumina by Sinter Forging Seeded γ-Al_2O_3 Powders. (2) 491
Lackey, W. Jack; Hanigofsky, John A.; Freeman, Garth B.; Hardin, Regina D.; and Prasad, Ajit
Continuous Fabrication of Silicon Carbide Fiber Tows by Chemical Vapor Deposition. (6) 1564
Lackey, W. Jack; Vaidyaraman, Sundar; Freeman, Garth B.; and Agrawal, Pradeep K.
Technique for Monitoring Densification during Chemical Vapor Infiltration. (4) 1131
LaCourse, Brian C. and Amarakoon, Vasantha R. W.
Characterization of the Firing Schedule for Positive Temperature Coefficient of Resistance $BaTiO_3$. (12) 3352
Laine, Richard M.; Babonneau, Florence; Blowhowiak, Kay Y.; Kennish, Richard A.; Rahn, Jeffrey A.; Exarhos, Gregory J.; and Waldner, Kurt
The Evolutionary Process during Pyrolytic Transformation of Poly(N-methylsilazane) from a Preceramic Polymer into an Amorphous Silicon Nitride/Carbon Composite. (1) 137
Laine, Richard M. See Kansal, Pallavi
Lakshminarayanan, R. See Chao, Luen-Yuan
Lamon, Jacques; Rebillat, Francis; and Evans, Anthony G.
Microcomposite Test Procedure for Evaluating the Interface Properties of Ceramic Matrix Composites. (2) 401
Lamon, Jacques See Droillard, Christine
Lamoreau, Robert H. See Johnson, Sylvia M.
Lanagan, Michael T. See Luo, Jian Shu
Lange, David A. See Xin, Yun-Biao
Lange, Fred F. See Balmer, Mari Lou; Franks, George V.; Ho, S.; Luther, Erik P.; Polli, Andrew D.; Tu, Wen-Chiang
Langford, J. Ian See Auffrédic, Jean-Paul
Lannutti, John J. See Park, Eun-Sung
Laraia, Vincent J.; Rus, Ioan L.; and Heuer, Arthur H.
Microstructural Shape Factors: Relation of Random Planar Sections to Three-Dimensional Microstructures. (6) 1532
LaRosa, Judith See Kwan, Stephen
Latella, Bruno A.; Burton, Graeme R.; and O'Connor, Brian H.
Use of Spodumene in the Processing of Alumina-Matrix Ceramics—Influence on Microstructure and Mechanical Properties. (7) 1895
Lathabai, Srinivasarao See Pajares, Antonia
Lavaste, Valérie; Besson, Jacques; Berger, Marie-Hélène; and Bunsell, Anthony R.
Elastic and Creep Properties of Alumina-Based Single Fibers. (11) 3081
Lavrentyev, Anton I. See Chu, Ya-Cherng
Lawn, Brian R. See Padture, Nitin P.; Pajares, Antonia
Lawton, Stanley A. and Theby, Edward A.
Synthesis of Vanadium Oxide Powders by Evaporative Decomposition of Solutions. (1) 104; Effect of Tungsten and Molybdenum Doping on the Semiconductor–Metallic Transition in Vanadium Dioxide Produced by Evaporative Decomposition of Solutions and Hydrogen Reduction. (1) 238
Layyous, Albir A. See Levin, Igor
Lazaroff, Jerold E.; Ownby, P. Darrell; and Weirauch, Douglas A., Jr.
Wetting in an Electronic Packaging Ceramic System: I, Wetting of Tungsten by Glass in Controlled Oxygen Partial Pressure Atmospheres. (3) 539
Lazaroff, Jerold E. See Weirauch, Douglas A., Jr.
le Mercier, Thierry See Bermejo, Edelio
Lederich, Richard See Soboyejo, Wolé
Lee, Byoung-Ki See Lee, Ho-Yong
Lee, Dong-Han See Kim, Hyoun-Ee
Lee, Hee-Gyoun; Park, Jong-Hyun; and Song, Jin-Tae
Effects of Melt Chemistry and Platinum Doping in the Refinement of $Y_2Ba_1Cu_1O_x$ Particles for the System Y-Ba-Cu-O. (7) 1980
Lee, Ho-Yong; Paek, Yeong-Kyeun; Lee, Byoung-Ki; and Kang, Suk-Joong L.
Discontinuous Dissolution of Iron Aluminate Spinel in the Al_2O_3–Fe_2O_3 System. (8) 2149
Lee, Hsin-Hui See Shyu, Jiin-Jyh
Lee, Hsin-Yi See Wu, Tai-Bor
Lee, Joon-Hyung; Kim, Sung-Hee; and Cho, Sang-Hee
Valence Change of Mn Ions in $BaTiO_3$-Based PTCR Materials. (10) 2845
Lee, Kang N. and Jacobson, Nathan S.
Chemical Stability of the Fiber Coating/Matrix Interface in Silicon-Based Ceramic Matrix Composites. (3) 711
Lee, Kang N.; Miller, Robert A.; and Jacobson, Nathan S.
New Generation of Plasma-Sprayed Mullite Coatings on Silicon Carbide. (3) 705
Lee, Kyu-Mann See Jang, Hyun M.
Lee, Sang-Jin See Park, Jeong-Hyun
Lee, Seung Kun; Kim, Do Kyung; and Kim, Chong Hee
Flaw-Tolerance and *R*-Curve Behavior of Liquid-Phase-Sintered Silicon Carbides with Different Microstructures. (1) 65
Lee, Sunghak See Sohn, Kee-Sun
Lee, William E.; Chen, Makan; and James, Peter F.
Crystallization of Celsian ($BaAl_2Si_2O_8$) Glass. (8) 2180
Lee, William E. See Akbas, Mehmet A.; Goto, Kiyoshi
Lee, Woo Y.; Bae, Yong W.; and Stinton, David P.
Na_2SO_4-Induced Corrosion of Si_3N_4 Coated with Chemically Vapor Deposited Ta_2O_5. (7) 1927
Lee, Woo Y. See Bae, Yong W.
Léger, Jean Michel See Haines, Julian
Lehman, Richard L.; Greenhut, Victor A.; and Gao, Lingxiang
X-ray Diffraction and Chemical Characterization of the Plastic Colloid Fraction of Chinastone. (1) 9
Lemoine, Patrick; Salvo, Milena; Ferraris, Monica; Montorsi, Margherita; and Scholz, Harold
Reaction of SiC_f/SiC Composites with a Zinc Borate Glass. (6) 1691
Lemon, Michael F. See Jagota, Sujata
Lencka, Malgorzata M.; Anderko, Andrzej; and Riman, Richard E.
Hydrothermal Precipitation of Lead Zirconate Titanate Solid Solutions: Thermodynamic Modeling and Experimental Synthesis. (10) 2609
Leong, Yee-Kwong; Scales, Peter J.; Healy, Thomas W.; and Boger, David V.
Effect of Particle Size on Colloidal Zirconia Rheology at the Isoelectric Point. (8) 2209
Lequeux, Nicolas; Richard, Nathalie; and Boch, Philippe
Shrinkage Reduction in Silica-based Refractory Cores Infiltrated with Boehmite. (11) 2961
Leung, Roger Y. See Yu, Sung Hun
Levi, Carlos G. See Balmer, Mari Lou; Salas, Olimpia
Levin, Igor; Kaplan, Wayne D.; Brandon, David G.; and Layyous, Albir A.
Effect of SiC Submicrometer Particle Size and Content on Fracture Toughness of Alumina–SiC "Nanocomposites". (i) 254
Lewinsohn, Charles A. See Morscher, Gregory N.
Lewis, Jennifer A. See Desai, Priyadarshi G.
Li, Chien-Wei; Lui, Siu-Ching; and Goldacker, Jeffrey
Relation between Strength, Microstructure, and Grain-Bridging Characteristics in *In Situ* Reinforced Silicon Nitride. (2) 449
Li, Hong; Agarwal, Anand; and Tomozawa, Minoru
Effect of Fictive Temperature on Dynamic Fatigue Behavior of Silica and Soda–Lime Glasses. (5) 1393
Li, Hua and Liang, Jingkui
Dependence of Crystallizaton Behavior of Sodium Diborate ($Na_2O{\cdot}2B_2O_3$) on Its Glass Structure and the Characteristics of Phase Transformation. (2) 470
Li, Jie-Fang; Ai, Hua; and Viehland, Dwight
Anomalous Electromechanical Behavior of Portland Cement: Electro-osmotically-Induced Shape Changes. (2) 416
Li, Jie-Fang See Viehland, Dwight; Yuan, Lijian
Li, Jing-Feng and Watanabe, Ryuzo
Fracture Toughness of Al_2O_3-Particle-Dispersed Y_2O_3–Partially Stabilized Zirconia. (4) 1079
Li, Victor C. See Maalej, Mohamed
Li, Xiangmin; Rigaud, Michel; and Palco, Stefan
Oxidation Kinetics of Graphite Phase in Magnesia–Carbon Refractories. (4) 965
Li, Zhiguang; Taya, Minoru; Dunn, Martin L.; and Watanabe, Ryuzo
Experimental Study of the Fracture Toughness of a Ceramic/Ceramic-Matrix Composite Sandwich Structure. (6) 1633
Li, Zhuang See Xu, Zhengkui
Liang, Jingkui See Ji, Yangyang; Li, Hua
Liang, Yong and Bonnell, Dawn
Effect of Variations in Stoichiometry on the Surface Structure of $SrTiO_3$ (001). (10) 2633
Liao, Hongmei and Coyle, Thomas W.
Effects of Organotitanate Additions on the Dispersion of Aluminum Nitride in Nonpolar Solvents. (5) 1291
Lidén, Eva; Carlström, Elis; Eklund, Lars; Nyberg, Brita; and Carlsson, Roger
Homogeneous Distribution of Sintering Additives in Liquid-Phase Sintered Silicon Carbide. (7) 1761
Liedl, Gerald L. See Mansour, Said A.
Lin, Chien-Cheng; Zangvil, Avigdor; and Ruh, Robert
Phase and Microstructure Evolution in Alkoxide-Derived Mullite/MgO-Partially-Stabilized Zirconia. (5) 1361
Lin, Chung-Chieh See Lin, Chung-Kwei
Lin, Chung-Kwei; Lin, Chung-Chieh; and Berndt, Christopher C.
Simulation of Hardness Testing on Plasma-Sprayed Coatings. (5) 1406
Lin, Feng-Cang; Takao, Yuji; Shimizu, Yasuhiro; and Egashira, Makoto
Zinc Oxide Varistor Gas Sensors: I, Effect of Bi_2O_3 Content on the H_2-Sensing Properties. (9) 2301
Lin, I-Nan See Shaw, Jin-Chen
Lin, Shengbin See Ding, Jow-Lian
Lin, Shun-Tian See Chan, Tien-Yin
Lin, Yung-Jen See Sacks, Michael D.
Liu, Chunling; Komarneni, Sridhar; and Roy, Rustum
Crystallization and Seeding Effect in $BaAl_2Si_2O_8$ Gels. (9) 2521
Liu, Hong-Yuan; Zhou, Li-Min; and Mai, Yiu-Wing
Effect of Interface Roughness on Fiber Push-Out Stress. (3) 560
Liu, J. See Chowdhury, K. Das
Liu, Kenneth C. See Ding, Jow-Lian
Liu, Kuo-Shung See Shaw, Jin-Chen
Livneh, Shai S.; Janas, Victor F.; and Safari, Ahmad
Development of Fine Scale PZT Ceramic Fiber/Polymer Shell Composite Transducers. (7) 1900
Lloyd, Isabel K. See Xu, Hockin H. K.
Lobo, R. P. S. M.; Mohallem, Nelcy D. S.; and Moreira, Roberto L.
Grain-Size Effects on Diffuse Phase Transitions of Sol–Gel Prepared Barium Titanate Ceramics. (5) 1343
Loehman, Ronald E. See Johnson, Sylvia M.
Loh, Roland L. See McNulty, Thomas F.
Long, Gabrielle G. See Luecke, William E.
Look, J.-L. and Zukoski, C. F.
Colloidal Stability and Titania Precipitate Morphology: Influence of Short-Range Repulsions. (1) 21
Lopez Garcia, Alberto R. See Rivas. Patricia C.
Louër, Daniel See Auffrédic, Jean-Paul
Lu, Guo-Quan See Bang, Jaecheol
Lu, Tian-Jian and Hutchinson, John W.
Role of Fiber Stitching in Eliminating Transverse Fracture in Cross-Ply Ceramic Composites. (1) 251
Lucas, James P. See Moody, Neville R.
Luecke, William E.; Wiederhorn, Sheldon M.; Hockey, Bernard J.; Krause, Ralph F., Jr.; and Long, Gabrielle G.
Cavitation Contributes Substantially to Tensile Creep in Silicon Nitride. (8) 2085
Lui, Siu-Ching See Li, Chien-Wei
Luo, Jian Shu; Merchant, Nazarali; Maroni, Victor A.; Dorris, Stephen E.; Lanagan, Michael T.; and Tani, Benjamin S.
Effect of Lead Loss and Sheath Structure on Phase Formation and Alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag Composite Conductors. (10) 2785
Luther, Erik P.; Lange, Fred F.; and Pearson, Dale S.
"Alumina" Surface Modification of Silicon Nitride for Colloidal Processing. (8) 2009
Luther, Erik P.; Yanez, Joesph A.; Franks, George V.; Lange, Fred F.; and Pearson, Dale S.
Effect of Ammonium Citrate on the Rheology and Particle Packing of Alumina Slurries. (6) 1495
Lutz, Ekkehard H.
Size Sensitivity to Thermal Shock of Plasma-Sprayed Ceramics and Factors Affecting the Size Effect. (10) 2700
Lyons, Shirley W. See Xiong, Yun
Ma, H. See Chowdhury, K. Das
Maalej, Mohamed; Hashida, Toshiyuki; and Li, Victor C.
Effect of Fiber Volume Fraction on the Off-Crack-Plane Fracture Energy in Strain-Hardening Engineered Cementitious Composites. (12) 3369
Mackenzie, John Douglas See Park, Sung-Soon
MacKenzie, Joshua See Martin, Steve W.
Mackin, Thomas J.; Purcell, Thomas E.; He, Ming Y.; and Evans, Anthony G.
Notch Sensitivity and Stress Redistribution in Three Ceramic-Matrix Composites. (7) 1719
Mackin, Thomas J. See Cady, Carl M.
Mah, Tai-Il See Parthasarathy, Triplicane A.
Mahrous, Salah See Ahmed, Mohamed A.
Mai, Yiu-Wing See Hoffman, Mark; Jin, Zhi-He; Liu, Hong-Yuan
Maier, Joachim See Denk, Ingrid
Maki, Iwao See Fukuda, Koichiro
Makishima, Akio See Soga, Kohei
Makovec, Darko; Samardžija, Zoran; Delalut, Uroš; and Kolar, Drago
Defect Structure and Phase Relations of Highly Lanthanum-Doped Barium Titanate. (7) 2193
Mansour, Said A.; Liedl, Gerald L.; and Vest, Robert W.
Microstructural Developments and Dielectric Properties of Rapid Thermally Processed PZT Thin Films Derived by Metallo-organic Decomposition. (6) 1617
Mao, Zhiyuan See Wang, Dongfang
Marcheselli, Giancarlo See Polini, Riccardo
Marcus, H. L. See Jakubenas, Kevin
Mariotto, Gino See Sorarù, Gian Domenico
Markham, James R.; Cosgrove, Joseph E.; Carangelo, Martin D.; Solomon, Peter R.; and Best, Philip E.
Temperature Profiling of Glass by FT-IR Emission Spectroscopy. (4) 897
Maroni, Victor A. See Luo, Jian Shu
Marple, Basil R. See Tuffé, Stéphane
Marshall, David B. See Morgan, Peter E. D.
Martin, Steve W.; Bhatnagar, Ajay; Parameswar, Chitra; Feller, Steve; and MacKenzie, Joshua
^{29}Si MAS-NMR Study of the Short-Range Order in Potassium Borosilicate Glasses. (4) 952
Martin, Steve W.; Cho, Jaephil; Polewik, Tamara; and Bhowmik, Siddhartha
Density of $xNa_2S{\cdot}(1-x)B_2S_3$ ($x = 0$ to 0.8) Glasses: Correlation with Short-Range Order. (12) 3329

Martínez, J. A. See Rivas, Patricia C.
Martínez, Rafael See Baudín, Carmen
Martínez-Herrera, Jorge I. and Derby, Jeffrey J.
Viscous Sintering of Spherical Particles via Finite Element Analysis. (3) 645
Masaki, Takaki See Oishi, Manabu
Maschio, Roberto Dal See Bartlett, Andrew H.
Maser, Karl
Comment on "Numerical Models for Predicting Tracer Profiles in Silicon Double-Oxidation Experiments". (9) 2572
Mason, Thomas O. See Cooper, Elizabeth A.
Massiot, Dominique; Dion, Pascal; Alcover, Jean François; and Bergaya, Faiza
^{27}Al and ^{29}Si MAS NMR Study of Kaolinite Thermal Decomposition by Controlled Rate Thermal Analysis. (11) 2940
Massiot, Dominique See Bonafous, Laurent; Jaymes, Isabelle
Massuda, Mona See Pilgrim, Steven M.
Mather, Scott A. and Davies, Peter K.
Nonequilibrium Phase Formation in Oxides Prepared at Low Temperature: Fergusonite-Relaied Phases. (10) 2737
Matsuda, Yukihisa See Oishi, Manabu
Matsui, Koji; Suzuki, Hajime; Ohgai, Michiharu; and Arashi, Haruo
Raman Spectroscopic Studies on the Formation Mechanism of Hydrous-Zirconia Fine Particles. (1) 146
Matsumoto, Masafumi See Kimura, Osamu
Matsumoto, Osamu See Moriwaki, Takayuki
Matsunaga, Osamu See Kakegawa, Kazuyuki
Matsuura, Takahiro See Nakahata, Seiji
Mattei, Giorgio See Polini, Riccardo
Matthiesen, Mary M. See Jayne, Douglas T.
McCallen, Celeste L. See Readey, Michael J.
McCarron, Eugene M., III See Jagota, Sujata
McCarter, William J.
Effects of Temperature on Conduction and Polarization in Portland Cement Mortar. (2) 411
McCauley, Ronald A. See Pavlik, Robert S., Jr.
McCoy, Michael A. See Akbas, Mehmet A.
McKiernan, John M. See Nishida, Fumito
McNallan, Michael J. See Park, Chan
McNulty, John C. See Heredia, Fernando E.
McNulty, Thomas F.; Janas, Victor F.; Safari, Ahmad; Loh, Roland L.; and Cass, Richard B.
Novel Processing of 1-3 Piezoelectric Ceramic/Polymer Composites for Transducer Applications. (11) 2913
McNulty, Thomas F. See Janas, Victor F.
McPherson, Reg See Senda, Tetsuya
Mechelen, Jan van See Chen, Zhong-Xin
Mecholsky, John J., Jr. See Thompson, Jeffrey Y.
Meen, James K. See George, Etienne; Tsang, Chi-Fo
Mehrabian, Robert See Salas, Olimpia
Meisner, Mark See Kouris, Demitris
Meixner, Hans See Gerblinger, Josef
Meng, Zhongyan See Zou, Qing
Menon, Mohan and Chen, I-Wei
Reaction Densification of α′-SiAlON: I, Wetting Behavior and Acid–Base Reactions. (3) 545; Reaction Densification of α′-SiAlON: II, Densification Behavior. (3) 553
Merchant, Nazarali See Luo, Jian Shu
Merkley, Dennis R. See Weber, J. K. Richard
Meschke, Frank; Claussen, Nils; Portu, Goffredo De; and Rödel, Jürgen
Phase Stability of Fine-Grained (Mg,Y)-PSZ. (7) 1997
Messerschmidt, Ulrich See Baither, Dietmar
Messing, Gary L. See Kwon, Oh-Hun
Metselaar, Rudi See Goldstein, Joseph I.
Meyers, Marc A. See Hoke, Darren A.
Michiura, Nobuhiko; Tatekawa, Tsutomu; Higuchi, Yukio; and Tamura, Hiroshi
Role of Donor and Acceptor Ions in the Dielectric Loss Tangent of $(Zr_{0.8}Sn_{0.2})TiO_4$ Dielectric Resonator Material. (3) 793
Mikhail, Habib See Ahmed, Mohamed A.
Miller, Robert A. See Lee, Kang N.
Milonjić, Slobodan K. See Čerović, Ljiljana S.
Minami, Tsutomu See Iwami, Tomoaki; Taniguchi, Akihiro
Mineshige, Atsushi; Inaba, Minoru; Ogumi, Zempachi; Takahashi, Tadayoshi; Kawagoe, Tomoo; Tasaka, Akimasa; and Kikuchi, Kenji
Preparation of Yttria-Stabilized Zirconia Microtube by Electrochemical Vapor Deposition. (11) 3157
Miranzo, Pilar See Belmonte, Manuel
Mishra, Pratima Kumari; Nayak, Bijan Bihari; and Mohanty, Bishnucharanarabinda
Synthesis of Silicon Carbide from Rice Husk in a Packed Bed Arc Reactor. (9) 2381
Mitchell, Terence E. See Reimanis, Ivar E.; Yano, Toyohiko; Zhou, Dashun S.
Mitchell, Tyrone D., Jr.; and De Jonghe, Lutgard C.
Processing and Properties of Particulate Composites from Coated Powders. (1) 199
Mitchell, Tyrone D., Jr.; De Jonghe, Lutgard C.; MoberlyChan, Warren J.; and Ritchie, Robert O.
Silicon Carbide Platelet/Silicon Carbide Composites. (1) 97
Mitomo, Mamoru; Hirotsuru, Hideki; Suematsu, Hisayuki; and Nishimura, Toshiyuki
Fine-Grained Silicon Nitride Ceramics Prepared from β-Powder. (1) 211
Mitomo, Mamoru See Kim, Young-Wook
Mitra, Shantanu; Dutta, Geeta; and Dutta, Indranath
Effect of Heat Treatment on the Microstructure and Properties of Dense AlN Sintered with Y_2O_3 Additions. (9) 2335
Mitsuhashi, Takefumi See Yashima, Masatomo
Miyaji, Fumiaki See Kim, Hyun-Min
Miyayama, Masaru See Hikita, Kazuyasu
Miyazawa, Kun'ichi; Suzuki, Kunio; and Wey, Myeong Yong
Microstructure and Oxidation-Resistant Property of Sol–Gel-Derived ZrO_2–Y_2O_3 Films Prepared on Austenitic Stainless Steel Substrates. (2) 347
Mizuhara, Yukako; Noguchi, Masao; Ishihara, Tatsumi; and Takita, Yusaku
Preparation of Silicon Nitride Whiskers from Diatomaceous Earth: I, Reaction Conditions. (1) 109
Mizuno, Mineo and Okuda, Hiroshi
VAMAS Round Robin on Fracture Toughness of Silicon Nitride. (7) 1793
Mizunuma, Akiko See Sakata, Masaru
Mizusaki, Junichiro; Tagawa, Hiroaki; Hayakawa, Kei; and Hirano, Katsuhiko
Thermal Expansion of $YBa_2Cu_3O_{7-x}$ as Determined by High-Temperature X-ray Diffraction under Controlled Oxygen Partial Pressures. (7) 1781
Møller, Carsten V. See Andreasen, Jens H.
MoberlyChan, Warren J. See Mitchell, Tyrone D., Jr.
Mohallem, Nelcy D. S. See Lobo, R. P. S. M.
Mohanty, Bishnucharanarabinda See Mishra, Pratima Kumari
Moloney, Veronique M. B.; Parris, David; and Edirisinghe, Mohan J.
Rheology of Zirconia Suspensions in a Nonpolar Organic Medium. (12) 3225
Monceau, Daniel See Ervas, Georgette Petot
Montintin, J. See Desmaison-Brut, M.
Montorsi, Margherita See Lemoine, Patrick
Montross, Charles S.; Yokokawa, Harumi; Dokiya, Masayuki; and Bekessy, Lambert
Mechanical Properties of Magnesia-Doped Lanthanum Chromite versus Temperature. (7) 1869
Moody, Neville R.; Robinson, Steven L.; Lucas, James P.; Handrock, James; and Hwang, Robert Q.
Effects of Radiation and Hydrogen on the Fracture Resistance of Borosilicate Glasses. (1) 114
Moon, Young Tae; Kim, Do Kyung; and Kim, Chong Hee
Preparation of Monodisperse ZrO_2 by the Microwave Heating of Zirconyl Chloride Solutions. (4) 1103
Moon, Young Tae; Park, Hong Kyu; Kim, Do Kyung; Kim, Chong Hee; and Seog, In-Sig
Preparation of Monodisperse and Spherical Zirconia Powders by Heating of Alcohol–Aqueous Salt Solutions. (10) 2690
Moorhead, Arthur J. See Kim, Hyoun-Ee
Moos, Ralf and Härdtl, Karl Heinz
Dependence of the Intrinsic Conductivity Minimum of $SrTiO_3$ Ceramics on the Sintering Atmosphere. (9) 2569
Morales, Manuel See Sarrión, María Luisa Martínez
More, Karren L. See Wereszczak, Andrew A.
Moreira, Roberto L. See Lobo, R. P. S. M.
Morgan, Peter E. D. and Housley, Robert M.
Some Effects of Eutectic Liquid under Reducing Conditions in the Alumina–Tin Dioxide–Tin Composite System. (1) 263
Morgan, Peter E. D. and Marshall, David B.
Ceramic Composites of Monazite and Alumina. (6) 1553; Ceramic Composites of Monazite and Alumina—correction. (9) 2574
Mori, Masami; Kineri, Tohru; Kadono, Kohei; Sakaguchi, Toru; Miya, Masaru; Wakabayashi, Hajimu; and Tsuchiya, Toshio
Effect of the Atomic Ratio of Ba to Ti on Optical Properties of Gold-Dispersed $BaTiO_3$ Thin Films. (9) 2391
Morinaga, Kenji See Fujino, Shigeru; Takebe, Hiromichi
Moriwaki, Takayuki and Matsumoto, Osamu
Formation of Silicon Nitride Film by Plasma Decomposition of Methylsilazane. (5) 1420
Morris, Jonathan C.; Callahan, Daniel L.; Kulik, Joseph; Patten, John A.; and Scattergood, Ronald O.
Origins of the Ductile Regime in Single-Point Diamond Turning of Semiconductors. (8) 2015
Morscher, Gregory N.; Lewinsohn, Charles A.; Bakis, Charles E.; Tressler, Richard E.; and Wagner, Timothy
Comparison of Bend Stress Relaxation and Tensile Creep of CVD SiC Fibers. (12) 3244
Motohira, Naobumi See Kishimoto, Akira
Moya, José S. See Belmonte, Manuel; Steier, Hanns P.
Moyer, John R.
Phase Diagram for Mullite–SiF_4. (12) 3253
Mroz, Cathleen See Rahman, Matiur
Müllejans, Harald See Kaplan, Wayne D.
Mulvihill, Maureen L.; Cross, L. Eric; and Uchino, Kenji
Low-Temperature Observation of Relaxor Ferroelectric Domains in Lead Zinc Niobate. (12) 3345
Münch, Wolfram See Denk, Ingrid
Munir, Zuhair A. See Wang, Lily L.
Munz, Dietrich; Sckuhr, Matthias A.; and Yang, Yingyuan
Thermal Stresses in Ceramic–Metal Joints with an Interlayer. (2) 285
Munz, Dietrich See Fett, Theo
Muraleedharan, Ramayi V. See Ramanathan, Srinivasan
Murphy, Dawn; Jakus, Karl; Ritter, John E.; and Hill, Barry C.
High-Temperature Behavior of Indent and Creep-Nucleated Cracks in Vitreous-Bonded Alumina. (7) 1914
Murthy, Varanasi S. R. See Verma, Avinash R. B.
Murty, Gollapudi S. See Verma, Avinash R. B.
Mutha, D. Victor Suvisesha See Asif, S. A. Syed
Nagahori, Atsushi and Raj, Rishi
Electron Cyclotron Resonance Plasma-Enhanced Metalorganic Chemical Vapor Deposition of Tantalum Oxide Thin Films on Silicon near Room Temperature. (6) 1585
Nagai, Akihiro See Kato, Eturo
Nagarajan, V. S. See Ravikiran, A.
Nagatome, Tomoo See Yashima, Masatomo
Nageno, Yoshikazu See Takebe, Hiromichi
Najafabadi, Reza See Battaile, Corbett C.
Nakahata, Seiji; Sogabe, Kouichi; Matsuura, Takahiro; and Yamakawa, Akira
Diffraction Method Detection of Local Lattice Distortion in AlN Ceramics by Convergent Beam Electron. (3) 830
Nakamura, Arao See Hirano, Shin-Ichi
Nakamura, Kazuo See Ohashi, Masayoshi
Nakamura, Shin-ichi See Kanai, Hideyuki
Nakamura, Takashi See Hata, Kotaro; Kim, Hyun-Min
Nakamura, Yoshikazu; Aoi, Tsuneharu; Aruga, Atsushi; Watanabe, Yoshihisa; Hirayama, Shigekazu; and Fujimoto, Shirou
Synthesis and Properties of Dielectric Ceramics from Metallo-Organic Precursors through the Solid-State Reaction of Mixed Gels. (6) 1457
Nakamura, Yoshinobu See Kishimoto, Akira
Nakamura, Yuko See Yamaguchi, Takashi
Nakano, Kikuo; Kamiya, Akira; Nishino, Yoichi; Imura, Toru; and Chou, Tsu-Wei
Fabrication and Characterization of Three-Dimensional Carbon Fiber Reinforced Silicon Carbide and Silicon Nitride Composites. (10) 2811
Nakano, Takashi; Iizuka, Toshihiro; Takada, Tomoyuki; and Yamaguchi, Takashi
Glass/Substrate Interaction in Model RuO_2–Glass Double-Layer Thick Films. (6) 1705
Nakano, Takashi and Yamaguchi, Takashi
Effect of O_2 Concentration in Firing Atmosphere on Resistance of RuO_2–Glass Thick-Film Resistors. (6) 1703
Nakata, Yoshinori See Suzuki, Masaaki
Nanjangud, Savitha C.; Brezny, Rasto; and Green, David J.
Strength and Young's Modulus Behavior of a Partially Sintered Porous Alumina. (1) 266
Nanko, Makoto; Ishizaki, Kozo; Fujikawa, Takao; and Kondo, Yoshihito
Surface Diffusivity under High-Pressure Gas. (6) 1695
Naoumidis, Aristides See Stochniol, Guido
Narisawa, Masaki; Kitano, Shuhei; Okamura, Kiyohito; and Itoh, Masayoshi
Synthesis of Silicon Carbide Fiber from Blended Precursor of Organosilicon Polymers. (12) 3405
Narula, Chaitanya K.; Demczyk, Brian G.; Czubarow, Paul; and Seyferth, Dietmar
Preparation of Silicon Nitride–Titanium Nitride and Titanium–Titanium Nitride Composites from $(CH_3)_3SiNHTiCl_3$-Coated Si_3N_4 and Ti Particles. (5) 1247
Nass, Ruediger; Tkalcec, Emilija; and Ivankovic, Hrvoje
Single-Phase Mullite Gels Doped with Chromium. (11) 3097
Nauer, Marco See Boutz, Michel M. R.
Navrotsky, Alexandra See Bolech, Mark
Nayak, Bijan Bihari See Mishra, Pratima Kumari
Nayar, Padmanabha K. Krishnan See Ramanathan, Srinivasan
Newman, Robert A. See Hwang, C. James
Newnham, Robert E. See Trolier-McKinstry, Susan
Nicholson, Patrick S. See Huang, Xue-Ning; Kuo, Chu Kun; Prakash, Om; Sarkar, Partho
Niihara, Koichi See Chae, Ki-Woong; Tanaka, Isao
Nishida, Fumito; McKiernan, John M.; Dunn, Bruce; Zink, Jeffrey I.; Brinker, C. Jeffrey; and Hurd, Alan J.
In Situ Fluorescence Probing of the Chemical Changes during Sol–Gel Thin Film Formation. (6) 1640
Nishida, Toshihiko; Hanaki, Yoshikazu; Nojima, Taketoshi; and Pezzotti, Giuseppe
Measurement of Rising *R*-Curve Behavior in Toughened Silicon Nitride by Stable Crack Propagation in Bending. (11) 3113
Nishimura, Toshiyuki See Mitomo, Mamoru
Nishino, Yoichi See Nakano, Kikuo
Nishio, Hiroaki See Torizuka, Shiro
Nishisako, Masaru See Shimada, Shiro
Niwa, Koichi See Imanaka, Yoshihiko
No, Kwang Soo See Baik, Dong Soo
Noda, Ken-Ichi See Hirano, Shin-Ichi
Nogami, Masayuki; Abe, Yoshihiro; and Kato, Ayako
Formation of Small-Sized CdS_xSe_{1-x} Crystals in Sol–Gel-Derived SiO_2 Glasses. (4) 1066
Noguchi, Kenichi See Oishi, Manabu

Noguchi, Masao See Mizuhara, Yukako
Nojima, Taketoshi See Nishida, Toshihiko
Noma, Tatsuo See Yashima, Masatomo
Nonaka, Kazuhiro See Akiyama, Morito
Nordahl, C. Scott See Kwon, Oh-Hun
Nordberg, Lars O. and Ekström, Thommy
Hot-Pressed $MoSi_2$-Particulate-Reinforced α-SiAlON Composites. (3) 797
Nordine, Paul C. See Weber, J. K. Richard
Nowick, Arthur S. See Du, Yang
Nunes, Silvia Irene and Bradt, Richard C.
Grain Growth of ZnO in ZnO–Bi_2O_3 Ceramics with Al_2O_3 Additions. (9) 2469
Nutt, Steven R. See Chien, Fen-Ren; Sun, Ellen Y.
Nyberg, Brita See Lidén, Eva
Ocaña, Manuel See Tartaj, Pedro
O'Connor, Brian H. See Latella, Bruno A.
Odier, Philippe See Gotor, Francisco J.
O'Donnell, Heather L.; Readey, Michael J.; and Kovar, Desiderio
Effect of Glass Additions on the Indentation–Strength Behavior of Alumina. (4) 849
Ogawa, Takanori See Ogumi, Zempachi
Ogawa, Toru See Kobayashi, Fumiaki
Ogawara, Kazuhiro See Yamane, Hisanori
Ogbuji, Linus U. J. T.. and Bryan, Scott R.
The SiO_2–Si_3N_4 Interface, Part i: Nature of the Interphase. (5) 1272; The SiO_2–Si_3N_4 Interface, Part II: O_2 Permeation and Oxidation Reaction. (5) 1279
Ogumi, Zempachi; Ioroi, Tsutomu; Uchimoto, Yoshiharu; Takehara, Zen-ichiro; Ogawa, Takanori; and Toyama, Koji
Novel Method for Preparing Nickel/YSZ Cermet by a Vapor-Phase Process. (3) 593
Ogumi, Zempachi See Mineshige, Atsushi
Oh, Kyung-Sik; Kim, Doh-Yeon; and Cho, Seong-Jai
Shrinkage of Large Isolated Pores during Hot Isostatic Pressing of Presintered Alumina Ceramics. (9) 2537
Ohashi, Masayoshi; Nakamura, Kazuo; Hirao, Kiyoshi; Kanzaki, Shuzo; and Hampshire, Stuart
Formation and Properties of Ln-Si-O-N Glasses (Ln = Lanthanides or Y). (1) 71; Formation and Properties of La-Si-O-N Glasses (Ln=Lanthanides or Y)—correction. (4) 1136
Ohashi, Masayoshi See Hirao, Kiyoshi
Ohgai, Michiharu See Matsui, Koji
Ohji, Tatsuki; Hirao, Kiyoshi; and Kanzaki, Shuzo
Fracture Resistance Behavior of Highly Anisotropic Silicon Nitride. (11) 3125
Ohsaka, Shigeru See Uematsu, Keizo
Ohtaka, Osamu; Von Der Mühll, Régnault; and Ravez, Jean
Low-Temperature Sintering of Pb(Zr,Ti)O_3 Ceramics with the Aid of Oxyfluoride Additive: X-ray Diffraction and Dielectric Studies. (3) 805
Ohtaka, Osamu; Yamanaka, Takamitsu; Kume, Shoichi; Hara, Naoki; Asano, Hajime; and Izumi, Fujio
Structural Analysis of Orthorhombic Hafnia by Neutron Powder Diffraction. (1) 233
Ohtsuki, Chikara See Kim, Hyun-Min
Ohwada, Takeshi See Hirai, Hisako
Oishi, Manabu; Matsuda, Yukihisa; Noguchi, Kenichi; and Masaki, Takaki
Evaluation of Tensile Strength and Fracture Toughness of Yttria-Stabilized Zirconia Polycrystals with Fracture Surface Analysis. (5) 1212
Okada, Kiyoshi; Fukuyama, Koyo; and Kameshima, Yoshikazu
Characterization of Surface-Oxidized Phase in Silicon Nitride and Silicon Oxynitride Powders by X-ray Photoelectron Spectroscopy. (8) 2021
Okamoto, Taira See Tanaka, Isao
Okamura, Kiyohito See Narisawa, Masaki; Sugimoto, Masaki
Okuda, Hiroshi See Mizuno, Mineo
Okumiya, Masataro See Takahashi, Hideo; Uematsu, Keizo
Okutani, Takeshi See Suzuki, Masaaki
Olagnon, Christian See Chevalier, Jérome
Olander, Donald R. See Wang, Wei-E
Oliveria, Manuel See Stadler, Bethanie J. H.
Omori, Mamoru See Yamane, Hisanori
Ong, Sze Woo See Cotterell, Brian
Ono, K. See Yoda, Mitsuo
Opila, Elizabeth
Influence of Alumina Reaction Tube Impurities on the Oxidation of Chemically-Vapor-Deposited Silicon Carbide. (4) 1107
Orignac, Xavier See Du, Xin Min
Ostertag, Claudia P. See Xu, Hockin H. K.
Ota, Toshitaka; Takahashi, Minoru; Hibi, Toshiyuki; Ozawa, Masakuni; Suzuki, Suguru; Hikichi, Yasuo; and Suzuki, Hisao
Biomimetic Process for Producing SiC "Wood". (12) 3409
Ota, Yoshio; Inui, Saburo; Iwashita, Tetsushi; Kasuga, Toshihiro; and Abe, Yoshihiro
Preparation of Aragonite Whiskers. (7) 1983
Ota, Yoshio See Kasuga, Toshihiro
Ownby, P. Darrell See Lazaroff, Jerold E.; Weirauch, Douglas A., Jr.
Ozawa, Masakuni See Ota, Toshitaka
Padture, Nitin P.; Evans, Christopher J.; Xu, Hockin H. K.; and Lawn, Brian R.
Enhanced Machinability of Silicon Carbide via Microstructural Design. (1) 215
Padture, Nitin P. and Lawn, Brian R.
Contact Fatigue of a Silicon Carbide with a Heterogeneous Grain Structure. (6) 1431
Padture, Nitin P.; Pender, David C.; Wuttiphan, Sataporn; and Lawn, Brian R.
In Situ Processing of Silicon Carbide Layer Structures. (11) 3160
Padture, Nitin P. See Xu, Hockin H. K.
Paek, Yeong-Kyeun See Lee, Ho-Yong
Pajares, Antonia; Guiberteau, Fernando; Lawn, Brian R.; and Lathabai, Srinivasarao
Hertzian Contact Damage in Magnesia-Partially-Stabilized Zirconia. (4) 1083
Palco, Stefan See Li, Xiangmin
Pánek, Zdeněk
Standard Gibbs Energy of Formation of β-Silicon Nitride. (4) 1087
Parameswar, Chitra See Martin, Steve W.
Paranthaman, Mariappan and Beach, David B.
Growth of Highly Oriented $TlBa_2Ca_2Cu_3O_{9-\gamma}$ Superconducting Films on Ag Substrates Using a Dip-Coated Barium Calcium Copper Oxide Sol–Gel Precursor. (9) 2551
Park, Chan and McNallan, Michael J.
High-Temperature Mixed Oxidation of Nitride-Bonded Silicon Carbide in Oxidizing Gas Mixtures Containing 2% Cl_2. (4) 922
Park, Chan and Snyder, Robert L.
Structures of High-Temperature Cuprate Superconductors. (12) 3171
Park, Eun-Sung; Lannutti, John J.; and Cawley, James D.
Microstructure and Reactions of SiC_w-Reinforced Alumina with Ag-Cu-In-Ti. (1) 15
Park, Hong Kyu See Moon, Young Tae
Park, Jeong Hwan See Yoon, Ki Hyun
Park, Jeong-Hyun and Lee, Sang-Jin
Mechanism of Preventing Crystallization in Low-Firing Glass/Ceramic Composite Substrates. (4) 1128
Park, Jong-Hyun See Lee, Hee-Gyoun
Park, Seungbae and Sun, Chin-Teh
Fracture Criteria for Piezoelectric Ceramics. (6) 1475
Park, Sung-Soon and Mackenzie, John Douglas
Microstructure Effects in Multidipped Tin Oxide Films. (10) 2669
Parris, David See Moloney, Veronique M. B.
Parry-Jones, Gwilym See Al-Dulaijan, Salah U.
Parthasarathy, Triplicane A.; Mah, Tai-Il; Folsom, Craig A.; and Katz, Allan P.
Microstructural Stability of Nicalon at 1000°C in Air after Exposure to Salt (NaCl) Water. (7) 1992
Parthasarathy, Triplicane A. See Eckel, Andrew J.
Patten, John A. See Morris, Jonathan C.
Pavlik, Robert S., Jr.; Klein, Lisa C.; and McCauley, Ronald A.
Zirconia Gels in Concentrated NaOH. (1) 221
Pavlik, Robert S., Jr. See Rivas, Patricia C.
Pawlaczyk, Czeczlaw See Klissurska, Radosveta D.
Payne, David A. See Viehland, Dwight; Xu, Zhengkui
Pearson, Dale S. See Luther, Erik P.
Pellerin, Nadia See Gotor, Francisco J.
Pena, Pilar See Baudín, Carmen; Steier, Hanns P.
Pender, David C. See Padture, Nitin P.
Pereira, Marivalda M.; Clark, Arthur E.; and Hench, Larry L.
Effect of Texture on the Rate of Hydroxyapatite Formation on Gel-Silica Surface. (9) 2463
Peterlik, Herwig See Helmer, Thomas
Peterson, Irene M. and Tien, Tseng-Ying
Thermal Expansion and Glass Transition Temperatures of Y-Mg-Si-Al-O-N Glasses. (7) 1977; Effect of the Grain Boundary Thermal Expansion Coefficient on the Fracture Toughness in Silicon Nitride. (9) 2345
Petot, Claude See Ervas, Georgette Petot
Pezzotti, Giuseppe See Nishida, Toshihiko
Phegley, Lisa L. See Ai, Jiu
Phillips, Richard J. See Zhou, Yanchun
Pickering, Stephen See Déchamps, Michel
Pilgrim, Steven M.; Massuda, Mona; and Prodey, Jackie D.
Electromechanical Properties of Some $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$(Ba,Sr)TiO_3$ Ceramics: Part Two. (6) 1501
Pippel, Eckhard See Krell, Andreas
Pitchumani, Rangarajan and Karbhari, Vistasp M.
Generalized Fluid Flow Model for Ceramic Tape Casting. (9) 2497
Polewik, Tamara See Martin, Steve W.
Polini, Riccardo; Marcheselli, Giancarlo; Mattei, Giorgio; and Traversa, Enrico
Nucleation and Growth of Diamond Films on Ni-Cemented Tungsten Carbide: II, Effects of Deposition Conditions. (9) 2431
Polli, Andrew D. and Lange, Fred F.
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ Precursors: Avoiding Lead Partitioning. (12) 3401
Pompe, Wolfgang See Sergo, Valter
Portu, Goffredo De See Meschke, Frank
Potter, Barrett G., Jr. See Sinclair, Michael B.
Prakash, Om; Sarkar, Partho; and Nicholson, Patrick S.
Crack Deflection in Ceramic/Ceramic Laminates with Strong Interfaces. (4) 1125
Prasad, Ajit See Lackey, W. Jack
Pratsinis, Sotiris E. See Vemury, Srinivas; Xiong, Yun
Prodey, Jackie D. See Pilgrim, Steven M.
Pronin, Alexander See Gupta, Vijay
Pujar, Vijay V. and Cawley, James D.
Effect of Stacking Faults on the X-ray Diffraction Profiles of β-SiC Powders. (3) 774
Purcell, Thomas E. See Mackin, Thomas J.
Pureza, Paul C. See Sanghera, Jas S.
Pwu, Leh-Lii See Shih, Wei-Heng
Pyzik, Aleksander J. and Beaman, Donald R.
Al–B–C Phase Development and Effects on Mechanical Properties of B_4C/Al-Derived Composites. (2) 305
Pyzik, Aleksander J. See Hwang, C. James
Qin, Caidong See Cotterell, Brian
Qin, Xiaoliang See Zhang, Shuren
Quarton, Michel See Bermejo, Edelio
Rahaman, Mohamed N. See Hong, Wan-Shick
Rahman, Matiur; Wang, Ching C.; Chen, Weihua; Akbar, Sheikh A.; and Mroz, Cathleen
Electrical Resistivity of Titanium Diboride and Zirconium Diboride. (5) 1380
Rahn, Jeffrey A. See Laine, Richard M.
Raistrick, Ian D. See Brosha, Eric L.
Raj, Rishi
Fundamental Research in Structural Ceramics for Service Near 2000°C—correction. (1) 272
Raj, Rishi See Gopalan, Venkatraman; Nagahori, Atsushi; Versteeg, Vera A.; Zhang, Zhiwu
Ramakrishnan, N. and Arunachalam, V. S.
Reply to "Comment on 'Effective Elastic Moduli of Porous Ceramic Materials' ". (6) 1712
Ramanathan, Srinivasan; Muraleedharan, Ramayi V.; Roy, Sujit Kumar; and Nayar, Padmanabha K. Krishnan
Dehydration and Crystallization Kinetics of Zirconia–Yttria Gels. (2) 429
Ramesh, Peelamedu D. and Rao, Kalya J.
Preparation and Characterization of Single-Phase β-SiAlON. (2) 395
Rankin, Janet See Sheldon, Brian W.
Rao, Kalya J. See Ramesh, Peelamedu D.
Rao, Renangi Mohan See Subrahmanyam, Jandhyala
Ravez, Jean See Ohtaka, Osamu
Ravikiran, A. and Bai, B. N. Pramila
Influence of Speed on the Tribochemical Reaction Products and the Associated Transitions for the Dry Sliding of Silicon Nitride against Steel. (11) 3025
Ravikiran, A.; Nagarajan, V. S.; Biswas, S. K.; and Bai, B. N. Pramila
Effect of Speed and Pressure on Dry Sliding Interactions of Alumina against Steel. (2) 356
Readey, Michael J. and McCallen, Celeste L.
Microstructure, Flaw Tolerance, and Reliability of Ce-TZP and Y-TZP Ceramics. (10) 2769
Readey, Michael J. See O'Donnell, Heather L.
Reaney, Ian M. See Chu, Fan; Klissurska, Radosveta D.
Rebillat, Francis See Lamon, Jacques
Reed, James S. See Zheng, Jingmin
Reidy, Richard F. and Swider, Karen E.
Determination of the Cerium Oxidation State in Cerium Vanadate. (4) 1121
Reimanis, Ivar E.; Hawley, M. E.; Mitchell, T. E.; and Zhou, D. S.
Fracture Characteristics of Czochralski-Grown $Y_3Al_5O_{12}$ (8) 2282
Reinke, Christian and Johnson, William C.
Influence of Coherency Stress on Kinetic Demixing. (10) 2593
Rellick, Gerald S. See Zaldivar, Rafael J.
Rhee, Shi-Woo See Chang, An-jae; Choi, Yoon
Rhine, Wendell E. See Hirakata, Keigo
Rice, Roy W.
Comment on "Effective Elastic Moduli of Porous Ceramic Materials". (6) 1711
Richard, Nathalie See Lequeux, Nicolas
Richardson, Kerry K.; Freitag, Doug W.; and Hunn, David L.
Barium Aluminosilicate Reinforced *In Situ* with Silicon Nitride. (10) 2662
Rigaud, Michel See Li, Xiangmin
Riman, Richard E. See Lencka, Malgorzata M.; Yu, Sung Hun
Risold, Daniel; Hallstedt, Bengt; and Gauckler, Ludwig J.
Thermodynamic Assessment of the Ca–Cu–O System. (10) 2655
Ritchie, Robert O. See Gilbert, Christopher J.; Mitchell, Tyrone D., Jr.
Ritter, John E. See Murphy, Dawn
Riu, Doh-Hyung See Kim, Hyoun-Ee
Rivas, Patricia C.; Martinez, J. A.; Caracoche, M. C.; Lopez Garcia, Alberto R.; Klein, Lisa C.; and Pavlik, Robert S., Jr.
Perturbed-Angular-Correlation Study of Zirconias Produced by the Sol–Gel Method. (5) 1329
Robinson, Steven L. See Moody, Neville R.

Rödel, Jürgen See Kaplan, Wayne D.; Meschke, Frank
Roeder, Ryan K.; Steinlage, Greg A.; Trumble, Kevin P.; and Bowman, Keith J.
Preventing Segregation during Centrifugal Consolidation of Particulate Suspensions: Particle Drafting. (9) 2367
Rokhlin, Stanislav I. See Chu, Ya-Cherng
Rolland, Bruno Le See Bonafous, Laurent
Rowcliffe, David See Salomonson, Jonas
Roy, Rustum See Liu, Chunling
Roy, Sujit Kumar See Ramanathan, Srinivasan
Rozman, Marko and Drofenik, Miha
Hydrothermal Synthesis of Manganese Zinc Ferrites. (9) 2449
Ruh, Robert See Lin, Chien-Cheng; Xu, Youren
Rühle, Manfred See Kaplan, Wayne D.
Rus, Ioan L. See Laraia, Vincent J.
Sacks, Michael D.; Lin, Yung-Jen; Scheiffele, Gary W.; Wang, Keyun; and Bozkurt, Nazim
Effect of Seeding on Phase Development, Densification Behavior, and Microstructure Evolution in Mullite Fabricated from Microcomposite Particles. (11) 2897
Safari, Ahmad See Janas, Victor F.; Livneh, Shai S.; McNulty, Thomas F.
Šajgalik, Pavol; Dusza, J.; and Hoffmann, M. J.
Relationship between Microstructure, Toughening Mechanisms, and Fracture Toughness of Reinforced Silicon Nitride Ceramics. (10) 2619
Saji, Akira See Sasaki, Yukichi
Sakaguchi, Isao; Srikanth, Varanasi; Ikegami, Takayasu; and Haneda, Hajime
Grain Boundary Diffusion of Oxygen in Alumina Ceramics. (9) 2557
Sakaguchi, Shigeki See Todoroki, Shin-ichi
Sakai, Mototsugu; Hanyu, Hiroyuki; and Inagaki, Michio
Indentation-Induced Contact Deformation and Damage of Glasslike Carbon. (4) 1006
Sakakura, Mitsuo See Kimura, Osamu
Sakata, Masaru; Kimura, Koji; and Mizunuma, Akiko
Measurement of Elastic Moduli from the Impact Sound of Engineering Ceramics and Composites at Elevated Temperatures. (11) 3040
Sakata, Tadayoshi See Cho, Woo-Seok
Sakka, Yoshio; Bidinger, Donald D.; and Aksay, Ilhan A.
Processing of Silicon Carbide–Mullite–Alumina Nanocomposites. (2) 479
Salas, Olimpia; Jayaram, Vikram; Vlach, Kenneth C.; Levi, Carlos G.; and Mehrabian, Robert
Early Stages of Composite Formation by Oxidation of Liquid Aluminum Alloys. (3) 609
Salomonson, Jonas and Rowcliffe, David
Measurement of Indentation Residual Stresses in Materials Susceptible to Slow Crack Growth. (1) 173
Salvo, Milena See Lemoine, Patrick
Samardžija, Zoran See Makovec, Darko
Sandhage, Kenneth H. See Allemeh, Seyed M.; Chmielewski, David H.
Sanghera, Jas S.; Kung, Fred H.; Busse, Lynda E.; Pureza, Paul C.; and Aggarwal, Ishwar D.
Infrared Evanescent Absorption Spectroscopy of Toxic Chemicals Using Chalcogenide Glass Fibers. (8) 2198
Sarkar, Partho and Nicholson, Patrick S.
Comments on "Electrophoretic Deposition Forming of SiC-TZP Composites in a Nonaqueous Sol Media". (11) 3165
Sarkar, Partho See Prakash, Om
Sarrión, María Luisa Martínez and Morales, Manuel
Preparation and Characterization of NTC Thermistors: Nickel Manganites Doped with Lithium. (4) 915
Sasaki, Yoshinori See Kakegawa, Kazuyuki
Sasaki, Yukichi; Suzuki, Toshiyuki; Ikuhara, Yuichi; and Saji, Akira
Direct Observation of Channel Structures in Zeolite Y and A with a Slow-Scan, Charge-Coupled-Device Camera. (5) 1411
Sato, Kaoru See Torizuka, Shiro
Scales, Peter J. See Leong, Yee-Kwong
Scarlete, Mihai See He, Jiliang
Scattergood, Ronald O. See Morris, Jonathan C.; Tanikella, B. V.
Schaeffer, Robert P. See Janas, Victor F.
Scheetz, Barry E. See Abate, Christopher
Scheiffele, Gary W. See Sacks, Michael D.
Scherer, George W. See Barbé, Christophe J.; Jagota, Anand
Schmidt, Lanny D. See Wright, John S.
Scholz, Harold See Lemoine, Patrick
Schulze, Walter A. See Kuharuangrong, Sutin; Capurso, Joseph S.
Schwartz, Joseph M. See Wright, John S.
Schwartz, Robert W. See Sinclair, Michael B.
Sckuhr, Matthias A. See Munz, Dietrich
Seguchi, Tadao See Sugimoto, Masaki
Sejnoha, Michal See Dvorak, George J.
Senda, Tetsuya; Drennan, John; and McPherson, Reg
Sliding Wear of Oxide Ceramics at Elevated Temperatures. (11) 3018
Senzaki, Yoshihide; Caruso, James; Hampden-Smith, Mark J.; Kodas, Toivo T.; and Wang, Lu-Min
Preparation of Strontium Ferrite Particles by Spray Pyrolysis. (11) 2973
Senzaki, Yoshihide; Hampden-Smith, Mark J.; Kodas, Toivo T.; and Hussler, John W.
Preparation of Metal Ruthenates by Spray Pyrolysis. (11) 2977
Seog, In-Sig See Moon, Young Tae
Sergo, Valter and Clarke, David R.
Deformation Bands in Ceria-Stabilized Tetragonal Zirconia/Alumina: II, Stress-Induced Aging at Room Temperature. (3) 641
Sergo, Valter; Clarke, David R.; and Pompe, Wolfgang
Deformation Bands in Ceria-Stabilized Tetragonal Zirconia/Alumina: I, Measurement of Internal Stresses. (3) 633
Sergo, Valter; Wang, Xun-Li; Clarke, David R.; and Becher, Paul F.
Residual Stresses in Alumina/Ceria-Stabilized Zirconia Composites. (8) 2213
Sergo, Valter See Srikant, V.
Serna, Carlos J. See Tartaj, Pedro
Setter, Nava See Chu, Fan; Klissurska, Radosveta D.
Seyferth, Dietmar See Narula, Chaitanya K.
Sglavo, Vincenzo M. and Green, David J.
Subcritical Growth of Indentation Median Cracks in Soda–Lime–Silica Glass. (3) 650
Shaw, Jin-Chen; Liu, Kuo-Shung; and Lin, I-Nan
Modification of Piezoelectric Characteristics of the $Pb(Mg_3Nb)O_3$–$PbZrO_3$–$PbTiO_3$ Ternary System by Aliovalent Additives. (1) 178
Shaw, Leon and Abbaschian, Reza
Fabrication of SiC-Whisker-Reinforced $MoSi_2$ Composites by Tape Casting. (11) 3129; Al_2O_3 Coatings as Diffusion Barriers Deposited from Particulate-Containing Sol–Gel Solutions. (12) 3376
Sheldon, Brian W.; Rankin, Janet; and Haggerty, John S.
Formation of Reaction-Bonded Silicon Nitride from Silane-Derived Silicon Powders: Nucleation and Growth Mechanisms. (6) 1624
Shetty, Dinesh K. See Danchaivijit, Sawai; Tsai, Jing-Fong; Chao, Luen-Yuan
Shih, Wei-Heng; Pwu, Leh-Lii; and Tseng, Ampere A.
Boehmite Coating as a Consolidation and Forming Aid in Aqueous Silicon Nitride Processing. (5) 1252
Shimada, Shiro; Nishisako, Masaru; Inagaki, Michio; and Yamamoto, Kazuhide
Formation and Microstructure of Carbon-Containing Oxide Scales by Oxidation of Single Crystals of Zirconium Carbide. (1) 41
Shimada, Shiro See Ito, Yoshiho
Shimizu, Yasuhiro See Lin, Feng-Cang
Shimoo, Toshio See Sugimoto, Masaki
Shimooka, Hirokazu and Kuwabara, Makoto
Preparation of Dense $BaTiO_3$ Ceramics from Sol–Gel-Derived Monolithic Gels. (10) 2849
Shin, Dong-Woo; Auh, Keun Ho; and Tanaka, Hidehiko
Tensile Properties of Ceramic Matrix Fiber Composites. (11) 3137
Shin, Hyunho
High-Temperature Behavior of Silicon Carbide Fibers in a Si-Al-Ca-O-N Ceramic Matrix. (11) 3153
Shinoda, Takuya See Hanada, Teiichi
Shinohara, Nobuhiro See Takahashi, Hideo; Uematsu, Keizo
Shobu, Kazuhisa See Akiyama, Morito
Shoup, Shara S.; Haverlock, Tamara J.; and Bamberger, Carlos E.
Solid Solutions within Selected SrO–$LnO_{1.5}$–TiO_2 Systems. (5) 1261
Shyu, Jiin-Jyh and Lee, Hsin-Hui
Sintering, Crystallization, and Properties of B_2O_3/P_2O_5-Doped Li_2O-Al_2O_3-$4SiO_2$ Glass-Ceramics. (8) 2161
Shyu, Jiin-Jyh and Yang, Yeong-Song
Crystallization of a PbO–BaO–TiO_2–Al_2O_3–SiO_2 Glass. (6) 1463
Shyu, Ming-Jyh See Wu, Tai-Bor
Sigl, Lorenz S. and Kleebe, Hans-Joachim
Microcracking in B_4C–TiB_2 Composites. (9) 2374
Siguín, Dionisio; Ferreira, Serafín; Foufre, Luis; and García, Fernando
Relationship between Isomorphic Substitutions and the Thermal Degradation of Bentonites. (8) 2215
Sinclair, Derek C. and West, Anthony R.
Use of Succinic Acid to Test the Stability of PTCR Barium Titanate Ceramics under Reducing Conditions. (1) 241
Sinclair, Michael B.; Dimos, Duane; Potter, Barrett G., Jr.; and Schwartz, Robert W.
Angularly and Spectrally Resolved Light Scattering from Lead Zirconate Titanate Thin Films. (8) 2027
Singh, Raj N. See Kumar, Susmit; Wang, Hongyu; Zhou, Hong
Sirera, Rafael See Calzada, M. Lourdes
Skamser, Daniel J. See Spotz, Mark S.
Smith, Douglas T. and Wei, Lanhua
Quantifying Local Microcrack Density in Ceramics: A Comparison of Instrumented Indentation and Thermal Wave Techniques. (5) 1301
Smith, Peter A. and Haber, Richard A.
Effect of Particle Packing on the Filtration and Rheology Behavior of Extended Size Distribution Alumina Suspensions. (7) 1737
Smith, Peter A. and Haerle, Andrew G.
Particle Crowding Analysis of Slip Casting. (3) 809
Snyder, Robert L. See Park, Chan
Soboyejo, Wolé; Brooks, Douglas; Chen, Long-Ching; and Lederich, Richard
Transformation Toughening and Fracture Behavior of Molybdenum Disilicide Composites Reinforced with Partially Stabilized Zirconia. (6) 1481
Soga, Kohei; Uo, Motohiro; Inoue, Hiroyuki; Makishima, Akio; and Inoue, Satoru
Site-Dependent Study of the Optical Properties of Eu^{3+} in Pure and Chlorine-Doped Fluorozirconate Glasses. (1) 129
Soga, Naohiro See Hanada, Teiichi; Tanabe, Setsuhisa
Sogabe, Kouichi See Nakahata, Seiji
Sohn, Jeong-Ho See Choy, Jin-Ho
Sohn, Kee-Sun; Lee, Sunghak; and Baik, Sunggi
Analytical Modeling for Bridging Stress Function Involving Grain Size Distribution in a Polycrystalline Alumina. (5) 1401
Solomon, Peter R. See Markham, James R.
Song, Jin-Tae See Lee, Hee-Gyoun
Sood, Ajay Kumar See Asif, S. A. Syed
Sorarù, Gian Domenico; D'Andrea, Gennaro; Campostrini, Renzo; Babonneau, Florence; and Mariotto, Gino
Structural Characterization and High-Temperature Behavior of Silicon Oxycarbide Glasses Prepared from Sol–Gel Precursors Containing Si–H Bonds. (2) 379
Speck, James S. See Turner, Kristofer R.
Speyer, Robert F. See Sundaram, S. Kamakshi
Spotz, Mark S.; Skamser, Daniel J.; and Johnson, D. Lynn
Thermal Stability of Ceramic Materials in Microwave Heating. (4) 1041
Sproule, G. Irwin See Ervas, Georgette Petot
Srikant, V.; Sergo, Valter; and Clarke, David R.
Epitaxial Aluminum-Doped Zinc Oxide Thin Films on Sapphire: I, Effect of Substrate Orientation. (7) 1931; Epitaxial Aluminum-Doped Zinc Oxide Thin Films on Sapphire: II, Defect Equilibria and Electrical Properties. (7) 1935
Srikanth, Varanasi See Breval, Else; Sakaguchi, Isao
Srolovitz, David J. See Battaile, Corbett C.
Stadler, Bethanie J. H.; Oliveria, Manuel; and Bouthillette, Lionel O.
Alumina Thin Films as Optical Waveguides. (12) 3336
Steier, Hanns P.; Pena, Pilar; and Moya, Jose S.
Titanium Zirconate Thick Films on Rutile Substrates by Reactive Coating of Zircon. (9) 2560
Steiner, Olivier See Chu, Fan
Steinlage, Greg A. See Roeder, Ryan K.
Stevenson, Jeffry W.; Hallman, Paul F.; Armstrong, Timothy R.; and Chick, Larry A.
Sintering Behavior of Doped Lanthanum and Yttrium Manganite. (3) 507
Steyer, Todd E. and Faber, K. T.
Mechanical Behavior of Alumina Reinforced with Carbon-Coated Silicon Carbide Whiskers. (10) 2673
Stinton, David P. See Bae, Yong W.; Lee, Woo Y.
Stochniol, Guido; Syskakis, Emmanuel; and Naoumidis, Aristides
Chemical Compatibility between Strontium-Doped Lanthanum Manganite and Yttria-Stabilized Zirconia. (4) 929
Strobel, Tina M. See Breder, Kristin
Subbarao, Eleswarapu C. See Breval, Else
Subrahmanyam, Jandhyala and Rao, Renangi Mohan
Combustion Synthesis of $MoSi_2$–SiC Composites. (2) 487
Suematsu, Hisayuki See Mitomo, Mamoru
Suenaga, Kenzo See Goto, Seishi
Sugai, Kazuhito See Kishimoto, Akira
Suganuma, Motohiro
Scanning Acoustic Microscopy of Indentation Damage in Y_2O_3-Stabilized Tetragonal Zirconia. (11) 2889
Sugimoto, Masaki; Shimoo, Toshio; Okamura, Kiyohito; and Seguchi, Tadao
Reaction Mechanisms of Silicon Carbide Fiber Synthesis by Heat Treatment of Polycarbosilane Fibers Cured by Radiation: I, Evolved Gas Analysis. (4) 1013; Reaction Mechanisms of Silicon Carbide Fiber Synthesis by Heat Treatment of Polycarbosilane Fibers Cured by Radiation: II, Free Radical Reaction. (7) 1849
Sun, Chin-Teh See Park, Seungbae
Sun, Ellen Y.; Nutt, Steven R.; and Brennan, John J.
Flexural Creep of Coated SiC-Fiber-Reinforced Glass-Ceramic Composites. (5) 1233
Sundaram, S. Kamakshi; Hsu, Jen-Yen; and Speyer, Robert F.
Molten Glass Corrosion Resistance of Immersed Combustion-Heating Tube Materials in E-Glass. (7) 1940
Sung, Yeon Soo and Hellstrom, Eric E.
Phase Regions and Kinetics of Formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ in Ag-Sheathed Tape. (8) 2003
Suo, Z. See Ho, S.
Susnitzky, David W. See Hwang, C. James
Suzuki, Hajime See Matsui, Koji
Suzuki, Hironori and Bradt, Richard C.
Grain Growth of ZnO in ZnO–Bi_2O_3 Ceramics with TiO_2 Additions. (5) 1354
Suzuki, Hisao See Ota, Toshitaka
Suzuki, Kunio See Miyazawa, Kun'ichi

Suzuki, Masaaki; Hasegawa, Yoshihisa; Aizawa, Masayuki; Nakata, Yoshinori; Okutani, Takeshi; and Uosaki, Kohei
Characterization of Silicon Carbide–Silicon Nitride Composite Ultrafine Particles Synthesized Using a CO_2 Laser by Silicon-29 Magic Angle Spinning NMR and ESR. (1) 83
Suzuki, Suguru See Ota, Toshitaka
Suzuki, Toshiyuki See Sasaki, Yukichi
Suzuki, Yasuo See Yashima, Masatomo
Swider, Karen E. and Worrell, Wayne L.
Electron Paramagnetic Resonance of Titanium Impurities in Reduced Yttria-Stabilized Zirconia. (4) 961
Swider, Karen E. See Reidy, Richard F.
Switzer, Jay A. See Zhou, Yanchun
Syskakis, Emmanuel See Stochniol, Guido
Tada, Masakazu See Kikkawa, Shinichi
Tadanaga, Kiyoharu See Iwami, Tomoaki
Tagawa, Hiroaki See Mizusaki, Junichiro
Takada, Tomoyuki See Nakano, Takashi; Yamaguchi, Takashi
Takahashi, Hideo; Shinohara, Nobuhiro; Okumiya, Masataro; Uematsu, Keizo; Junichiro, Tsubaki; Iwamoto, Yuji; and Kamiya, Hidehiro
Influence of Slurry Flocculation on the Character and Compaction of Spray-Dried Silicon Nitride Granules. (4) 903
Takahashi, Hideo See Uematsu, Keizo
Takahashi, Katsuo See Dai, Yisheng
Takahashi, Minoru See Ota, Toshitaka
Takahashi, Tadayoshi See Mineshige, Atsushi
Takao, Yuji See Lin, Feng-Cang
Takashina, Hiroyuki See Yashima, Masatomo
Takebe, Hiromichi; Nageno, Yoshikazu; and Morinaga, Kenji
Compositional Dependence of Judd–Ofelt Parameters in Silicate, Borate, and Phosphate Glasses. (5) 1161; Compositional Dependence of Judd–Ofelt Parameters in Silicate, Borate, and Phosphate Glasses—correction. (8) 2287
Takebe, Hiromichi See Fujino, Shigeru
Takeda, Nobuo See Yamade, Yoshiaki
Takehara, Zen-ichiro See Ogumi, Zempachi
Takeichi, Yoshikuni See Yogo, Toshinobu
Takenoshita, Takeshi See Uchimura, Hiroshi
Takita, Yusaku See Mizuhara, Yukako
Talanker, Vladimir See Chaim, Rachman
Tamaura, Yutaka See Kodama, Tatsuya
Tamura, Hiroshi See Michiura, Nobuhiko
Tan, Shouhong See Huang, Zhengren
Tanabe, Setsuhisa; Hanada, Teiichi; Watanabe, Masayuki; Hayashi, Tetsusuke; and Soga, Naohiro
Optical Properties of Dysprosium-Doped Low-Phonon-Energy Glasses for a Potential 1.3 μm Optical Amplifier. (11) 2917
Tanabe, Setsuhisa See Hanada, Teiichi
Tanaka, Hidehiko and Iyi, Nobuo
Polytypes, Grain Growth, and Fracture Toughness of Metal Boride Particulate SiC Composites. (5) 1223
Tanaka, Hidehiko See Shin, Dong-Woo
Tanaka, Isao; Igashira, Ken'ichiro; Okamoto, Taira; Niihara, Koichi; and Cannon, Rowland M.
High-Temperature Fracture Mechanism of Low-Ca-Doped Silicon Nitride. (3) 673
Tani, Benjamin S. See Luo, Jian Shu
Taniguchi, Akihiro; Tatsumisago, Masahiro; and Minami, Tsutomu
Crystallization Kinetics of α-AgI in AgI-Based Silver Orthoborate Glasses. (2) 460
Tanikella, B. V. and Scattergood, Ronald O.
Acoustic Emission during Indentation Fracture. (6) 1698
Tartaj, Pedro; Serna, Carlos J.; and Ocaña, Manuel
Preparation of Blue Vanadium-Zircon Pigments by Aerosols Hydrolysis. (5) 1147
Tasaka, Akimasa See Mineshige, Atsushi
Tatekawa, Tsutomu See Michiura, Nobuhiko
Tatsumisago, Masahiro See Iwami, Tomoaki; Taniguchi, Akihiro
Taya, Minoru See Li, Zhiguang
Taya, Noriko See Kikkawa, Shinichi
Taylor, Raymond L. See Kim, Yongil
Tennery, Victor J. See Breder, Kristin
Tennis, Paul D. See Jennings, Hamlin M.
Terashima, Kentaro; Kim, Sae-Hoon; and Yoko, Toshinobu
Nonlinear Optical Properties of B_2O_3-Based Glasses: M_2O–B_2O_3 (M = Li, Na, K, Rb, Cs, and Ag) Binary Borate Glasses. (6) 1601
Terwilliger, Chrysanthe D. and Chiang, Yet-Ming
Measurements of Excess Enthalpy in Ultrafine-Grained Titanium Dioxide. (8) 2045
Theby, Edward A. See Lawton, Stanley A.
Thompson, A. Mark; Chan, Helen M.; Harmer, Martin P.; and Cook, Robert F.
Crack Healing and Stress Relaxation in Al_2O_3–SiC "Nanocomposites". (3) 567
Thompson, Jeffrey Y.; Anusavice, Kenneth J.; Balamurali, Balasubramaniam; and Mecholsky, John J., Jr.
Effect of Microcracking on the Fracture Toughness and Fracture Surface Fractal Dimension of Lithia-Based Glass-Ceramics. (11) 3045
Thomsen, Niels B. and Karihaloo, Bhushan L.
Optimum Microstructure of Transformation-Toughened Ceramics for Enhanced Wear Performance. (1) 3
Thun, Gerhard See Fett, Theo
Tien, Tseng-Ying See Peterson, Irene M.
Tkalcec, Emilija See Nass, Ruediger
Todoroki, Shin-ichi and Sakaguchi, Shigeki
Alkali Magnesium/Zinc Silicate Glasses with Low Rayleigh Scattering. (9) 2566
Tohge, Noboru See Iwami, Tomoaki
Tokiai, Takeo; Uesugi, Takashi; and Koumoto, Kunihito
Improvement in Thermoelectric Characteristics of *n*-type Iron Disilicide by Local Composition Modification. (4) 1089
Tomita, Yosinori; Guo, Lu-Cun; Zhang, Yao; Uchida, Nozomu; and Uematsu, Keizo
Effect of Temperature on the Slurry Characteristics and Green Bodies of Alumina. (8) 2153
Tomono, Kunisaburo See Kajiyoshi, Koji
Tomozawa, Minoru See Agarwal, Anand; Li, Hong
Torizuka, Shiro; Sato, Kaoru; Nishio, Hiroaki; and Kishi, Teruo
Effect of SiC on Interfacial Reaction and Sintering Mechanism of TiB_2. (6) 1606
Toyama, Koji See Ogumi, Zempachi
Traversa, Enrico
Design of Ceramic Materials for Chemical Sensors with Novel Properties. (10) 2625
Traversa, Enrico See Polini, Riccardo
Tressler, Richard E. See Morscher, Gregory N.
Trolier-McKinstry, Susan; Chen, Jiayu; Vedam, Kuppuswami; and Newnham, Robert E.
In Situ Annealing Studies of Sol–Gel Ferroelectric Thin Films by Spectroscopic Ellipsometry. (7) 1907
Trolier-McKinstry, Susan; Chindaudom, Pong; Vedam, Kuppuswami; and Hiremath, Basavaraj V.
Characterization of Optical Thin Films by Spectroscopic Ellipsometry. (9) 2412
Trumble, Kevin P. See Roeder, Ryan K.
Tsai, Jing-Fong and Shetty, Dinesh K.
Cyclic Fatigue of Ce-TZP/Al_2O_3 Composites: Role of the Degradation of Transformation Zone Shielding. (3) 599
Tsai, Ming-Shyong; Wang, Li-Hsing; and Hon, Min-Hsiung
Formation of Calcium Lanthanum Sulfide by Carbonate Coprecipitation and CS_2 Sulfurization. (5) 1185
Tsaih, Wen-Chou; Huang, Chin-Kuan; and Tseng, Tseung-Yuen
Growth of CeO_2 Films on Sapphire and MgO by rf Magnetron Sputtering. (7) 1969
Tsang, Chi-Fo; Meen, James K.; and Elthon, Don
Phase Equilibria of the Calcium Oxide–Copper Oxide System in Oxygen at 1 atm. (7) 1863
Tseng, Ampere A. See Shih, Wei-Heng
Tseng, Tseung-Yuen See Bai, Shr-Nan; Tsaih, Wen-Chou
Tsuji, Kenji See Kasuga, Toshihiro
Tu, Wen-Chiang and Lange, Fred F.
Liquid Precursor Infiltration Processing of Powder Compacts: I, Kinetic Studies and Microstructure Development. (12) 3277; Liquid Precursor Infiltration Processing of Powder Compacts: II, Fracture Toughness and Strength. (12) 3283
Tuan, Wei-Hsing and Chen, Wai-Rue
Mechanical Properties of Alumina–Zirconia–Silver Composites. (2) 465
Tuffé, Stéphane and Marple, Basil R.
Graded Casting: Process Control for Producing Tailored Profiles. (12) 3297
Tuffé, Stephane and Wilkinson, David S.
$MoSi_2$-Based Sandwich Composite Made by Tape Casting. (11) 2967
Turan, Servet and Knowles, Kevin M.
Formation of Boron Nitride Inclusions in Hot Isostatically Pressed Silicon Nitride–Silicon Carbide Composites. (3) 680
Turner, Kristofer R.; Speck, James S.; and Evans, Anthony G.
Mechanisms of Deformation and Failure in Carbon-Matrix Composites Subject to Tensile and Shear Loading. (7) 1841
Turner, Kristofer S. See Bourrat, Xavier
Uchida, Nozomu See Tomita, Yosinori
Uchimoto, Yoshiharu See Ogumi, Zempachi
Uchimura, Hiroshi; Takenoshita, Takeshi; and Kaji, Masaki
Measurement of Biaxial Displacement by a Speckle Correlation Method at High Temperature. (12) 3273
Uchino, Kenji See Mulvihill, Maureen L.
Ueki, Masanori See Walls, Philip A.
Uematsu, Keizo; Ito, Hiroshige; Ohsaka, Shigeru; Takahashi, Hideo; Shinohara, Nobuhiro; and Okumiya, Masataro
Characterization of Particle Packing in an Injected Molded Green Body. (11) 3107
Uematsu, Keizo See Takahashi, Hideo; Tomita, Yosinori
Uesugi, Takashi See Tokiai, Takeo
Um, Chang-Do See Cho, Seong-Jai
Umegaki, Takao See Yamashita, Kimihiro
Uo, Motohiro See Soga, Kohei
Uosaki, Kohei See Suzuki, Masaaki
Vagaggini, Emmanuel; Domergue, Jean-Marc; and Evans, Anthony G.
Relationships between Hysteresis Measurements and the Constituent Properties of Ceramic Matrix Composites: I, Theory. (10) 2709
Vagaggini, Emmanuel See Domergue, Jean-Marc
Vaidyaraman, Sundar See Lackey, W. Jack
Valin, F. See Desmaison-Brut, M.
Van Loo, Frans J. J. See Goldstein, Joseph I.
Varner, James R. See Conzone, Samuel D.
Vaudin, Mark D. See Hill, Michael D.
Vedam, Kuppuswami See Trolier-McKinstry, Susan
Velamakanni, Bhaskar V. See Franks, George V.
Vemury, Srinivas; and Pratsinis, Sotiris E.
Dopants in Flame Synthesis of Titania. (11) 2984
Verma, Avinash R. B.; Murthy, Varanasi S. R.; and Murty, Gollapudi S.
Microstructure and Compressive Strength of SiC-Platelet-Reinforced Borosilicate Composites. (10) 2732
Versteeg, Vera A.; Avedisian, C. Thomas; and Raj, Rishi
Metalorganic Chemical Vapor Deposition by Pulsed Liquid Injection Using an Ultrasonic Nozzle: Titanium Dioxide on Sapphire from Titanium(IV) Isopropoxide. (10) 2763
Vest, Robert W. See Mansour, Said A.
Viehland, Dwight; Forst, Donald; Xu, Z.; and Li, Jie-Fang
Incommensurately Modulated Polar Structures in Antiferroelectric Sn-Modified Lead Zirconate Titanate: The Modulated Structure and Its Influences on Electrically Induced Polarizations and Strains. (8) 2101
Viehland, Dwight; Kim, Nam; Xu, Z.; and Payne, David A.
Structural Studies of Ordering in the $(Pb_{1-x}Ba_x)$-$(Mg_{1/3}Nb_{2/3})O_3$ Crystalline Solution Series. (9) 2481
Viehland, Dwight See Dai, Xunhu; Li, Jie-Fang; Xu, Zhengkui; Yuan, Lijian
Virkar, Anil V. See Gopalan, Srikanth; Hong, Seong Jae
Vlach, Kenneth C. See Salas, Olimpia
Vleugels, Jef and Biest, Omer Van Der
Chemical Reactivity of Nickel and Nickel-Based Alloys with a SiAlON Ceramic. (11) 3002
Voisard, Patrick See Droillard, Christine
Von Der Mühll, Régnault See Ohtaka, Osamu
Wagner, Timothy See Morscher, Gregory N.
Wakayama, Shuichi See Hoffman, Mark
Waldner, Kurt See Laine Richard M.
Walker, Francis R. See Janas, Victor F.
Walls, Philip A. and Ueki, Masanori
Mechanical Properties of β-SiAlON Ceramics Joined Using Composite β-SiAlON–Glass Adhesives. (4) 999
Wang, Ching C. See Rahman, Matiur
Wang, Chong-Min
Fine Structural Features in α-Silicon Nitride Powder Particles and Their Implications. (12) 3393
Wang, Dongfang and Mao, Zhiyuan
Studies on Abrasive Wear of Monolithic Silicon Nitride and a Silicon Carbide Whisker-Reinforced Silicon Nitride Composite. (10) 2705
Wang, Hong-Wen
Comment on "Effect of Al_2O_3 and Bi_2O_3 on the Formation Mechanism of Sn-Doped $Ba_2Ti_9O_{20}$". (4) 1134
Wang, Hong-Ying See Wang, Yunzhi
Wang, Hongyu; Singh, Raj N.; and Goela, Jitendra S.
Effects of Postdeposition Treatments on the Mechanical Properties of a Chemical-Vapor-Deposited Silicon Carbide. (9) 2437
Wang, Keyun See Sacks, Michael D.
Wang, Li-Hsing See Tsai, Ming-Shyong
Wang, Lily L.; Munir, Zuhair A.; and Holt, J. Birch
Formation of MgO-B_4C Composite via a Thermite-Based Combustion Reaction. (3) 756
Wang, Lu-Min See Senzaki, Yoshihide
Wang, Paul W. See Zhang, Lipeng
Wang, Wei-E and Olander, Donald R.
Thermodynamics of the Zr–H System. (12) 3323
Wang, Xiaotian See Hao, Hongqi
Wang, Xun-Li See Alexander, Kathleen B.; Sergo, Valter
Wang, Yaozu and Carim, Altaf H.
Ternary Phase Equilibria in the Zr-Si-C System. (3) 662
Wang, Yonglan See Hao, Hongqi
Wang, Yunzhi; Wang, Hong-Ying; Chen, Long-Qing; and Khachaturyan, Armen G.
Microstructural Development of Coherent Tetragonal Precipitates in Magnesium-Partially-Stabilized Zirconia: A Computer Simulation. (3) 657
Wang, Yushu See Xu, Hockin H. K.
Waseda, Yoshio See Jacob, K. Thomas
Watanabe, Masayuki See Tanabe, Setsuhisa
Watanabe, Ryuzo See Li, Jing-Feng; Li, Zhiguang
Watanabe, Tadahiko See Akiyama, Morito
Watanabe, Yoshihisa See Nakamura, Yoshikazu
Wauchope, Corinna J. and Kelly, Patrick M.
High-Resolution Transmission Electron Microscopy of Transformed Magnesia-Partially-Stabilized Zirconia Precipitates. (10) 2853
Weber, Christian H. See Zok, Frank W.
Weber, J. K. Richard; Anderson, Collin D.; Merkley, Dennis R.; and Nordine, Paul C.
Solidification Behavior of Undercooled Liquid Aluminum Oxide. (3) 577

Weber, J. K. Richard; Krishnan, Shankar; Anderson, Collin D.; and Nordine, Paul C.
Spectral Absorption Coefficient of Molten Aluminum Oxide from 0.385 to 0.780 μm. (3) 583
Weber, J. K. Richard; Nordine, Paul C.; and Krishnan, Shankar
Effects of Melt Chemistry on the Spectral Absorption Coefficient of Molten Aluminum Oxide. (11) 3067
Wei, Lanhua See Smith, Douglas T.
Weirauch, Douglas A., Jr.; Lazaroff, Jerold E.; and Ownby, P. Darrell
Wetting in an Electronic Packaging Ceramic System: II, Wetting of Alumina by a Silicate Glass Melt under Controlled p_{O_2} Conditions. (11) 2923
Weirauch, Douglas A., Jr. See Lazaroff, Jerold E.
Wereszczak, Andrew A.; Ferber, Mattison K.; Kirkland, Timothy P.; More, Karren L.; Foley, Michael R.; and Yeckley, Russell L.
Evolution of Stress Failure Resulting from High-Temperature Stress-Corrosion Cracking in a Hot Isostatically Pressed Silicon Nitride . (8) 2129
West, Anthony R. See Sinclair, Derek C.
West, Jon K. and Hench, Larry L.
Molecular Orbital Models of Silica Rings and Their Vibrational Spectra. (4) 1093
Wey, Myeong Yong See Miyazawa, Kun'ichi
White, Kenneth W. See Hay, Jack C.
White, Robert L. See Ai, Jiu
Wiederhorn, Sheldon M. See Luecke, William E.
Wilkinson, David S. See Ham-Su, Rosaura; Kellett, Bruce J.; Tuffé, Stephane
Wilkosz, Daniel E. and Young, J. Francis
Effect of Moisture Adsorption on the Electrical Properties of Hardened Portland Cement Compacts. (6) 1673
Winnubst, Louis See Boutz, Michel M. R.
Witte, Stefan See Arlt, Gottfried
Woltersdorf, Jörg See Krell, Andreas
Wong, Lana L. and Bradt, Richard C.
Lime Refractories with Limestone and Synthetic Calcium Hydroxide Additions. (6) 1611
Worrell, Wayne L. See Fergus, Jeffrey W.; Swider, Karen E.
Wright, John S.; Schwartz, Joseph M.; Schmidt, Lanny D.; and Francis, Lorraine Falter
Fugitive Diffusion Barrier for Integration of Sol-Gel-Derived Lead Titanate with Oxidized Silicon Substrates. (9) 2360
Wu, Jenn-Ming See Yang, Seng-Lu
Wu, Ma-Shine and Fang, Tsang-Tse
Formation Mechanism of MoO_3-Doped $YSr_2Cu_3O_y$ Using the Citrate Process. (4) 1111
Wu, Tai-Bor; Shyu, Ming-Jyh; Chung, Chia-Chi; and Lee, Hsin-Yi
Phase Transition and Ferroelectric Characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ Ceramics Modified with $La(Mg_{2/3}Nb_{1/3})O_3$. (8) 2168
Wuttiphan, Sataporn See Padture, Nitin P.
Xie, Sishen See Ji, Yangyang
Xin, Yun-Biao; Hsia, K. Jimmy; and Lange, David A.
Quantitative Characterization of the Fracture Surface of Si Single Crystals by Confocal Microscopy. (12) 3201
Xiong, Yun; Lyons, Shirley W.; Kodas, Toivo T.; and Pratsinis, Sotiris E.
Volatile Metal Oxide Evaporation during Aerosol Decomposition. (9) 2490
Xu, Hockin H. K.; Braun, Linda M.; Ostertag, Claudia P.; Krause, Ralph F., Jr.; and Lloyd, Isabel K.
Failure Modes of SiC-Fiber/Si_3N_4-Matrix Composites at Elevated Temperatures. (2) 388
Xu, Hockin H. K. and Jahanmir, Said
Scratching and Grinding of a Machinable Glass-Ceramic with Weak Interfaces and Rising *T*-Curve. (2) 497
Xu, Hockin H. K.; Jahanmir, Said; and Wang, Yushu
Effect of Grain Size on Scratch Interactions and Material Removal in Alumina. (4) 881
Xu, Hockin H. K.; Ostertag, Claudia P.; Fuller, Edwin R., Jr.; Braun, Linda M.; and Lloyd, Isabel K.
Fracture Resistance of SiC-Fiber-Reinforced Si_3N_4 Composites at Ambient and Elevated Temperatures. (3) 698
Xu, Hockin H. K.; Ostertag, Claudia P.; and Krause, Ralph F., Jr.
Effect of Temperature on Toughness Curves in Alumina. (1) 260
Xu, Hockin H. K.; Padture, Nitin P.; and Jahanmir, Said
Effect of Microstructure on Material-Removal Mechanisms and Damage Tolerance in Abrasive Machining of Silicon Carbide. (9) 2443
Xu, Hockin H. K. See Padture, Nitin P.
Xu, Youren; Zangvil, Avigdor; and Ruh, Robert
Formation of β-SiAlON as an Intermediate Oxidation Product of SiC–AlN Ceramics. (10) 2753
Xu, Zhengkui; Dai, Xunhu; Viehland, Dwight; Payne, David A.; Li, Zhuang; and Jiang, Yendao
Ferroelectric Domains and Incommensuration in the Intermediate Phase Region of Lead Zirconate. (8) 2220
Xu, Zhengkui See Dai, Xunhu; Desai, Priyadarshi G.; Viehland, Dwight
Yadava, Yogendra P. See Koshy, Jacob
Yamada, Atsushi and Chiang, Yet-Ming
Nature of Cation Vacancies Formed to Compensate Donors during Oxidation of Barium Titanate. (4) 909
Yamade, Yoshiaki; Kawaguchi, Yoshiaki; Takeda, Nobuo; and Kishi, Teruo
Interfacial Debonding Behavior of Mullite/SiC Continuous Fiber Composite. (12) 3209
Yamaguchi, Akira See Hashimoto, Shinobu
Yamaguchi, Ichirou See Dai, Yisheng
Yamaguchi, Osamu See Aoyama, Tatsuji; Hirano, Shingo; Kawabata, Akio
Yamaguchi, Takashi and Nakamura, Yuko
Sol–Gel Processing and Conduction Mechanism of RuO_2–Glass Thick-Film Resistors. (5) 1372
Yamaguchi, Takashi and Takada, Tomoyuki
Observation of Cell Structures Developed by Marangoni Convection in Glass Thick Films. (12) 3259
Yamaguchi, Takashi See Nakano, Takashi; Yata, Kunio
Yamakawa, Akira See Nakahata, Seiji
Yamamoto, Kazuhide See Shimada, Shiro
Yamamuro, Takao See Hata, Kotaro
Yamanaka, Takamitsu See Ohtaka, Osamu
Yamane, Hisanori; Ogawara, Kazuhiro; Omori, Mamoru; and Hirai, Toshio
Thermal Expansion and Athermal Phase Transition of $Y_4Al_2O_9$ Ceramics. (5) 1230; Phase Transition of Rare-Earth Aluminates ($RE_4Al_2O_9$) and Rare-Earth Gallates ($RE_4Ga_2O_9$). (9) 2385
Yamashita, Kimihiro; Kitagaki, Kazuhisa; and Umegaki, Takao
Thermal Instability and Proton Conductivity of Ceramic Hydroxyapatite at High Temperatures. (5) 1191
Yamashita, Yohachi See Kanai, Hideyuki
Yanagida, Hiroaki See Hikita, Kazuyasu; Kishimoto, Akira
Yanez, Joesph A. See Luther, Erik P.
Yang, Jenn-Ming See Zaldivar, Rafael J.
Yang, Seng-Lu and Wu, Jenn-Ming
Varied Atmosphere Compensation—Exploring the Roles of Barium and Bismuth in (Ba,Bi,Nb)-Doped TiO_2 Varistors. (8) 2203
Yang, Wei and Chen, Long-Qing
Computer Simulation of the Dynamics of 180° Ferroelectric Domains. (9) 2554
Yang, Xi See Hong, Wan-Shick
Yang, Yeong-Song See Shyu, Jiin-Jyh
Yang, Yingyuan See Munz, Dietrich
Yano, Toyohiko; Ikari, Masanori; Iseki, Takayoshi; Farnum, Eugene H.; Clinard, Frank W., Jr.; and Mitchell, T. E.
Effect of Neutron Irradiation on Knoop Microhardness Anisotropy in $MgO{\cdot}3Al_2O_3$ Single Crystals. (6) 1469
Yarbrough, Walter A. See Barber, Greg D.
Yashima, Masatomo; Mitsuhashi, Takefumi; Takashina, Hiroyuki; Kakihana, Masato; Ikegami, Takayasu; and Yoshimura, Masahiro
Tetragonal–Monoclinic Phase Transition Enthalpy and Temperature of ZrO_2–CeO_2 Solid Solutions. (8) 2225
Yashima, Masatomo; Nagatome, Tomoo; Noma, Tatsuo; Ishizawa, Nobuo; Suzuki, Yasuo; and Yoshimura, Masahiro
Effect of Dopant Species on Tetragonal (*t'*)-to-Monoclinic Phase Transformation of Arc-Melted ZrO_2–$RO_{1.5}$ (R = Sm, Y, Er, and Sc) in Water at 200°C and 100 MPa Pressure. (8) 2229
Yashima, Masatomo See Cho, Woo-Seok
Yasuoka, Masaki; Hirao, Kiyoshi; Brito, Manuel E.; and Kanzaki, Shuzo
High-Strength and High-Fracture-Toughness Ceramics in the $Al_2O_3/LaAl_{11}O_{18}$ Systems. (7) 1853
Yata, Kunio; Hanyu, Naohiko; and Yamaguchi, Takashi
Voltammetric Study of Silver in a Glass Melt. (5) 1153
Ye, Yaohong See Zhang, Shuren
Yeckley, Russell L. See Wereszczak, Andrew A.
Yeh, Chih-Hung and Hon, Min-Hsiung
Chemical Interaction between Silicon Nitride and Titanium Carbide Powder. (9) 2395
Yeheskel, Jacob and Dariel, Mordecai S.
Codeposition of Free Silicon during CVD of Silicon Carbide. (1) 229
Yoda, Mitsuo; Yoshikawa, Yoshio; Ono, K.; and Ide, M.
Fracture and Subcritical Crack Growth in Soda-Lime Glass under Combined Modes I and II Loading. (1) 161
Yogo, Toshinobu; Kikuta, Koichi; Ito, Yasuhiro; and Hirano, Shin-ichi
Synthesis of Highly Oriented $K(Ta,Nb)O_3$ (Ta:Nb = 65:35) Film Using Metal Alkoxides. (8) 2175
Yogo, Toshinobu; Takeichi, Yoshikuni; Kikuta, Koichi; and Hirano, Shin-ichi
Ultraviolet Patterning of Alkoxy-Derived Lithium Niobate Film. (6) 1649
Yogo, Toshinobu See Hirano, Shin-Ichi; Yoko, Toshinobu
Yoko, Toshinobu See Kim, Sae-Hoon; Terashima, Kentaro
Yokokawa, Harumi See Montross, Charles S.
Yoon, Ki Hyun; Park, Jeong Hwan; and Kang, Dong Heon
Characteristics of Lead Magnesium Niobate Thin Film Prepared by Sol-Gel Processing Using a Complexing Agent. (8) 2267
Yoon, Yong Joon See Baik, Dong Soo
Yoshida, Hideto See Fukuda, Koichiro
Yoshida, Kunio See Ikesue, Akio
Yoshikawa, Akira See Ikeda, Kiyohiko
Yoshikawa, Yoshio See Yoda, Mitsuo
Yoshiki, Masahiko See Kanai, Hideyuki
Yoshimura, Masahiro See Cho, Woo-Seok; Gogotsi, Yury G.; Kajiyoshi, Koji; Yashima, Masatomo
Yoshinaka, Masaru See Hirano, Shingo; Kawabata, Akio
Young, J. Francis See Wilkosz, Daniel E.
Yu, C. Charles and Klein, Lisa C.
Characterization of Supported Alumina Membranes Formed by an *in situ* Sol–Gel Method. (11) 3149
Yu, Sung Hun; Riman, Richard E.; Danforth, Stephen C.; and Leung, Roger Y.
Pyrolysis of Titanium-Metal-Filled Poly(siloxane) Preceramic Polymers: Effect of Atmosphere on Pyrolysis Product Chemistry. (7) 1818
Yu, Yude See Ji, Yangyang
Yuan, Lijian; Li, Jie-Fang; and Viehland, Dwight
Electrically Induced Shape Changes in Hardened Cement Pastes and Porous Silica Gels: The Dynamic Nature of Gel Pore Structures during Water Transport. (12) 3233
Yue, Xuemei See Zhang, Guojun
Yuli, Chen See Gongyi, Guo
Zaldivar, Rafael J.; Rellick, Gerald S.; and Yang, Jenn-Ming
Failure Modes of a Unidirectional Ultra-High-Modulus Carbon-Fiber/Carbon-Matrix Composite. (3) 623
Zangvil, Avigdor See Kim, Yongil; Lin, Chien-Cheng; Xu, Youren
Zhang, Guojun; Jin, Zongzhe; and Yue, Xuemei
TiN–TiB_2 Composites Prepared by Reactive Hot Pressing and Effects of Ni Addition. (10) 2831
Zhang, Lipeng and Wang, Paul W.
Effect of Chloride on the Structure of Fluoroaluminate Glasses Studied by XPS. (9) 2401
Zhang, Shuren; Zhong, Chaowei; Qin, Xiaoliang; and Ye, Yaohong
Investigation of Low-Temperature-Fired Strontium Titanate Multilayer Grain-Boundary Layer Capacitors. (5) 1391
Zhang, Yao See Tomita, Yosinori
Zhang, Ying and Jiang, Qing
Twinning-Induced Stress and Electric Field Concentrations in Ferroelectric Ceramics. (12) 3290
Zhang, Zhiwu and Raj, Rishi
Influence of Grain Size on Ferroelastic Toughening and Piezoelectric Behavior of Lead Zirconate Titanate. (12) 3363
Zhang, Zhong; Jin, Duo; Li, Laifeng; Tu, Zhihua; Zhao, Lizhong; Zhang, Peiqiang; and Zhao, Jianhua
Fracture Strength and Dynamic Elastic Modulus of Ce- and Er-TZP at Low Temperature. (9) 2548
Zhang, Zongtao; Huang, Yong; and Jiang, Zuozhao
Reply to "Comment on 'Electrophoretic Deposition Forming of SiC-TZP Composites in a Nonaqueous Sol Media' ". (11) 3167
Zhao, Hong; He, Yu; and Jin, Zongzhe
Preparation of Zirconium Boride Powder. (9) 2534
Zheng, Jingmin; Carlson, William B.; and Reed, James S.
Dependence of Compaction Efficiency in Dry Pressing on the Particle Size Distribution. (9) 2527
Zhong, Chaowei See Zhang, Shuren
Zhou, D. S. See Reimanis, Ivar E.
Zhou, Dashun S. and Mitchell, Terence E.
Dislocations in as-Grown CVD α-Silicon Nitride. (11) 3133
Zhou, Hong and Singh, Raj N.
Kinetics Model for the Growth of Silicon Carbide by the Reaction of Liquid Silicon with Carbon. (9) 2456
Zhou, Li-Min See Liu, Hong-Yuan
Zhou, Yanchun; Phillips, Richard J.; and Switzer, Jay A.
Electrochemical Synthesis and Sintering of Nanocrystalline Cerium(IV) Oxide Powders. (4) 981
Zink, Jeffrey I. See Nishida, Fumito
Zok, Frank W.; Chen, Xiuyen; and Weber, Christian H.
Tensile Strength of SiC Fibers. (7) 1965
Zok, Frank W. See Heredia, Fernando E.
Zou, Qing and Meng, Zhongyan
Microstructure and Grain Boundary Structure of Na^+-Diffused (Sr,Ca)TiO_3 Capacitor–Varistor Ceramics. (1) 58
Zukoski, C. F. See Look J.-L.

SUBJECT INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

Numbers following titles are *page* numbers.

absorption/absorbents
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide. (11) 3067-71
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm. (3) 583-87
acids
Effects of stearic acid on the injection molding of alumina. (10) 2746-52
Organic acid adsorption on lead titanate surfaces. (9) 2563-65
acoustic emission
Acoustic emission during indentation fracture. (6) 1698-702
additives
Cristobalite phase formation in glass/ceramic composites. (5) 1265-71
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide. (7) 1761-68
adhesives/adhesion
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives. (4) 999-1005
adsorption/adsorbents
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying. (7) 1775-80
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts. (6) 1673-79
Organic acid adsorption on lead titanate surfaces. (9) 2563-65
alumina
^{29}Si and ^{27}Al MASNMR study of stratlingite. (7) 1921-26
^{29}Si MAS NMR study of dicalcium silicate: The structural influence of sulfate and alumina stabilizers. (10) 2603-608
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions. (12) 3376-82
Alumina surface modification of silicon nitride for colloidal processing. (8) 2009-14
Alumina thin films as optical waveguides. (12) 3336-44
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina. (5) 1401-405
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites. (6) 1661-67
Ca segregation to basal surfaces in α-alumina. (10) 2841-44
Ceramic composites of monazite and alumina. (6) 1553-63
Ceramic composites of monazite and alumina [correction]. (9) 2574
Characterization of particle packing in an injection-molded green body. (11) 3107-109
Characterization of supported alumina membranes formed by an *in situ* sol-gel method. (11) 3149-52
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying. (7) 1775-80
Crack deflection in ceramic/ceramic laminates with strong interfaces. (4) 1125-27
Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites." (3) 567-71
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: Role of the degradation of transformation zone shielding. (3) 599-608
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: I, Measurement of internal stresses (3) 633-40
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: II, Stress-induced aging at room temperature. (3) 641-44
Development of nanocomposite microstructures in ZrO_2-Al_2O_3 via the solution precursor method. (6) 1489-94
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$ [comment] (4) 1134-35
Effect of ammonium citrate of the rheology and particle packing of alumina slurries. (6) 1495-500
Effect of glass additions on the indentation-strength behavior of alumina. (4) 849-56
Effect of grain size on scratch interactions and material removal in alumina. (4) 881-91
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO·3Al_2O_3 single crystals. (6) 1469-74
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions. (7) 1737-44
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites." (1) 254-56
Effect of speed and pressure on dry sliding interactions of alumina against steel. (2) 356-64
Effect of temperature on the slurry characteristics and green bodies of alumina. (8) 2153-56
Effect of temperature on toughness curves in alumina. (1) 260-62
Effective elastic moduli of porous ceramic materials [comment]. (6) 1711
Effective elastic moduli of porous ceramic materials [reply]. (6) 1712
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide. (11) 3067-71
Effects of stearic acid on the injection molding of alumina. (10) 2746-52
Elastic and creep properties of alumina-based single fibers. (11) 3081-87
Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3. (1) 188-92
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function. (4) 949-51
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function. (4) 945-48
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia. (4) 1079-82
Grain boundary diffusion of oxygen in alumina ceramics. (9) 2557-59
Grain boundary phases and wake zone characterization on monolithic alumina. (4) 1025-32
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions. (9) 2469-75
Grain size dependence of hardness in dense submicrometer alumina. (4) 1118-20
High-strength and high-fracture-toughness ceramics in the $Al_2O_3/LaAl_{11}O_{18}$ systems. (7) 1853-56
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina. (7) 1914-20
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide. (4) 1107-10
Internal stresses and the martensite start temperature [M_s] in alumina-zirconia composites: Effects of composition and microstructure. (2) 291-96
Kinetic demixing of solute cations in alumina single crystals during cooling. (9) 2314-20
Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2. (5) 1417-19
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers. (10) 2673-79
Mechanical properties of alumina–zirconia–silver composites. (2) 465-69
Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates. (4) 1128-30
Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti. (1) 15-20
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of ß″-Al_2O_3 on the α-Al_2O_3. (4) 892-96
Nucleation of solid-state reactions between nickel oxide and aluminum oxide. (1) 248-50
Particle crowding analysis of slip casting. (3) 809-12
Processing and properties of alumina–graphite platelet composites. (5) 1198-200
Processing and properties of particulate composites from coated powders. (1) 199-204
Processing of silicon carbide–mullite–alumina nanocomposites. (2) 479-86
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite. (4) 986-92
Reaction sintering of ZnO-Al_2O_3. (12) 3217-24
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics. (9) 2537-40
Silicon carbide platelet/silicon carbide composites. (1) 97-103
Sintering of Al_2O_3-TiC composite in the presence of liquid phase. (1) 257-59
Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect. (10) 2700-704
Sliding wear of oxide ceramics at elevated temperatures. (11) 3018-24
Solidification behavior of undercooled liquid aluminum oxide. (3) 577-82
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm. (3) 583-87
Strength and Young's modulus behavior of a partially sintered porous alumina. (1) 266-68
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag. (10) 2837-40
Strength of tape cast and laminated ceramics. (6) 1580-84
Structure of Na- and Ca-ß″-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets. (3) 824-26
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders. (2) 491-94
Supercritical debinding of injection-molded ceramics. (7) 1787-92
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders. (11) 2881-88
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation. (10) 2790-800
Thermal stability of ceramic materials in microwave heating. (4) 1041-48
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system. (1) 193-98
Use of spodumene in the processing of alumina-matrix ceramics—Influence on microstructure and mechanical properties. (7) 1895-99
VibraForming and *in situ* flocculation of consolidated, coagulated, alumina slurries. (5) 1324-28
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions. (11) 2923-28
aluminates
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate. (11) 3121-24
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system. (8) 2149-52
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate. (4) 933-38
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$). (9) 2385-90
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics. (5) 1230-32
aluminosilicates
Barium aluminosilicate reinforced *in situ* with silicon nitride. (10) 2662-68
Silicon carbide/calcium aluminosilicate: A notch-insensitive ceramic-matrix composite. (1) 77-82
aluminum
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites. (2) 305-12
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions. (3) 572-76
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum. (3) 801-804
aluminum nitride
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron. (3) 830-32
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions. (9) 2335-44
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents. (5) 1291-96
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering. (12) 3304-308
Kinetics and mechanisms for nitridation of floating aluminum powder. (1) 33-40
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes. (1) 153-60
analysis/analyzers
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device camera. (5) 1411-13
Perturbed-angular-correlation study of zirconias produced by the sol-gel method. (5) 1329-34
anisotropy
Processing strategy for producing highly anisotropic silicon nitride. (6) 1687-90
apatite
Dependence of apatite formation on silica gel on its structure: Effect of heat treatment. (7) 1769-74
Growth of a bonelike apatite layer on a substrate by a biomimetic process. (4) 1049-53
aragonite
Preparation of aragonite whiskers. (7) 1983-84
barla
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route. (5) 1169-72
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system. (3) 765-68
barium
Barium aluminosilicate reinforced *in situ* with silicon nitride. (10) 2662-68
Rare-earth barium stannates: Synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor. (11) 3088-92
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series. (9) 2481-89
barium titanate
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$. (12) 3352-56
Defect structure and phase relations of highly lanthanum-doped barium titanate. (8) 2193-97
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films. (9) 2391-94
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics. (5) 1343-46
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples. (4) 993-98
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$. (10) 2695-99
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate. (4) 909-14
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels. (10) 2849-52
Processing of laminated barium titanate structures for stress-sensing applications. (9) 2476-80
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions. (1) 241-44
Valence change of Mn ions into $BaTiO_3$-based PTCR materials. (10) 2845-8
barriers
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates. (9) 2360-66

bentonite
Relationship between isomorphic substitutions and the thermal degradation of bentonites. (8) 2215-19
binders/binding
Competitive adsorption of citric acid and poly(vinyl alcohol) onto alumina and its influence on the binder migration during drying. (7) 1775-80
Effect of silica on the nonoxidative thermal degradation of an acrylic binder. (4) 874-80
Supercritical debinding of injection-molded ceramics. (7) 1787-92
bioceramics
Bioactivity of Na_2O-CaO-SiO_2 glasses. (9) 2405-11
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use. (1) 245-47
bismuth oxide
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses. (5) 1285-90
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$ [comment]. (4) 1134-35
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions. (9) 2469-75
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties. (9) 2301-306
bismuth strontium calcium copper oxide
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$-type compound. (9) 2513-20
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors. (10) 2785-89
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ in Ag-sheathed tape. (8) 2003-2008
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures. (9) 2504-12
boehmite
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing. (5) 1252-60
borates
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses. (5) 1161-68
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses [correction]. (8) 2287-88
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses. (2) 460-64
Dependence of crystallization behavior of sodium diborate (Na_2O-$2B_2O_3$) on its glass structure and the characteristics of phase transformation. (2) 470-78
Reaction of SiC_f/SiC composites with a zinc borate glass. (6) 1691-94
boria
Nonlinear optical properties of B_2O_3 glasses: M_2O-B_2O_3 (M = Li, Na, K, Rb, Cs, and Ag) binary borate glasses. (6) 1601-605
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system. (3) 765-68
borides
Electrical resistivity of titanium diboride and zirconium diboride. (5) 1380-82
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites. (5) 1223-29
boron carbide
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites. (2) 305-12
Formation of MgO-B_4C composite via a thermite-based combustion reaction. (3) 756-64
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods. (8) 2187-92
Microcracking in B_4C-TiB_2 composites. (9) 2374-80
boron nitride
Chemical equilibria in the titanium(II) hydride-boron nitride system. (3) 685-88
Fabrication and properties of ceramic composites with a boron nitride matrix. (6) 1546-52
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites. (3) 680-84
borosilicate glass
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses. (4) 952-60
Constrained-film sintering of a borosilicate glass: *In situ* measurement of film stresses. (3) 813-15
Cristobalite phase formation in glass/ceramic composites. (5) 1265-71
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses. (1) 114-20
Fabrication of glass matrix composites by tape casting. (5) 1423-24
Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates. (4) 1128-30
Microstructure and compressive strength of SiC platelet-reinforced borosilicate composites. (10) 2732-36
bridging
Estimation of bridging interactions for natural cracks from bending strength of coarse-grained Al_2O_3. (1) 188-92
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function. (4) 949-51
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function. (4) 945-8
brittle materials
Simultaneous loading system to evaluate the structural reliability of brittle materials. (8) 2251-53
cadmium sulfide
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses. (4) 1066-70
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium. (6) 1668-72
calcia
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm. (7) 1863-68
Subsolidus phase equilibria of the CaO-B_2O_3-BaO system. (3) 765-68
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system. (1) 193-98
calcium aluminate
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate. (7) 1958-60
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders. (11) 2881-88
calcium phosphate
Phase diagram of wollastonite–tricalcium phosphate. (6) 1653-56
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use. (1) 245-47
calcium
Ca segregation to basal surfaces in α-alumina. (10) 2841-44
Formation of calcium lanthanum sulfide by carbonate coprecipitation and CS_2 sulfurization. (5) 1185-90
High-temperature fracture mechanism of low-Ca-doped silicon nitride. (3) 673-79
Structure of Na- and Ca-β″-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets. (3) 824-26
Thermodynamic assessment of the Ca-Cu-O system. (10) 2655-61
calcium silicate
^{29}Si MAS NMR study of dicalcium silicate: The structural influence of sulfate and alumina stabilizers. (10) 2603-608
Calcium silicate carbonation products. (11) 2867-72
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions. (12) 3387-89
calcium silicate hydrate
^{29}Si and ^{27}Al MAS-NMR study of stratlingite. (7) 1921-26
capacitors
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors. (5) 1391-92
carbides
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3. (7) 1985-88
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum. (3) 801-804
Synthesis of titanium silicon carbide. (3) 667-72
carbon
Carbon determination in small amounts of ceramic powder by coulombic titration. (10) 2834-36
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite. (1) 137-45
Indentation-induced contact deformation and damage of glasslike carbon. (4) 1006-12
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading. (7) 1841-48
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties. (11) 3050-56
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix. (4) 972-80
Oxidation kinetics of graphite phase in magnesia-carbon refractories. (4) 965-71
Ternary phase equilibria in the Zr-Si-C system. (3) 662-66
carbonation
Calcium silicate carbonation products. (11) 2867-72
carbon-carbon composites
Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite. (3) 623-32
carbon fibers
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading. (3) 816-18
Coating of carbon fibers—The strength of the fibers. (1) 133-36
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites. (10) 2811-14
carbonitrides
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane). (11) 3009-17
cations
Kinetic demixing of solute cations in alumina single crystals during cooling. (9) 2314-20
Preparation of multication α-SiAlON containing strontium. (3) 588-92
celsian
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels. (9) 2521-26
Crystallization of celsian ($BaAl_2Si_2O_8$) glass. (8) 2180-86
cements
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes. (7) 1715-18
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites. (12) 3369-75
Electrically induced shape changes in hardened cement pastes and porous silica gels: the dynamic nature of gel pore structures during water transport. (12) 3233-43
ceramic matrix composites
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: An assessment with a model composite with tailored interfaces. (5) 1139-46
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration. (5) 1201-11
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system. (1) 263-65
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure. (6) 1633-39
Fabrication and properties of ceramic composites with a boron nitride matrix. (6) 1546-52
Initial failure maps for fibrous CMC laminates. (1) 205-10
In-plane mechanical properties of several ceramic matrix composites. (8) 2065-78
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading. (7) 1841-8
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites. (2) 401-405
Multiple cracking of unidirectional and cross-ply ceramic matrix composites. (3) 745-55
Notch sensitivity and stress redistribution in three ceramic matrix composites. (7) 1719-28
Oxidation embrittlement probe for ceramic matrix composites. (8) 2097-100
Pillared smectite clay coatings for ceramic matrix composites. (8) 2243-47
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: Finite element model. (6) 1593-600
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory. (10) 2709-20
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials. (10) 2721-31
Technique for monitoring densification during chemical vapor infiltration. (4) 1131-33
Tensile properties of ceramic matrix fiber composites. (11) 3137-41
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites. (7) 1809-17
ceramic-metal systems
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic. (11) 3002-3008
ceria
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: I, Measurement of internal stresses (3) 633-40
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: II, Stress-induced aging at room temperature. (3) 641-44
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders. (4) 981-85
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering. (7) 1969-73
Lattice parameters and densities of rare-earth oxide doped ceria electrolytes. (2) 433-39
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions. (8) 2225-28
cerium
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: Role of the degradation of transformation zone shielding. (3) 599-608
Determination of the cerium oxidation state in cerium vanadate. (4) 1121-22
Formation and characterization of Ce_2ZrO_8 prepared by the hydrazine method. (5) 1414-16
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP. (1) 121-28
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics. (10) 2769-76
cermets
Novel method for preparing nickel/YSZ cermet by a vapor-phase process. (3) 593-98
chalcogenides
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers. (8) 2198-202
characterization
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR. (1) 83-89
chemical reaction
Chemical interaction between silicon nitride-titanium carbide powder. (9) 2395-400
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic. (11) 3002-3008
Glass/substrate interaction in model RuO_2–glass double-layer thick films. (6) 1705-707
chemical vapor deposition (CVD)
Codeposition of free silicon during CVD of silicon carbide. (1) 229-32
Continuous fabrication of silicon fiber tows by chemical vapor deposition. (6) 1564-70
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using β-diketonate precursors at low temperatures. (2) 329-36
Dislocations in as-grown CVD α-silicon nitride. (11) 3133-36
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: Titanium dioxide on sapphire from titanium(IV) isopropoxide. (10) 2763-68
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition. (11) 3157-59
Preparation of zinc titanate thin films by low-pressure metallorganic chemical vapor deposition. (11) 2993-3001
chemical vapor infiltration
Technique for monitoring densification during chemical vapor infiltration. (4) 1131-33
chemistry
Effects of melt chemistry on the spectral absorption coefficient of molten aluminum oxide. (11) 3067-71
chlorides
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt. (8) 2279-81
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS. (9) 2401-404
chromites
Direct bond in magnesia chromite and magnesia spinel refractories. (7) 1753-60
Mechanical properties of magnesia-doped lanthanum chromite versus temperature. (7) 1869-72
Reaction between calcium-doped lanthanum chromite and silica. (7) 1729-36
chromium
Determination of the piezospectroscopic coefficients for chromium-doped sapphire. (5) 1347-53
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3. (7) 1985-88
Single-phase mullite gels doped with chromium. (11) 3097-106
chromium oxide
Growth of hollow Cr_3C_2 polycrystals with Cr_2O_3. (7) 1985-88
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide. (8) 2271-73
cleaners/cleaning
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning. (10) 2861-64
coatings
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing. (5) 1252-60

Coating of carbon fibers—The strength of the fibers. (1) 133-36
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited β-Ta_2O_5. (5) 1297-300
Pillared smectite clay coatings for ceramic matrix composites. (8) 2243-47
Simulation of hardness testing on plasma-sprayed coatings. (5) 1406-10

colloids
Colloidal stability and titania precipitate morphology: Influence of short-range repulsions. (1) 21-32

combustion synthesis
Combustion synthesis of $MoSi_2$-SiC composites. (2) 487-90
Consolidation of combustion-synthesized titanium diboride-based materials. (2) 275-84
Formation of MgO-B_4C composite via a thermite-based combustion reaction. (3) 756-64
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite. (4) 986-92

compacts/compaction
Dependence of compaction efficiency in dry pressing on the particle size distribution. (9) 2527-33

composites
Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites. (6) 1661-67
Ceramic composites of monazite and alumina [correction]. (9) 2574
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites. (10) 2579-92
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites. (3) 711-15
Early stages of composite formation by oxidation of liquid aluminum alloys. (3) 609-22
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites. (12) 3369-75
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites. (3) 783-92
Fabrication of glass matrix composites by tape casting. (5) 1423-24
Graded casting: process control for producing tailored profiles. (12) 3297-303
Liquid precursor infiltration processing of powder compacts: I, Kinetic studies and microstructure development. (12) 3277-82
Liquid precursor infiltration processing of powder compacts: II, Fracture toughness and strength. (12) 3283-89
Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti. (1) 15-20
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites. (5) 1223-29
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts. (1) 49-57
Processing of 1-3 piezoelectric ceramic/polymer composites. (9) 2425-30
Residual stresses in alumina/ceria-stabilized zirconia composites. (8) 2213-14
Residual stresses in unidirectional composites with closely spaced fibers. (12) 3316-22
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites. (1) 251-53
Silicon carbide platelet/silicon carbide composites. (1) 97-103
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation. (10) 2790-800
Viscosities and sintering rates of composite packings of spheres. (3) 521-28

composition
Bioactivity of Na_2O-CaO-SiO_2 glasses. (9) 2405-11

computers
Computer simulation of the dynamics of 180° ferroelectric domains. (9) 2554-56

concretes
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading. (3) 816-18

conductivity
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere. (9) 2569-71
Partial conductivities in $SrTiO_3$: Bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling. (12) 3265-72
Thermal instability and proton conductivity of ceramic hydroxyapatite at high temperatures. (5) 1191-97

consolidation
Consolidation of combustion-synthesized titanium diboride-based materials. (2) 275-84
Preventing segregation during centrifugal consolidation of particulate suspensions: Particle drafting. (9) 2367-73
VibraForming and *in situ* flocculation of consolidated, coagulated, alumina slurries. (5) 1324-28

contacts
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact. (4) 865-73

controls
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles. (1) 90-96

coolers/cooling
Kinetic demixing of solute cations in alumina single crystals during cooling. (9) 2314-20
Solidification behavior of undercooled liquid aluminum oxide. (3) 577-82

copper oxides
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process. (4) 1111-14
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-x}Na_x)_{0.85}CuO_2$ in tartrate route. (5) 1387-90
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system. (7) 1882-88
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy. (4) 857-64
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact. (4) 865-73
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm. (7) 1863-68
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar. (12) 3309-15
Thermodynamic assessment of the Ca-Cu-O system. (10) 2655-61

cordierite
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites. (1) 166-72
Surface precipitation route for the development of cordierite-zirconia composites. (3) 723-27

corrosion
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers. (6) 1439-50
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5. (7) 1927-30
Water corrosion behavior of fluoroaluminate glass. (1) 184-87

corrosion resistance
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass. (7) 1940-46

couplers/coupling
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples. (4) 993-98

crack bridging
Critical stresses for extension of filament-bridged matrix cracks in ceramic matrix composites: An assessment with a model composite with tailored interfaces. (5) 1139-46
Toughening by crack bridging in heterogeneous ceramics. (5) 1313-23

crack growth
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics. (5) 1305-12
Crack propagation behavior of Y-TZP ceramics. (7) 1889-94
Determination of subcritical crack growth parameters by *in situ* observation of indentation cracks. (8) 2122-28
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass ceramics. (12) 3383-86
Indentation crack-shape evolution during subcritical crack growth. (5) 1240-46
Measurement of indentation residual stresses in materials susceptible to slow crack growth. (1) 173-77
Toughening by crack bridging in heterogeneous ceramics. (5) 1313-23

cracks/cracking
Behavior of cyclic fatigue cracks in monolithic silicon nitride. (9) 2291-300
Crack front stability and hackle formation in high-velocity glass formation. (3) 689-97
Cracking during pyrolysis of oxide thin films—Phenomenology, mechanisms, and mechanics. (11) 2929-39
Determination of crack velocity as a function of stress intensity from static fatigue data [correction]. (7) 2000
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites. (3) 783-92
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride. (8) 2129-40
Fatigue crack growth from small surface cracks in transformation-toughened ceramics. (2) 406-10
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina. (7) 1914-20
Multiple cracking of unidirectional and cross-ply ceramic matrix composites. (3) 745-55
Subcritical growth of indentation median cracks in soda-lime-silica glass. (3) 650-56
Surface cracking in layers under biaxial, residual compressive stress. (9) 2353-59

creep
Cavitation contributes substantially to tensile creep in silicon nitride. (8) 2085-96
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers. (12) 3244-52
Elastic and creep properties of alumina-based single fibers. (11) 3081-87
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites. (5) 1233-39

cristobalite
Cristobalite phase formation in glass/ceramic composites. (5) 1265-71

crystal structure
Crystal structure and equation of state of cotunnite-type zirconia. (2) 445-48
Structural analysis of orthorhombic hafnia by neutron powder diffraction. (1) 233-37

crystallites
Early stages of crystallite growth of ZnO obtained from an oxalate precursor. (2) 323-28

crystallization
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: Crystallization behavior. (11) 3072-80
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels. (9) 2521-26
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass. (6) 1463-68
Crystallization of celsian ($BaAl_2Si_2O_8$) glass. (8) 2180-86
Crystallization of zirconia under hydrothermal conditions. (12) 3397-400
Mechanism of preventing crystallization in low-firing glass-ceramic composite substrates. (4) 1128-30

crystals
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate crystals. (8) 2259-62

cuprates
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-\delta}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor. (9) 2551-53
Structures of high-temperature cuprate superconductors. (12) 3171-94

cyclic fatigue
Behavior of cyclic fatigue cracks in monolithic silicon nitride. (9) 2291-300
Crack-tip degradation processes observed during *in situ* cyclic fatigue of partially stabilized zirconia. (10) 2801-10

damage
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic. (11) 3057-66
Effect of grain size on scratch interactions and material removal in alumina. (4) 881-91
Effects of damage on thermal shock behavior of ceramics. (7) 1873-81
Hertzian contact damage in magnesia-partially-stabilized zirconia. (4) 1083-86
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia. (11) 2889-96

decomposition
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: A theoretical investigation. (6) 1680-86
Volatile metal oxide evaporation during aerosol decomposition. (9) 2490-96

defects
Computer simulation studies of strontium titanate. (2) 421-28
Defect formation during plastic deformation of Y_2O_3 partially-stabilized ZrO_2 single crystals. (5) 1375-79
Defect structure and phase relations of highly lanthanum-doped barium titanate. (8) 2193-97
Point defects in electron-irradiated oxide single crystals. (4) 1054-60
Role of defects in the ferroelectric relaxor lead scandium tantalate. (7) 1947-52

deformation
Carbon-fiber-reinforced concrete as an intrinsically smart concrete for damage assessment during dynamic loading. (3) 816-18
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic. (11) 3057-66
In-plane mechanical properties of several ceramic matrix composites. (8) 2065-78
Measurement of biaxial displacement by a speckle correlation method at high temperature. (12) 3273-76

degradation
Crack-tip degradation processes observed during *in situ* cyclic fatigue of partially stabilized zirconia. (10) 2801-10
Degradation phenomena due to impulse-current in zinc oxide varistors. (10) 2685-89
Effect of silica on the nonoxidative thermal degradation of an acrylic binder. (4) 874-80
Relationship between isomorphic substitutions and the thermal degradation of bentonites. (8) 2215-19

demixing
Influence of coherency stress on kinetic demixing. (10) 2593-602

densification
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions. (3) 545-52
Reaction densification of α′-SiAlON: II, Densification behavior. (3) 553-59
Technique for monitoring densification during chemical vapor infiltration. (4) 1131-33

density
Quantifying local microcrack density in ceramics: A comparison of instrumented indentation and thermal wave techniques. (3) 1301-304

deposition
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [comment]. (11) 3165-66
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [reply]. (11) 3167-68
Formation of silicon nitride film by plasma decomposition of methylsilazane. (5) 1420-22
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions. (9) 2431-36

design
Design of ceramic materials for chemical sensors with novel properties. (10) 2625-32

diamonds
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions. (9) 2431-36
Origins of the ductile regime in single-point diamond turning of semiconductors. (8) 2015-20
Synthesis of diamond from carbon disulfide in hydrogen. (12) 3390-92

dielectric materials/dielectrics
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics. (8) 2274-8
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels. (6) 1457-62

dielectric properties
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent. (8) 2267-70
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains. (4) 1097-100
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route. (5) 1169-72

diffusion
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions. (12) 3376-82
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates. (9) 2360-66
Grain boundary diffusion of oxygen in alumina ceramics. (9) 2557-59
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition. (2) 337-41
Short-circuit diffusion of Ba, Sr, and O during $ATiO_3$ (A = Ba, Sr) thin-film growth by the hydrothermal–electrochemical method. (6) 1521-31

diffusivity
Surface diffusivity under high-pressure gas. (6) 1695-97

dislocations
Dislocations in as-grown CVD α-silicon nitride. (11) 3133-36
Fine structural features in α-silicon nitride powder particles and their implications. (12) 3393-96
dispersants/dispersion
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents. (5) 1291-96
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$. (10) 2857-60
Measurements of refractive indexes and factors affecting dispersion in oxide glasses. (5) 1179-84
Rheology of zirconia suspensions in a nonpolar organic medium. (12) 3225-32
domains
Computer simulation of the dynamics of 180° ferroelectric domains. (9) 2554-56
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains. (4) 1097-100
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate. (8) 2220-24
Low-temperature observations of relaxor ferroelectric domains in lead zinc niobate. (12) 3345-51
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes. (1) 153-60
dopants
Effect of dopant species on tetragonal (*t'*)-to-monoclinic phase transformation of arc-melted ZrO_2–$RO_{1.5}$ (R = Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure. (8) 2229-32
dopants/doping
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics. (8) 2274-78
Dopants in flame synthesis of titania. (11) 2984-92
Single-phase mullite gels doped with chromium. (11) 3097-106
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics. (8) 2161-67
dry pressing
Dependence of compaction efficiency in dry pressing on the particle size distribution. (9) 2527-33
ductility
Origins of the ductile regime in single-point diamond turning of semiconductors. (8) 2015-20
dysprosium
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier. (11) 2917-22
elastic properties
Elastic and creep properties of alumina-based single fibers. (11) 3081-87
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature. (9) 2548-50
electrical conductivity
Effects of temperature on conduction and polarization in portland cement mortar. (2) 411-15
electrical properties
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures. (6) 1451-56
electrochemistry
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method. (11) 3110-12
electrolytes
Lattice parameters and densities of rare-earth oxide-doped ceria electrolytes. (2) 433-39
electromechanical properties
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: Part Two. (6) 1501-506
electron paramagnetic resonance
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia. (4) 961-64
ellipsometry
Characterization of optical thin films by spectroscopic ellipsometry. (9) 2412-16
embrittlement
Oxidation embrittlement probe for ceramic matrix composites. (8) 2097-100
energy
Standard Gibbs energy of formation of ß-silicon nitride. (4) 1087-88
enthalpy
Measurements of excess enthalpy in ultrafine-grained titanium dioxide. (8) 2045-55
Standard enthalpy of formation of lanthanum zirconate. (8) 2257-58
equilibrium
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data. (11) 3093-96
europium
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses. (1) 129-32
eutectics
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system. (1) 263-65
evaporation
Volatile metal oxide evaporation during aerosol decomposition. (9) 2490-96
fabrication
Fabrication and properties of ceramic composites with a boron nitride matrix. (6) 1546-52
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method. (1) 225-28
failure
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes. (7) 1715-18
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating. (4) 1018-24
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures. (2) 388-94
Failure modes of unidirectional ultra-high-modulus carbon-fiber/carbon-matrix composite. (3) 623-32
Initial failure maps for fibrous CMC laminates. (1) 205-10
Mechanisms of deformation and failure in carbon-matrix composites subject to tensile and shear loading. (7) 1841-48
fatigue
Contact fatigue of a silicon carbide with a heterogeneous grain structure. (6) 1431-38
Cyclic fatigue in ceramics: A balance between crack shielding accumulation and degradation. (3) 513-20
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses. (5) 1393-96
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass ceramics. (12) 3383-86
Fatigue crack growth from small surface cracks in transformation-toughened ceramics. (2) 406-10
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression. (9) 2307-13
ferrites
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$. (10) 2857-60
Hydrothermal synthesis of manganese zinc ferrites. (9) 2449-55
Microstructure and physicochemical studies of pure and zinc-substituted lithium ferrites sintered above 1000°C. (2) 365-68
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite. (11) 2907-12
Preparation of strontium ferrite particles by spray pyrolysis. (11) 2973-76
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution. (5) 1335-42
ferroelectric materials/ferroelectrics
Computer simulation of the dynamics of 180° ferroelectric domains. (9) 2554-56
Dielectric dispersion of ferroelectric ceramics and single crystals by sound generation in piezoelectric domains. (4) 1097-100
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry. (7) 1907-13
Twinning-induced stress and electric field concentrations in ferroelectric ceramics. (12) 3290-96
fibers
Continuous fabrication of silicon fiber tows by chemical vapor deposition. (6) 1564-70
Polycrystalline yttrium aluminum garnet fibers from colloidal sols. (8) 2141-48
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis. (4) 1013-17
Reaction mechanisms of silicon fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction. (7) 1849-52
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning. (10) 2861-64
Residual stresses in unidirectional composites with closely spaced fibers. (12) 3316-22
Tensile properties of ceramic matrix fiber composites. (11) 3137-41
Tensile strength of SiC fibers. (7) 1965-68
films
Constrained-film sintering of a borosilicate glass: *In situ* measurement of film stresses. (3) 813-15
Effective elastic moduli of porous ceramic materials [comment]. (6) 1711
Effective elastic moduli of porous ceramic materials [reply]. (6) 1712
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering. (7) 1969-73
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2–Y_2O_3. (5) 1383-86
Observation of cell structures developed by Marangoni convection in glass thick films. (12) 3259-64
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures. (9) 2504-12
Striation-free, spin-coated sol-gel optical films. (8) 2254-56
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb = 65:35) film using metal alkoxides. (8) 2175-79
firing
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$. (12) 3352-56
flow
Generalized fluid flow model for ceramic tape casting. (9) 2497-503
fluoroaluminates
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS. (9) 2401-404
Water corrosion behavior of fluoroaluminate glass. (1) 184-87
fluorozirconate
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses. (1) 129-32
forging
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP. (1) 121-28
formation
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces. (9) 2463-68
Formation and characterization of Ce_2ZrO_8 prepared by the hydrazine method. (5) 1414-16
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y). (1) 71-76
Formation of infinite-layered $(Ca_{1-x}Sr_x)CuO_2$ and $NaCuO_2$-type $(Ca_{1-x}Na_x)_{0.85}CuO_2$ in tartrate route. (5) 1387-90
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: Nucleation and growth mechanisms. (6) 1624-32
In situ fluorescence probing of the chemical changes during sol-gel thin film formation. (6) 1640-48
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ ceramics prepared by columbite precursor routes. (2) 297-304
Standard Gibbs energy of formation of ß-silicon nitride. (4) 1087-88
Fourier transform infrared spectroscopy (FTIR)
Temperature profiling of glass by FTIR emission spectroscopy. (4) 897-902
fracture
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics. (5) 1305-12
Effect of fiber volume fraction on the off-crack-plane fracture energy in strain-hardening engineered cementitious composites. (12) 3369-75
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$. (8) 2282-86
Fracture criteria for piezoelectric ceramics. (6) 1475-80
Fracture resistance behavior of highly anisotropic silicon nitride. (11) 3125-28
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature. (9) 2548-50
High-temperature fracture mechanism of low-Ca-doped silicon nitride. (3) 673-79
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy. (12) 3201-208
Role of fiber stitching in eliminating transverse fracture in cross-ply ceramic composites. (1) 251-53
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue. (10) 2680-84
fracture mechanics
Nonlinear compliance testing applied to indentation cracking in ceramics. (9) 2328-34
Nonlinear Hertzian indentation fracture mechanics. (9) 2321-27
fracture toughness
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration. (5) 1201-11
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites." (1) 254-56
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride. (9) 2345-52
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis. (5) 1212-16
Experimental study of the fracture toughness of a ceramic/ceramic matrix composite sandwich structure. (6) 1633-39
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially-stabilized zirconia. (4) 1079-82
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods. (8) 2187-92
Grain growth and fracture toughness of fine-grained silicon carbide ceramics. (11) 3145-48
VAMAS round robin on fracture toughness of silicon nitride. (7) 1793-801
friction
Effect of speed and pressure on dry sliding interactions of alumina against steel. (2) 356-64
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel. (11) 3025-32
fused silica
Indentation behavior of soda-lime-silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature. (3) 737-44
gadolinium oxide
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system. (7) 1882-88
gallates
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$). (9) 2385-90
gallium
Zinc sulfide/gallium phosphide composites by chemical vapor transport. (7) 1834-40
gallium oxide
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses. (5) 1285-90
gels
Dehydration and crystallization kinetics of zirconia-yttria gels. (2) 429-32
Dependence of apatite formation on silica gel on its structure: Effect of heat treatment. (7) 1769-74
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels. (10) 2849-52
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels. (6) 1457-62
glass
Alkali magnesium/zinc silicated glasses with low Rayleigh scattering. (9) 2566-68
Bioactivity of Na_2O-CaO-SiO_2 glasses. (9) 2405-11
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system. (4) 1101-102
Crack front stability and hackle formation in high-velocity glass formation. (3) 689-97
Crystallization of celsian ($BaAl_2Si_2O_8$) glass. (8) 2180-86
Density of xNa_2S-$(1-x)B_2S_3$ ($x = 0$ to 0.8) glasses: Correlation with short-range order. (12) 3329-35
Dependence of crystallization behavior of sodium diborate ($Na_2O2B_2O_3$) on its glass structure and the characteristics of phase transformation. (2) 470-78
Determination of crack velocity as a function of stress intensity from static fatigue data [correction]. (7) 2000
Determination of fictive temperature of soda-lime-silicate glass. (3) 827-79
Dispersion of thermooptic coefficients of soda-lime-silica glasses. (1) 218-20
Effect of chloride on the structure of fluoroaluminate glasses studied by XPS. (9) 2401-404
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors. (6) 1703-704
Formation and properties of a lead-barium-aluminum phosphate glass. (2) 501-503
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y). (1) 71-76
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y) [correction]. (4) 1136
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses. (4) 1066-70
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading. (1) 161-65
Glass/substrate interaction in model RuO_2–glass double-layer thick films. (6) 1705-707
Indentation crack-shape evolution during subcritical crack

growth. (5) 1240-46
Indentation-induced contact deformation and damage of glasslike carbon. (4) 1006-12
Measurements of refractive indexes and factors affecting dispersion in oxide glasses. (5) 1179-84
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives. (4) 999-1005
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M = Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses. (4) 1061-65
Nonlinear optical properties of B_2O_3 glasses: M_2O-B_2O_3 (M = LiNa, K, Rb, Cs, and Ag) binary borate glasses. (6) 1601-605
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier. (11) 2917-22
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass. (10) 2777-84
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium. (6) 1668-72
Reaction of SiC/SiC composites with a zinc borate glass. (6) 1691-94
Sellmeier coefficients and chromatic dispersions for some tellurite glasses. (10) 2828-30
Site-dependent study of the optical properties of Eu^{3+} in pure and chlorine-doped fluorozirconate glasses. (1) 129-32
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors. (5) 1372-74
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds. (2) 379-87
Subcritical growth of indentation median cracks in soda-lime-silica glass. (3) 650-56
Temperature profiling of glass by FTIR emission spectroscopy. (4) 897-902
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses. (7) 1977-79
Water corrosion behavior of fluoroaluminate glass. (1) 184-87

glass-ceramics
Crystallization of a lithium silicate glass-ceramic under pressure. (4) 1115-17
Crystallization of a PbO-BaO-TiO_2-Al_2O_3-SiO_2 glass. (6) 1463-68
Effect of growth and coalescence of multisurface cracks on static fatigue behavior of glass ceramics. (12) 3383-86
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics. (11) 3045-49
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites. (5) 1233-29
Mechanical properties of mica glass-ceramics. (5) 1217-22
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve. (2) 497-500
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics. (8) 2161-67

glass fibers
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers. (8) 2198-202

glass melts
Molten glass corrosion resistance of immersed combustion-heating tube materials in E-glass. (7) 1940-46
Observation of cell structures developed by Marangoni convection in glass thick films. (12) 3259-64
Viscosity and surface tension of oxynitride glass melts. (4) 1123-24
Voltammetric study of silver in a glass melt. (5) 1153-60
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions. (11) 2923-28

glasses
Effect of glass additions on the indentation-strength behavior of alumina. (4) 849-56
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics. (3) 529-38
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres. (3) 539-44

gold
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films. (9) 2391-94

grain boundaries
Grain boundary phases and wake zone characterization on monolithic alumina. (4) 1025-32
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors. (5) 1391-92
Microstructure and grain-boundary structure of Na^+-diffused (Sr,Ca)TiO_3 capacitor-varistor ceramics. (1) 58-64

grain growth
Grain growth and fracture toughness of fine-grained silicon carbide ceramics. (11) 3145-48
Grain growth, microstructure, and superconducting properties of pure and $YBaCuO_3$-doped $YBa_2Cu_3O_{7-x}$ ceramics. (8) 2113-21
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions. (9) 2469-75
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions. (5) 1354-60

grain size
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina. (5) 1401-405
Effect of grain size on scratch interactions and material removal in alumina. (4) 881-91
Fine-grained silicon nitride ceramics prepared from ß-powder. (1) 211-14
Grain size dependence of hardness in dense submicrometer alumina. (4) 1118-20
Influence of grain size on ferroelastic toughening and piezoelectric behavior of lead zirconate titantate. (12) 3363-68
Relation between strength, microstructure, and grain-bridging characteristics in *in situ* reinforced silicon nitride. (2) 449-59

granular materials
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules. (4) 903-908

graphite
Dependence of diamond transition on microtexture in graphite starting materials under shock compression. (8) 2079-84
Processing and properties of alumina–graphite platelet composites. (5) 1198-200

green body
Effect of temperature on the slurry characteristics and green bodies of alumina. (8) 2153-56

grinding
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve. (2) 497-500

growth
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$. (8) 2282-86
Growth of a bonelike apatite layer on a substrate by a biomimetic process. (4) 1049-53
Growth of CeO_2 films on sapphire and MgO by rf magnetron sputtering. (7) 1969-73
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate crystals. (8) 2259-62
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon. (9) 2456-62
Nucleation and growth of inversion domains in AlN: I, Study of fundamental processes. (1) 153-60

hafnia
Structural analysis of orthorhombic hafnia by neutron powder diffraction. (1) 233-37

hardness
Grain size dependence of hardness in dense submicrometer alumina. (4) 1118-20
Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2. (5) 1417-19
Simulation of hardness testing on plasma-sprayed coatings. (5) 1406-10

heaters/heating
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions. (4) 1103-106

heat treatment
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions. (9) 2335-44
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide. (6) 1708-10

hot isostatic pressing
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide. (8) 2271-73
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides. (3) 716-22

hot-pressing
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites. (3) 797-800

hydration
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume. (2) 342-46

hydrides
Chemical equilibria in the titanium(II) hydride-boron nitride system. (3) 685-88

hydrogen
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses. (1) 114-20
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties. (9) 2301-306
Thermodynamics of the Zr-H system. (12) 3323-28

hydrothermal process
Crystallization of zirconia under hydrothermal conditions. (12) 3397-400
Hydrothermal precipitation of lead zirconate titanate solid solutions: Thermodynamic modeling and experimental synthesis. (10) 2609-18
Hydrothermal synthesis of manganese zinc ferrites. (9) 2449-55

hydroxides
Lime refractories with limestone and synthetic calcium hydroxide additions. (6) 1611-16

hydroxyapatite
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces. (9) 2463-68
Thermal instability and proton condutivity of ceramic hydroxyapatite at high temperatures. (5) 1191-97

hysteresis
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory. (10) 2709-20
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials. (10) 2721-31

inclusions
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: Finite element model. (6) 1593-600

indentation
Acoustic emission and microcracking in sapphire, sintered Al_2O_3Al/Al_2O_3 composite, and aluminum. (9) 2541-44
Acoustic emission during indentation fracture. (6) 1698-702
Determination of subcritical crack growth parameters by *in situ* observation of indentation cracks. (8) 2122-28
Determination of the *R*-curve from the strength–indentation load relation. (8) 2237-39
High-temperature behavior of indent and creep-nucleated cracks in vitreous-bonded alumina. (7) 1914-20
Indentation-induced contact deformation and damage of glasslike carbon. (4) 1006-12
Nonlinear compliance testing applied to indentation cracking in ceramics. (9) 2328-34
Nonlinear Hertzian indentation fracture mechanics. (9) 2321-27

injection molding
Characterization of particle packing in an injection-molded green body. (11) 3107-109
Effects of stearic acid on the injection molding of alumina. (10) 2746-52
Supercritical debinding of injection-molded ceramics. (7) 1787-92

interfaces
Ceramic composites of monazite and alumina. (6) 1553-63
Effect of interface roughness on fiber pushout stress. (3) 560-66
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix. (11) 3153-56
Interfacial debonding behavior of mullite/SiC continuous fiber composite. (12) 3209-16
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites. (2) 401-405
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of β″-Al_2O_3 on the α-Al_2O_3. (4) 892-96
New technique to measure the toughness of thin-film interfaces. (5) 1397-400
SiO_2-Si_3N_4 interface: I, Nature of the interphase. (5) 1272-78
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction. (5) 1279-84
Thermal stresses in ceramic-metal joints with an interlayer. (2) 285-90

iodides
Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses. (2) 460-64

iron
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate. (7) 1958-60
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system. (8) 2149-52
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification. (4) 1089-92

joining
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal. (8) 2157-60

joints
Thermal stresses in ceramic-metal joints with an interlayer. (2) 285-90

kaolinite
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis. (11) 2940-44

laminates
Crack deflection in ceramic/ceramin laminates with strong interfaces. (4) 1125-27
Initial failure maps for fibrous CMC laminates. (1) 205-10
Processing of laminated barium titanate structures for stress-sensing applications. (9) 2476-80
Strength of tape cast and laminated ceramics. (6) 1580-84

lanthanides
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y) [correction]. (4) 1136

lanthanum
Defect structure and phase relations of highly lanthanum-doped barium titanate. (8) 2193-97
Formation of calcium lanthanum sulfide by carbonate coprecipitation and CS_2 sulfurization. (5) 1185-90
High-strength and high-fracture-toughness ceramics in the Al_2O_3/$LaAl_{11}O_{18}$ systems. (7) 1853-56
Mechanical properties of magnesia-doped lanthanum chromite versus temperature. (7) 1869-72
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy. (4) 857-64
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$. (2) 440-44
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$. (8) 2168-74
Reaction between calcium-doped lanthanum chromite and silica. (7) 1729-36
Sintering behavior of doped lanthanum and yttrium manganite. (3) 507-12
Standard enthalpy of formation of lanthanum zirconate. (8) 2257-58

lasers
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers. (4) 1033-40
Silicon carbide from laser pyrolysis of polycarbosilane. (8) 2263-66
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers. (9) 2545-47

lattice
Diffraction method detection of local lattice distortion in AlN ceramics by convergent beam electron. (3) 830-32

layers
Growth of a bonelike apatite layer on a substrate by a biomimetic process. (4) 1049-53

lead
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$-type compound. (9) 2513-20
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors. (10) 2785-89
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate. (8) 2220-24
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution. (11) 3163-64

lead lanthanum zirconate titanate (PLZT)
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide. (9) 2417-24

lead magnesium niobates
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent. (8) 2267-70

lead magnesium niobates (PMN)
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-(Ba,Sr)TiO_3 ceramics: Part two. (6) 1501-506
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ ceramics prepared by columbite precursor routes. (2) 297-304
Modification of piezoelectric characteristics of the $Pb(Mg,Nb)O_3$-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives. (1) 178-82
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$. (8) 2168-74

Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series. (9) 2481-89

lead oxide
Characterization and X-ray photoelectron spectroscopy investigation of PbO-Bi_2O_3-Ga_2O_3 glasses. (5) 1285-90
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO. (4) 1071-75
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs. (6) 1657-60

lead titanate
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO. (4) 1071-75
Diol-based sol-gel process for the preparation of lead titanate materials. (7) 1802-808
Electromechanical properties of some $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-$(Ba,Sr)TiO_3$ ceramics: Part two. (6) 1501-506
Fugitive diffusion barrier for integration of sol-gel-derived lead titanate with oxidized silicon substrates. (9) 2360-66
Organic acid adsorption on lead titanate surfaces. (9) 2563-65
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition. (2) 337-41

lead zinc niobates (PZN)
Low-temperature observations of relaxor ferroelectric domains in lead zinc niobate. (12) 3345-51
Mechanism of formation of perovskite phase and dielectric properties of $Pb(Zn,Mg)_{1/3}Nb_{2/3}O_3$ ceramics prepared by columbite precursor routes. (2) 297-304

lead zirconate titanate (PZT)
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films. (8) 2027-32
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures. (2) 329-36
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers. (7) 1900-906
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films. (6) 1513-20
Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series. (10) 2815-27
Fracture criteria for piezoelectric ceramics. (6) 1475-80
Hydrothermal precipitation of lead zirconate titanate solid solutions: Thermodynamic modeling and experimental synthesis. (10) 2609-18
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: The modulated structure and its influences on electrically induced polarizations and strains. (8) 2101-12
Influence of grain size on ferroelastic toughening and piezoelectric behavior of lead zirconate titantate. (12) 3363-68
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies. (3) 805-808
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallo-organic decomposition. (6) 1617-23
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications. (11) 2913-16
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ precursors: Avoiding lead partitioning. (12) 3401-404

light
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films. (8) 2027-32

limestone
Lime refractories with limestone and synthetic calcium hydroxide additions. (6) 1611-16

liquids
Effects of eutectic liquid under reducing conditions in the alumina–tin dioxide–tin composite system. (1) 263-65

lithia
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics. (11) 3045-49

lithium
Crystallization of a lithium silicate glass-ceramic under pressure. (4) 1115-17
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate. (4) 933-38
Microstructure and physicochemical studies of pure and zinc-substituted lithium ferrites sintered above 1000°C. (2) 365-68
Preparation and characterizationn of NTC thermistors: Nickel manganites doped with lithium. (4) 915-21

lithium niobate
Ultraviolet patterning of alkoxy-derived lithium niobate film. (6) 1649-52

load
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading. (1) 161-65

machining
Effect of microstructure of material removal mechanisms and damage tolerance in abrasive machining of silicon carbide. (9) 2443-48
Enhanced machinability of silicon carbide via microstructural design. (1) 215-17
Origins of the ductile regime in single-point diamond turning of semiconductors. (8) 2015-20

magnesia
Direct bond in magnesia chromite and magnesia spinel refractories. (7) 1753-60
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO-Al_2O_3 single crystals. (6) 1469-74
Formation of MgO-B_4C composite via a thermite-based combustion reaction. (3) 756-64
Hertzian contact damage in magnesia-partially stabilized zirconia. (4) 1083-86
High-resolution transmission electron microscopy of transformed magnesia-partially-stabilized zirconia precipitates. (10) 2853-56
Oxidation kinetics of graphite phase in magnesia-carbon refractories. (4) 965-71
Thermodynamic assessment of the CaO-MgO-Al_2O_3 system. (1) 193-98

magnesium
High-temperature mechanical behavior of stoichiometric magnesium spinel. (7) 1857-62
Microstructural development of coherent tetragonal precipitates in magnesium-partially-stabilized zirconia: A computer simulation. (3) 657-61
Phase and microstructure evolution in alkoxide-derived mullite/MgO-partially-stabilized zirconia. (5) 1361-71
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction. (7) 1989-91

magnetic properties
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite. (11) 2907-12

magnetic susceptibility
Application of magnetic susceptibility to study low iron substitution in tricalcium aluminate. (7) 1958-60

magnetoplumbite
Enhanced dispersion frequency of hot-pressed Z-type magnetoplumbite ferrite with the composition $2CoO{\cdot}3Ba_{0.5}Sr_{0.5}O{\cdot}10.8Fe_2O_3$. (10) 2857-60

manganese
Valence change of Mn ions into $BaTiO_3$-based PTCR materials. (10) 2845-48

manganites
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia. (4) 929-32
Preparation and characterizationn of NTC thermistors: Nickel manganites doped with lithium. (4) 915-21
Sintering behavior of doped lanthanum and yttrium manganite. (3) 507-12

measurement
Measurement of biaxial displacement by a speckle correlation method at high temperature. (12) 3273-76
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures. (11) 3040-44
Ultrasonic real-time monitoring of cake structure during slip casting. (3) 819-23

mechanical properties
Al-B-C phase development and effects on mechanical properties of B_4C/Al-derived composites. (2) 305-12
Effect of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide. (9) 2437-42
High-temperature mechanical behavior of stoichiometric magnesium spinel. (7) 1857-62
Liquid precursor infiltration processing of powder compacts: II, Fracture toughness and strength. (12) 3283-89
Measurement of biaxial displacement by a speckle correlation method at high temperature. (12) 3273-76
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers. (10) 2673-79
Microstructure and mechanical properties of SiC platelet/cordierite glass-ceramic composites. (1) 166-72
$MoSi_2$-based sandwich composite made by tape casting. (11) 2967-72

membranes
Characterization of supported alumina membranes formed by an *in situ* sol-gel method. (11) 3149-52

metal oxides
Simulation of segregation to free surfaces in cubic oxides (12) 3195-200
Volatile metal oxide evaporation during aerosol decomposition. (9) 2490-96

mica
Mechanical properties of mica glass-ceramics. (5) 1217-22
Scratching and grinding of a machinable glass-ceramic with weak interfaces and rising *T*-curve. (2) 497-500

microcracking
Acoustic emission and microcracking in sapphire, sintered Al_2O_3/Al_2O_3 composite, and aluminum. (9) 2541-44
Effect of microcracking on the fracture toughness and fracture surface fractal dimension of lithia-based glass-ceramics. (11) 3045-49
Microcracking in B_4C-TiB_2 composites. (9) 2374-80
Quantifying local microcrack density in ceramics: A comparison of instrumented indentation and thermal wave techniques. (3) 1301-304
Tensile behavior of microcracking SiC-TiB_2 composites. (6) 1507-12
Twinning-induced stress and electric field concentrations in ferroelectric ceramics. (12) 3290-96

microhardness
Effect of neutron irradiation on Knoop microhardness anisotropy in MgO-Al_2O_3 single crystals. (6) 1469-74

microscopy
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy. (12) 3201-208
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia. (11) 2889-96

microstructure
Contact fatigue of a silicon carbide with a heterogeneous grain structure. (6) 1431-38
Effect of microstructure of material removal mechanisms and damage tolerance in abrasive machining of silicon carbide. (9) 2443-48
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles. (11) 2897-906
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures. (1) 65-70
Grain boundary phases and wake zone characterization on monolithic alumina. (4) 1025-32
In situ processing of silicon carbide layer structures. (11) 3160-62
Liquid precursor infiltration processing of powder compacts: I, Kinetic studies and microstructure development. (12) 3277-82
Microstructural development of coherent tetragonal precipitates in magnesium-partially-stabilized zirconia: A computer simulation. (3) 657-61
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition. (6) 1617-23
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide. (9) 2417-24
Microstructural shape factors: Relation of random planar sections to three-dimensional microstructures. (6) 1532-36
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water. (7) 1992-96
Microstructure and grain-boundary structure of Na^+-diffused $(Sr,Ca)TiO_3$ capacitor-varistor ceramics. (1) 58-64
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates. (2) 347-55
Microstructure comparison of transparent and opaque CVD SiC. (6) 1571-79
Microstructure effects in multidipped tin oxide films. (10) 2669-72
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics. (10) 2769-76
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties. (11) 3050-56
Model for the developing microstructure in portland cement pastes [correction]. (9) 2575
Optimum microstructure of transformation-toughened ceramics for enhanced wear performance. (1) 3-8
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics. (10) 2619-24

microwaves
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions. (4) 1103-106
Thermal stability of ceramic materials in microwave heating. (4) 1041-48

modeling/models
Computer simulation studies of strontium titanate. (2) 421-28
Fatigue crack growth from small surface cracks in transformation-toughened ceramics. (2) 406-10
Generalized fluid flow model for ceramic tape casting. (9) 2497-503
Graded casting: process control for producing tailored profiles. (12) 3297-303
Model for the developing microstructure in portland cement pastes [correction]. (9) 2575
Numerical models for predicting tracer profiles in silicon double-oxidation experiments [comment]. (9) 2572
Numerical models for predicting tracer profiles in silicon double-oxidation experiments [reply]. (9) 2573
Partial conductivities in $SrTiO_3$: Bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling. (12) 3265-72
Thermal conductivity of polycrystalline materials. (3) 728-36

modulus of elasticity
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures. (11) 3040-44

moisture
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts. (6) 1673-79

molybdenum
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction. (1) 238-40

molybdenum disilicide
Combustion synthesis of $MoSi_2$-SiC composites. (2) 487-90
Fabrication of SiC-whisker-reinforced $MoSi_2$ composites by tape casting. (11) 3129-32
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites. (3) 797-800
$MoSi_2$-based sandwich composite made by tape casting. (11) 2967-72
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia. (6) 1481-88

molybdenum oxide
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process. (4) 1111-14

monazite
Ceramic composites of monazite and alumina. (6) 1553-63
Ceramic composites of monazite and alumina [correction]. (9) 2574

monitors
Carbon determination in small amounts of ceramic powder by coulombic titration. (10) 2834-36

monoliths
Dynamic characteristics of rainbow ceramics. (8) 2233-36
Preparation of dense $BaTiO_3$ ceramics from sol-gel-derived monolithic gels. (10) 2849-52

morphology
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited ß-Ta_2O_5. (5) 1297-300

mortars
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume. (2) 342-46

mullite
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles. (11) 2897-906
Interfacial debonding behavior of mullite/SiC continuous fiber composite. (12) 3209-16
New generation of plasma-sprayed mullite coatings on silicon carbide. (3) 705-10
Phase and microstructure evolution in alkoxide-derived mullite/MgO-partially-stabilized zirconia. (5) 1361-71
Phase diagram for mullite-SiF_4 (12) 3253-58
Processing of silicon carbide–mullite–alumina nanocomposites. (2) 479-86
Single-phase mullite gels doped with chromium. (11) 3097-106
Sliding wear of oxide ceramics at elevated temperatures. (11) 3018-24
Synthesis of a mullite precursor from aluminum nitrate and tetrathoxysilane via aqueous homogeneous precipitation: A ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study. (10) 2648-54

multilayer capacitor
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$-$(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics. (5) 1173-78
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs. (6) 1657-60
nanocomposites
Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites." (3) 567-71
Development of nanocomposite microstructures in ZrO_2-Al_2O_3 via the solution precursor method. (6) 1489-94
neodymium
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers. (4) 1033-40
neutron diffraction
Structural analysis of orthorhombic hafnia by neutron powder diffraction. (1) 233-37
Nicalon
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water. (7) 1992-96
nickel
Novel method for preparing nickel/YSZ cermet by a vapor-phase process. (3) 593-98
Preparation and characterization of NTC thermistors: Nickel manganites doped with lithium. (4) 915-21
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition. (10) 2831-33
nickel oxide
Nucleation of solid-state reactions between nickel oxide and aluminum oxide. (1) 248-50
niobates
Nonequilibrium phase formation in oxides prepared at low temperature: Fergusonite-related phases. (10) 2737-45
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$. (11) 3142-44
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide(100) substrates using a strontium titanate transition layer. (7) 1825-33
niobium
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films. (6) 1513-20
nitrides
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt. (8) 2279-81
nonstoichiometry
Nonstoichiometry and its effect on the magnetic properties of a manganese-zinc ferrite. (11) 2907-12
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides. (11) 3033-39
nucleation
Nucleation of solid-state reactions between nickel oxide and aluminum oxide. (1) 248-50
optical devices
Alumina thin films as optical waveguides. (12) 3336-44
Sellmeier coefficients and chromatic dispersions for some tellurite glasses. (10) 2828-30
optical materials
Striation-free, spin-coated sol-gel optical films. (8) 2254-56
optical properties
Effect of the atomic ratio of Ba to Ti on optical properties of gold-dispersed $BaTiO_3$ thin films. (9) 2391-94
Nonlinear optical properties of B_2O_3 glasses: M_2O-B_2O_3 (M = Li, Na, K, Rb, Cs, and Ag) binary borate glasses. (6) 1601-605
Optical properties of dysprosium-doped low-phonon-energy glasses for a potential 1.3 μm optical amplifier. (11) 2917-22
ordering
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses. (4) 952-60
Density of xNa_2S-$(1-x)B_2S_3$ (x=0 to 0.8) glasses: Correlation with short-range order. (12) 3329-35
Structural studies of ordering in the $(Pb_{1-x}Ba_x)(Mg_{1/3}Nb_{2/3})O_3$ crystalline solid solution series. (9) 2481-89
oxidation
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy. (8) 2021-26
Determination of the cerium oxidation state in cerium vanadate. (4) 1121-22
Early stages of composite formation by oxidation of liquid aluminum alloys. (3) 609-22
Effect of carbon and boron on the high-temperature oxidation of silicon carbide. (7) 1961-64
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide. (1) 41-48
Formation of β-SiAlON as an intermediate oxidation product of SiC-AlN ceramics. (10) 2753-62
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2. (4) 922-28
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide. (4) 1107-10
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers. (6) 1439-50
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate. (4) 909-14
Numerical models for predicting tracer profiles in silicon double-oxidation experiments [comment]. (9) 2572
Numerical models for predicting tracer profiles in silicon double-oxidation experiments [reply]. (9) 2573
Oxidation embrittlement probe for ceramic matrix composites. (8) 2097-100
Oxidation kinetics of a continuous carbon phase in a nonreactive matrix. (4) 972-80
Ultrasonic evaluation of initiation and development of oxidation damage in ceramic matrix composites. (7) 1809-17
oxidation resistance
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates. (2) 347-55
oxides
Influence of coherency stress on kinetic demixing. (10) 2593-602
Measurements of refractive indexes and factors affecting dispersion in oxide glasses. (5) 1179-84
Point defects in electron-irradiated oxide single crystals. (4) 1054-60
oxycarbides
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds. (2) 379-87
oxyfluorides
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies. (3) 805-808
oxygen
Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series. (10) 2815-27
Grain boundary diffusion of oxygen in alumina ceramics. (9) 2557-59
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions. (3) 572-76
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$. (2) 440-44
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K. (2) 313-22
oxynitride
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y). (1) 71-76
Viscosity and surface tension of oxynitride glass melts. (4) 1123-24
packing
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions. (7) 1737-44
Viscosities and sintering rates of composite packings of spheres. (3) 521-28
particle size
Effect of particle size on colloidal zirconia rheology at the isoelectric point. (8) 2209-12
particle size distribution
Dependence of compaction efficiency in dry pressing on the particle size distribution. (9) 2527-33
particles
Characterization of particle packing in an injection-molded green body. (11) 3107-109
Particle crowding analysis of slip casting. (3) 809-12
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles. (1) 146-52
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution. (5) 1335-42
Viscous sintering of spherical particles via finite element analysis. (3) 645-49
pastes
Detection of failures around main cracks and their relation to the fracture toughness of cement pastes. (7) 1715-18
pattern
Ultraviolet patterning of alkoxy-derived lithium niobate film. (6) 1649-52
permittivity
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors. (7) 1974-76
perovskites
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy. (11) 3117-20
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides. (11) 3033-39
phase diagrams
Phase diagram for mullite-SiF_4 (12) 3253-58
Phase diagram of wollastonite–tricalcium phosphate. (6) 1653-56
phase equilibria
Aqueous phase equilibria in the system CaO-Al_2O_3-$CaCl_2$-H_2O: The significance and stability of Friedel's salt. (4) 939-44
Gibbs energy of formation of $CuGd_2O_4$ and phase relations in the Cu-Gd-O system. (7) 1882-88
Low-temperature phase equilibria in the Y-Ba-Cu-O system. (7) 1745-52
Phase equilibria of the calcium oxide–copper oxide system in oxygen at 1 atm. (7) 1863-68
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar. (12) 3309-15
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions. (12) 3387-89
phase transformations
Effect of dopant species on tetragonal (*t'*)-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R = Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure. (8) 2229-32
Effect of oxygen octahedron rotations on the phase stability, transformational characteristics, and polarization behavior in the lead zirconate titanate crystalline solution series. (10) 2815-27
Stress-induced phase transformation in single-crystal titanium carbide. (6) 1537-45
phase transitions
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics. (5) 1343-46
Phase transition of rare-earth aluminates ($RE_4Al_2O_9$) and rare-earth gallates ($RE_4Ga_2O_9$). (9) 2385-90
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$. (11) 3142-44
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions. (8) 2225-28
phases
Nonequilibrium phase formation in oxides prepared at low temperature: Fergusonite-related phases. (10) 2737-45
Phase stability of fine-grained (Mg,Y)-PSZ. (7) 1997-99
Preparation and characterization of single-phase β-SiAlON. (2) 395-400
phosphates
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate. (11) 3121-24
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses. (5) 1161-68
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses [correction]. (8) 2287-88
Formation and properties of a lead-barium-aluminum phosphate glass. (2) 501-503
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films. (8) 2033-44
Synthesis of $KTiOPO_4$ (KTP) thin films using metallorganics. (11) 2956-60
phosphides
Zinc sulfide/gallium phosphide composites by chemical vapor transport. (7) 1834-40
piezoelectric materials
Low-temperature observations of relaxor ferroelectric domains in lead zinc niobate. (12) 3345-51
Overview of fine-scale piezoelectric ceramic/polymer composite processing. (11) 2945-55
Processing of 1-3 piezoelectric ceramic/polymer composites. (9) 2425-30
piezoelectric properties
Dynamic characteristics of rainbow ceramics. (8) 2233-36
Influence of grain size on ferroelastic toughening and piezoelectric behavior of lead zirconate titantate. (12) 3363-68
Modification of piezoelectric characteristics of the $Pb(Mg_xNb)O_3$-$PbZrO_3$-$PbTiO_3$ ternary system by aliovalent additives. (1) 178-82
pigments
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis. (5) 1147-52
plasma-enhanced CVD
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature. (6) 1585-92
plasma spraying
New generation of plasma-sprayed mullite coatings on silicon carbide. (3) 705-10
Simulation of hardness testing on plasma-sprayed coatings. (5) 1406-10
platinum
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_1Cu_1O_y$ particles for the system Y-Ba-Cu-O. (7) 1980-82
polarizers/polarization
Effects of temperature on conduction and polarization in portland cement mortar. (2) 411-15
polycarbosilane
Reaction mechanisms of silicon fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction. (7) 1849-52
polycrystalline materials
Polycrystalline yttrium aluminum garnet fibers from colloidal sols. (8) 2141-48
Thermal conductivity of polycrystalline materials. (3) 728-36
polymers
Active-filled-controlled pyrolysis of preceramic polymers. (4) 835-48
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers. (7) 1900-906
Overview of fine-scale piezoelectric ceramic/polymer composite processing. (11) 2945-55
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: Effect of atmosphere on pyrolysis product chemistry. (7) 1818-24
pores/porosity
Anomalous electromechanical behavior of portland cement: Electro-osmotically induced shape changes. (2) 416-20
Electrically induced shape changes in hardened cement pastes and porous silica gels: The dynamic nature of gel pore structures during water transport. (12) 3233-43
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics. (9) 2537-40
porous materials
Preparation of porous ceramics with calcium metaphosphate fiber skeleton for biomedical use. (1) 245-47
Strength and Young's modulus behavior of a partially sintered porous alumina. (1) 266-68
portland cement
^{29}Si MAS-NMR study of hydrated cement paste and mortar made with and without silica fume. (2) 342-46
Anomalous electromechanical behavior of portland cement: Electro-osmotically induced shape changes. (2) 416-20
Aqueous phase equilibria in the system CaO-Al_2O_3-$CaCl_2$-H_2O: The significance and stability of Friedel's salt. (4) 939-44
Effect of moisture adsorption on the electrical properties of hardened portland cement compacts. (6) 1673-79
Effects of temperature on conduction and polarization in portland cement mortar. (2) 411-15
Model for the developing microstructure in portland cement pastes [correction]. (9) 2575
positive temperature coefficient of resistivity (PTCR)
Characterization of the firing schedule for positive temperature coefficient of resistance $BaTiO_3$. (12) 3352-56
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions. (1) 241-44
Valence change of Mn ions into $BaTiO_3$-based PTCR materials. (10) 2845-48
potassium
^{29}Si MAS-NMR study of the short-range order in potassium borosilicate glasses. (4) 952-60
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films. (8) 2033-44

Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide (100) substrates using a strontium titanate transition layer. (7) 1825-33

potassium tantalum niobate
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb = 65:35) film using metal alkoxides. (8) 2175-79

powders
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders. (4) 981-85
Fine-grained silicon nitride ceramics prepared from ß-powder. (1) 211-14
Kinetics and mechanisms for nitridation of floating aluminum powder. (1) 33-40
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$. (10) 2695-99
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles. (1) 90-96
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts. (1) 49-57
Preparation of zirconium boride powder. (9) 2534-36
Synthesis of vanadium oxide powders by evaporative decomposition of solutions. (1) 104-108
Zirconia gels in concentrated NaOH. (1) 221-24

precipitates
Colloidal stability and titania precipitate morphology: Influence of short-range repulsions. (1) 21-32
High-resolution transmission electron microscopy of transformed magnesia-partially-stabilized zirconia precipitates. (10) 2853-56

precipitation/precipitators
Structure of zirconia prepared by homogeneous precipitation. (11) 2873-80
Surface precipitation route for the development of cordierite-zirconia composites. (3) 723-27
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: A ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study. (10) 2648-54

precursors
Active-filled-controlled pyrolysis of preceramic polymers. (4) 835-48
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics. (3) 529-38

preparation
Diol-based sol-gel process for the preparation of lead titanate materials. (7) 1802-808
Preparation and characterization of single-phase ß-SiAlON. (2) 395-400
Preparation of aragonite whiskers. (7) 1983-84
Preparation of CdS-doped glasses from gels containing diethyldithiocarbamatocadmium. (6) 1668-72
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions. (10) 2690-94
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions. (1) 109-13
Preparation of zirconium boride powder. (9) 2534-36
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers. (12) 3405-408

processing
Biomimetic process for producing SiC "wood". (12) 3409-11
Colloidal processing of SiC whisker composites. (8) 2240-42
Graded casting: Process control for producing tailored profiles. (12) 3297-303
In situ processing of silicon carbide layer structures. (11) 3160-62
Liquid precursor infiltration processing of powder compacts: I, Kinetic studies and microstructure development. (12) 3277-82
Liquid precursor infiltration processing of powder compacts: II, Fracture toughness and strength. (12) 3283-89
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications. (11) 2913-16
Overview of fine-scale piezoelectric ceramic/polymer composite processing. (11) 2945-55
Processing and properties of alumina–graphite platelet composites. (5) 1198-200
Processing and properties of particulate composites from coated powders. (1) 199-204
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$. (7) 1953-57
Processing of 1-3 piezoelectric ceramic/polymer composites. (9) 2425-30
Use of spodumene in the processing of alumina-matrix ceramics—Influence on microstructure and mechanical properties. (7) 1895-99

pyrolysis
Active-filled-controlled pyrolysis of preceramic polymers. (4) 835-48
Cracking during pyrolysis of oxide thin films—Phenomenology, mechanisms, and mechanics. (11) 2929-39
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite. (1) 137-45
Properties of aluminum carbide powder prepared by the pyrolysis of alkylaluminum. (3) 801-804
Pyrolysis of $Pb(Zr_{0.5}Ti_{0.5})O_3$ precursors: Avoiding lead partitioning. (12) 3401-404
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: Effect of atmosphere on pyrolysis product chemistry. (7) 1818-24
Silicon carbide from laser pyrolysis of polycarbosilane. (8) 2263-66
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane). (11) 3009-17

quartz
Indentation behavior of soda-lime-silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature. (3) 737-44
Cyclic fatigue in ceramics: A balance between crack shielding accumulation and degradation. (3) 513-20
Determination of the *R*-curve from the strength–indentation load relation. (8) 2237-39
Evaluation of bridging parameters in aluminas from *R*-curves by use of the fracture mechanical weight function. (4) 949-51
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures. (1) 65-70
Fracture resistance behavior of highly anisotropic silicon nitride. (11) 3125-28
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures. (3) 698-704
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending. (11) 3113-16

radiation
Effects of radiation and hydrogen on the fracture resistance of borosilicate glasses. (1) 114-20

Raman spectroscopy
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy. (11) 3117-20
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles. (1) 146-52

rare earths
Lattice parameters and densities of rare-earth oxide-doped ceria electrolytes. (2) 433-39

reaction bonding
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: Nucleation and growth mechanisms. (6) 1624-32
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride. (1) 269-71

reactions
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon. (9) 2456-62
Mechanism of La_2CuO_4 solid-state powder reaction by quantitative XRD and impedance spectroscopy. (4) 857-64
Numerical solutions for mixed control of powder reactions for spherical, cylindrical, or planar particles. (1) 90-96
Phase stability study on the remelting reaction in Ca_2SiO_4 solid solutions. (12) 3387-89
Reaction densification of α′-SiAlON: II, Densification behavior. (3) 553-59

reduction
Use of succinic acid to test the stability of PTCR barium titanate ceramics under reducing conditions. (1) 241-44

reduction-oxidation
Voltammetric study of silver in a glass melt. (5) 1153-60

refractories
Direct bond in magnesia chromite and magnesia spinel refractories. (7) 1753-60
Lime refractories with limestone and synthetic calcium hydroxide additions. (6) 1611-16
Oxidation kinetics of graphite phase in magnesia-carbon refractories. (4) 965-71
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite. (11) 2961-66
Thermal shock and size effects in castable refractories. (8) 2056-64

reinforcement
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: Crystallization behavior. (11) 3072-80

research
Fundamental research in structural ceramics for service near 2000°C—correction. (1) 272

resistors
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors. (6) 1703-704
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors. (5) 1372-44

rheology
Effect of particle size on colloidal zirconia rheology at the isoelectric point. (8) 2209-12
Rheology of zirconia suspensions in a nonpolar organic medium. (12) 3225-32

rhodium
Phase relations in the system La-Rh-O and thermodynamic properties of $LaRhO_3$. (2) 440-44

rice hulls
Synthesis of silicon carbide from rice husk in a packed bed arc reactor. (9) 2381-84

roughness
Effect of interface roughness on fiber pushout stress. (3) 560-66

rupture
In-plane mechanical properties of several ceramic matrix composites. (8) 2065-78

ruthenium oxide
Effect of O_2 concentration in firing atmosphere on resistance of RuO_2–glass thick-film resistors. (6) 1703-704
Glass/substrate interaction in model RuO_2–glass double-layer thick films. (6) 1705-707
Preparation of metal ruthenates by spray pyrolysis. (11) 2977-83
Sol-gel processing and conduction mechanism of RuO_2-glass thick-film resistors. (5) 1372-74

salts
Aqueous phase equilibria in the system CaO-Al_2O_3-$CaCl_2$-H_2O: The significance and stability of Friedel's salt. (4) 939-44
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions. (10) 2690-94

sapphire
Determination of the piezospectroscopic coefficients for chromium-doped sapphire. (5) 1347-53
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation. (7) 1931-34
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties. (7) 1935-39
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: Titanium dioxide on sapphire from titanium(IV) isopropoxide. (10) 2763-68
Removing hydroxypropyl methylcellulose sizing from sapphire fibers by ultraviolet/ozone cleaning. (10) 2861-64

scandium
Role of defects in the ferroelectric relaxor lead scandium tantalate. (7) 1947-52

scattering
Alkali magnesium/zinc silicated glasses with low Rayleigh scattering. (9) 2566-68
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films. (8) 2027-32

screen process printing
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures. (6) 1451-56

seeding
Crystallization and seeding effect in $BaAl_2Si_2O_8$ gels. (9) 2521-26
Effect of seeding on phase development, densification behavior, and microstructure evolution in mullite fabricated from microcomposite particles. (11) 2897-906

segregation
Ca segregation to basal surfaces in α-alumina. (10) 2841-44
Preventing segregation during centrifugal consolidation of particulate suspensions: Particle drafting. (9) 2367-73
Simulation of segregation to free surfaces in cubic oxides (12) 3195-200
Segregation in single-crystal fully stabilized yttria-zirconia. (2) 369-78

sensors
Design of ceramic materials for chemical sensors with novel properties. (10) 2625-32
Infrared evanescent absorption spectroscopy of toxic chemicals using chalcogenide glass fibers. (8) 2198-202
Processing of laminated barium titanate structures for stress-sensing applications. (9) 2476-80

shape parameter
Anomalous electromechanical behavior of portland cement: Electro-osmotically induced shape changes. (2) 416-20

shaping
Microstructural shape factors: Relation of random planar sections to three-dimensional microstructures. (6) 1532-36

shrinkage
Shrinkage of large isolated pores during hot isostatic pressing of presintered alumina ceramics. (9) 2537-40
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite. (11) 2961-66

SiAlON
Chemical reactivity of nickel and nickel-based alloys with a SiAlON ceramic. (11) 3002-3008
Formation of ß-SiAlON as an intermediate oxidation product of SiC-AlN ceramics. (10) 2753-62
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix. (11) 3153-56
Hot-pressed $MoSi_2$-particulate-reinforced α-SiAlON composites. (3) 797-800
Mechanical properties of ß-SiAlON ceramics joined using composite ß-SiAlON-glass adhesives. (4) 999-1005
Preparation and characterization of single-phase ß-SiAlON. (2) 395-400
Preparation of multication α-SiAlON containing strontium. (3) 588-92
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions. (3) 545-52
Reaction densification of α′-SiAlON: II, Densification behavior. (3) 553-59
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses. (7) 1977-79

silica
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system. (4) 1101-102
Characterization of optical thin films by spectroscopic ellipsometry. (9) 2412-16
Dependence of apatite formation on silica gel on its structure: Effect of heat treatment. (7) 1769-74
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses. (5) 1393-96
Effect of silica on the nonoxidative thermal degradation of an acrylic binder. (4) 874-80
Electrically induced shape changes in hardened cement pastes and porous silica gels: The dynamic nature of gel pore structures during water transport. (12) 3233-43
Formation of small-sized CdS_xSe_{1-x} crystals in sol-gel-derived SiO_2 glasses. (4) 1066-70
Molecular orbital models of silica rings and their vibrational spectra. (4) 1093-96
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3. (5) 1383-86
Reaction between calcium-doped lanthanum chromite and silica. (7) 1729-36
Shrinkage reduction in silica-based refractory cores infiltrated with boehmite. (11) 2961-66
SiO_2-Si_3N_4 interface: I, Nature of the interphase. (5) 1272-78
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction. (5) 1279-84

silicates
Alkali magnesium/zinc silicated glasses with low Rayleigh scattering. (9) 2566-68
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses. (5) 1161-68
Compositional dependence of Judd-Ofelt parameters in silicate, borate, and phosphate glasses [correction]. (8) 2287-88
Crystallization of a lithium silicate glass-ceramic under pressure. (4) 1115-17
Group II tris(glycolato)silicates as precursors to silicate glasses and ceramics. (3) 529-38
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction. (7) 1989-91

silicides
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification. (4) 1089-92

silicon
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites. (3) 711-15
Codeposition of free silicon during CVD of silicon carbide. (1) 229-32

Numerical models for predicting tracer profiles in silicon double-oxidation experiments [comment]. (9) 2572
Numerical models for predicting tracer profiles in silicon double-oxidation experiments [reply]. (9) 2573
Phase diagram for mullite-SiF_4 (12) 3253-58
Quantitative characterization of the fracture surface of Si single crystals by confocal microscopy. (12) 3201-208
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K. (2) 313-22
Structural characterization and high-temperature behavior of silicon oxycarbide glasses prepared from sol-gel precursors containing Si–H bonds. (2) 379-87
Synthesis of titanium silicon carbide. (3) 667-72
Ternary phase equilibria in the Zr-Si-C system. (3) 662-66

silicon carbide

Studies on abrasive wear of monolithic silicon nitride and a silicon carbide-whisker-reinforced silicon nitride composite. (10) 2705-708
Biomimetic process for producing SiC "wood". (12) 3409-11
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR. (1) 83-89
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites. (10) 2579-92
Chemical interaction between silicon nitride-titanium carbide powder. (9) 2395-400
Codeposition of free silicon during CVD of silicon carbide. (1) 229-32
Colloidal processing of SiC whisker composites. (8) 2240-42
Combustion synthesis of $MoSi_2$-SiC composites. (2) 487-90
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers. (12) 3244-52
Contact fatigue of a silicon carbide with a heterogeneous grain structure. (6) 1431-38
Continuous fabrication of silicon fiber tows by chemical vapor deposition. (6) 1564-70
Crack healing and stress relaxation in Al_2O_3-SiC "nanocomposites." (3) 567-71
Determination of fracture toughness of 2-D woven SiC matrix composites made by chemical vapor infiltration. (5) 1201-11
Effect of carbon and boron on the high-temperature oxidation of silicon carbide. (7) 1961-64
Effect of microstructure of material removal mechanisms and damage tolerance in abrasive machining of silicon carbide. (9) 2443-48
Effect of postdeposition treatments on the mechanical properties of a chemical vapor deposited silicon carbide. (9) 2437-42
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2. (6) 1606-10
Effect of SiC submicrometer particle size and content on fracture toughness of alumina-SiC "nanocomposites." (1) 254-56
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders. (3) 774-82
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide. (6) 1708-10
Elastic response and effect of transverse cracking in woven fabric brittle matrix composites. (3) 783-92
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [comment]. (11) 3165-66
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [reply]. (11) 3167-68
Enhanced machinability of silicon carbide via microstructural design. (1) 215-17
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites. (10) 2811-14
Fabrication of SiC-whisker-reinforced $MoSi_2$ composites by tape casting. (11) 3129-32
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures. (2) 388-94
Flaw-tolerance and *R*-curve behavior of liquid-phase-sintered silicon carbides with different microstructures. (1) 65-70
Flexural creep of coated SiC-fiber-reinforced glass-ceramic composites. (5) 1233-39
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites. (3) 680-84
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures. (3) 698-704
Grain growth and fracture toughness of fine-grained silicon carbide ceramics. (11) 3145-48
High-temperature behavior of silicon carbide fibers in an Si-Al-Ca-O-N ceramic matrix. (11) 3153-56
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2. (4) 922-28
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide. (7) 1761-68
In situ processing of silicon carbide layer structures. (11) 3160-62
Influence of alumina reaction tube impurities on the oxidation of chemically vapor deposited silicon carbide. (4) 1107-10
Interfacial debonding behavior of mullite/SiC continuous fiber composite. (12) 3209-16
Intrinsic equilibrium constants of ß-silicon carbide obtained from surface charge data. (11) 3093-96
Kinetics model for the growth of silicon carbide by the reaction of liquid silicon with carbon. (9) 2456-62
Low-temperature oxidation, hydrothermal corrosion, and their effects on properties of SiC (Tyranno) fibers. (6) 1439-50
Mechanical behavior of alumina reinforced with carbon-coated silicon carbide whiskers. (10) 2673-79
Microstructure and compressive strength of SiC-platelet-reinforced borosilicate composites. (10) 2732-36
Microstructure and mechanical properties of SiC-platelet/cordierite glass-ceramic composites. (1) 166-72
Microstructure and reactions of SiC_w-reinforced alumina with Ag-Cu-In-Ti. (1) 15-20
Microstructure comparison of transparent and opaque CVD SiC. (6) 1571-79
Microstructure of silicon carbide/carbon composites and relationships with mechanical properties. (11) 3050-56
New generation of plasma-sprayed mullite coatings on silicon carbide. (3) 705-10
Polytypes, grain growth, and fracture toughness of metal boride particulate SiC composites. (5) 1223-39
Processing and properties of particulate composites from coated powders. (1) 199-204
Processing of silicon carbide–mullite–alumina nanocomposites. (2) 479-86
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis. (4) 1013-17
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: II, Free radical reaction. (7) 1849-52
Reaction of SiC_f/SiC composites with a zinc borate glass. (6) 1691-94
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression. (9) 2307-13
Silicon carbide from laser pyrolysis of polycarbosilane. (8) 2263-66
Silicon carbide platelet/silicon carbide composites. (1) 97-103
Silicon carbide/calcium aluminosilicate: A notch-insensitive ceramic-matrix composite. (1) 77-82
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag. (10) 2837-40
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers. (12) 3405-408
Synthesis of silicon carbide from rice husk in a packed bed arc reactor. (9) 2381-84
Tensile and shear properties of continuous fiber-reinforced SiC/Al_2O_3 composites processed by melt oxidation. (10) 2790-800
Tensile behavior of microcracking SiC-TiB_2 composites. (6) 1507-12
Tensile strength of SiC fibers. (7) 1965-68
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue. (10) 2680-84
Wear and wear transition mechanism in silicon carbide during sliding. (4) 1076-78

silicon nitride

Studies on abrasive wear of monolithic silicon nitride and a silicon carbide-whisker-reinforced silicon nitride composite. (10) 2705-708
Alumina surface modification of silicon nitride for colloidal processing. (8) 2009-14
Barium aluminosilicate reinforced *in situ* with silicon nitride. (10) 2662-68
Behavior of cyclic fatigue cracks in monolithic silicon nitride. (9) 2291-300
Boehmite coating as a consolidation and forming aid in aqueous silicon nitride processing. (5) 1252-60
Cavitation contributes substantially to tensile creep in silicon nitride. (8) 2085-96
Characterization of silicon carbide–silicon nitride composite ultrafine particles synthesized using a CO_2 laser by silicon-29 magic angle spinning NMR and ESR. (1) 83-89
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy. (8) 2021-26
Chemical and structural widths of interfaces and grain boundaries in silicon nitride–silicon carbide whisker composites. (10) 2579-92
Controlled crystallization in self-reinforced silicon nitride with Y_2O_3, SrO, and CaO: Crystallization behavior. (11) 3072-80
Development of a high-temperature deformation and life prediction model for an advanced silicon nitride ceramic. (11) 3057-66
Direct synthesis and sintering of silicon nitride/titanium nitride composite. (2) 495-96
Dislocations in as-grown CVD α-silicon nitride. (11) 3133-36
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride. (9) 2345-52
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride. (8) 2129-40
Evolutionary process during pyrolytic transformation of poly(N-methylsilazane) from a preceramic polymer into an amorphous silicon nitride/carbon composite. (1) 137-45
Fabrication and characterization of three-dimensional carbon-fiber-reinforced silicon carbide and silicon nitride composites. (10) 2811-14
Failure modes of SiC fiber/Si_3N_4 matrix composites at elevated temperatures. (2) 388-94
Fine-grained silicon nitride ceramics prepared from ß-powder. (1) 211-14
Fine structural features in α-silicon nitride powder particles and their implications. (12) 3393-96
Formation of boron nitride inclusions in hot isostatically pressed silicon nitride-silicon carbide composites. (3) 680-84
Formation of reaction-bonded silicon nitride from silane-derived silicon powders: Nucleation and growth mechanisms. (6) 1624-32
Formation of silicon nitride film by plasma decomposition of methylsilazane. (5) 1420-22
Fracture resistance behavior of highly anisotropic silicon nitride. (11) 3125-28
Fracture resistance of SiC-fiber-reinforced Si_3N_4 composites at ambient and elevated temperatures. (3) 698-704
High-temperature fracture mechanism of low-Ca-doped silicon nitride. (3) 673-79
High-temperature mixed oxidation of nitride-bonded silicon carbide in oxidizing gas mixtures containing 2% Cl_2. (4) 922-28
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules. (4) 903-908
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel. (11) 3025-32
Measurement of rising *R*-curve behavior in toughened silicon nitride by stable crack propagation in bending. (11) 3113-16
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5. (7) 1927-30
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride. (1) 269-71
Powder processing for the fabrication of Si_3N_4 ceramics: I, Influence of spray-dried granule strength on pore size distribution in green compacts. (1) 49-57
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions. (1) 109-13
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles. (5) 1247-51
Processing strategy for producing highly anisotropic silicon nitride. (6) 1687-90
Relation between strength, microstructure, and grain-bridging characteristics in *in situ* reinforced silicon nitride. (2) 449-59
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics. (10) 2619-24
Silicon nitride and silicon carbonitride by the pyrolysis of poly(methylsiladiazane). (11) 3009-17
SiO_2-Si_3N_4 interface: I, Nature of the interphase. (5) 1272-78
SiO_2-Si_3N_4 interface: II, O_2 permeation and oxidation reaction. (5) 1279-84
Standard Gibbs energy of formation of ß-silicon nitride. (4) 1087-88
VAMAS round robin on fracture toughness of silicon nitride. (7) 1793-801

silver

Crystallization kinetics of α-AgI in AgI-based silver orthoborate glasses. (2) 460-64
Effects of silver doping on the reliability of $(Pb_{0.875}Ba_{0.125})$-$[(Mg_{1/3}Nb_{2/3})_{0.5}$-$(Zn_{1/3}Nb_{2/3})_{0.3}Ti_{0.2}]O_3$ relaxor dielectric ceramics. (5) 1173-78
Mechanical properties of alumina–zirconia–silver composites. (2) 465-69
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass. (10) 2777-84
Role of PbO and Ag on insulation resistance degradation in relaxor-based MLCs. (6) 1657-60
Voltammetric study of silver in a glass melt. (5) 1153-60

single crystals

Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals. (5) 1375-79
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide. (1) 41-48
Point defects in electron-irradiated oxide single crystals. (4) 1054-60
Stress-induced phase transformation in single-crystal titanium carbide. (6) 1537-45

sinter forging

Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 powders. (2) 491-94

sinter/sintering

Bimodal sintering of Al_2O_3/Al_2O_3 platelet ceramic composites. (6) 1661-67
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere. (9) 2569-71
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2. (6) 1606-10
Effects of heat treatment in a wet hydrogen atmosphere on the reliability of sintered α-silicon carbide. (6) 1708-10
Electrochemical synthesis and sintering of nanocrystalline cerium(IV) oxide powders. (4) 981-85
Homogeneous distribution of sintering additives in liquid-phase-sintered silicon carbide. (7) 1761-68
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides. (3) 716-22
Low-temperature sintering of $Pb(Zr,Ti)O_3$ ceramics with the aid of oxyfluoride additive: X-ray diffraction and dielectric studies. (3) 805-808
Microstructural evolution during pressureless sintering of lead lanthanum zirconate titanate ceramics with excess lead(II) oxide. (9) 2417-24
Pressureless sintering of a ceramic matrix with multiple rigid inclusions: Finite element model. (6) 1593-600
Reaction sintering of ZnO-Al_2O_3. (12) 3217-24
Sintering of Al_2O_3-TiC composite in the presence of liquid phase. (1) 257-59
Sintering ZrO_2/TiC composites with TiH_2: The role of transient liquid phase and of substoichiometry. (10) 2641-47
Viscous sintering of spherical particles via finite element analysis. (3) 645-49

size

Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect. (10) 2700-704
Thermal shock and size effects in castable refractories. (8) 2056-64

slip casting

Particle crowding analysis of slip casting. (3) 809-12
Ultrasonic real-time monitoring of cake structure during slip casting. (3) 819-23

slurries

Effect of ammonium citrate of the rheology and particle packing of alumina slurries. (6) 1495-500
Effect of temperature on the slurry characteristics and green bodies of alumina. (8) 2153-56
Influence of slurry flocculation of the character and compaction of spray-dried silicon nitride granules. (4) 903-908
VibraForming and *in situ* flocculation of consolidated, coagulated, alumina slurries. (5) 1324-28

smectites

Pillared smectite clay coatings for ceramic matrix composites. (8) 2243-47

soda-lime

Acoustic emission during indentation fracture. (6) 1698-702
Effect of fictive temperature on dynamic fatigue behavior of silica and soda-lime glasses. (5) 1393-96
Fracture and subcritical crack growth in soda-lime glass under combined modes I and II loading. (1) 161-65
Indentation crack-shape evolution during subcritical crack growth. (5) 1240-46

Measurement of indentation residual stresses in materials susceptible to slow crack growth. (1) 173-77

soda-lime-silica
Determination of fictive temperature of soda-lime-silicate glass. (3) 827-29
Dispersion of thermooptic coefficients of soda-lime-silica glasses. (1) 218-20
Indentation behavior of soda-lime-silica glass, fused silica, and single-crystal quartz at liquid nitrogen temperature. (3) 737-44
Origin of absorption bands observed in the spectra of silver ion-exchanged soda-lime-silica glass. (10) 2777-84
Subcritical growth of indentation median cracks in soda-lime-silica glass. (3) 650-56

sodium
Dependence of crystallization behavior of sodium diborate ($Na_2O{\cdot}2B_2O_3$) on its glass structure and the characteristics of phase transformation. (2) 470-78
Structure of Na- and Ca-B''-Al_2O_3 coatings on α-Al_2O_3 single-crystal platelets. (3) 824-26

sol-gel
Al_2O_3 coatings as diffusion barriers deposited from particulate-containing sol-gel solutions. (12) 3376-82
Characterization of supported alumina membranes formed by an *in situ* sol-gel method. (11) 3149-52
Diol-based sol-gel process for the preparation of lead titanate materials. (7) 1802-808
Grain-size effects on diffuse phase transitions of sol-gel-prepared barium titanate ceramics. (5) 1343-46
Hot isostatic pressing and characterization of sol-gel-derived chromium(III) oxide. (8) 2271-73
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry. (7) 1907-13
In situ fluorescence probing of the chemical changes during sol-gel thin film formation. (6) 1640-48
Perturbed-angular-correlation study of zirconias produced by the sol-gel method. (5) 1329-34
Striation-free, spin-coated sol-gel optical films. (8) 2254-56
Zirconia gels in concentrated NaOH. (1) 221-24

solidification
Solidification behavior of undercooled liquid aluminum oxide. (3) 577-82

solid solutions
Phase equilibria of the SrO-CaO-CuO system at 950°C in 1 atm of oxygen and at 10 kbar. (12) 3309-15
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems. (5) 1261-64

sound
Measurement of elastic moduli from the impact sound of engineering ceramics and composites at elevated temperatures. (11) 3040-44

spectra
Molecular orbital models of silica rings and their vibrational spectra. (4) 1093-96
Spectral absorption coefficient of molten aluminum oxide from 0.385 to 0.78 μm. (3) 583-87

spectroscopy
Determination of the piezospectroscopic coefficients for chromium-doped sapphire. (5) 1347-53
Synthesis of a mullite precursor from aluminum nitrate and tetraethoxysilane via aqueous homogeneous precipitation: A ^{27}Al and ^{29}Si liquid- and solid-state NMR spectroscopic study. (10) 2648-54

spheres
Viscosities and sintering rates of composite packings of spheres. (3) 521-28
Viscous sintering of spherical particles via finite element analysis. (3) 645-49

spinels
Discontinuous dissolution of iron aluminate spinel in the Al_2O_3-Fe_2O_3 system. (8) 2149-52
High-temperature mechanical behavior of stoichiometric magnesium spinel. (7) 1857-62

spodumene
Sintering, crystallization, and properties of B_2O_3/P_2O_5-doped Li_2O-Al_2O_3-$4SiO_2$ glass-ceramics. (8) 2161-67
Use of spodumene in the processing of alumina-matrix ceramics—Influence on microstructure and mechanical properties. (7) 1895-99

spray pyrolysis
Preparation of metal ruthenates by spray pyrolysis. (11) 2977-83
Preparation of strontium ferrite particles by spray pyrolysis. (11) 2973-76

stability
Chemical stability of the fiber coating/matrix interface in silicon-based ceramic matrix composites. (3) 711-15
Crack front stability and hackle formation in high-velocity glass formation. (3) 689-97
Microstructural stability of Nicalon at 1000°C in air after exposure to salt (NaCl) water. (7) 1992-96
Phase stability of fine-grained (Mg,Y)-PSZ. (7) 1997-99
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures. (9) 2504-12
Thermal stability of ceramic materials in microwave heating. (4) 1041-48

stacking faults
Effect of stacking faults on the X-ray diffraction profiles of ß-SiC powders. (3) 774-82

stannates
Rare-earth barium stannates: Synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor. (11) 3088-92

steel
Effect of speed and pressure on dry sliding interactions of alumina against steel. (2) 356-64
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal. (8) 2157-60

stoichiometry
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001). (10) 2633-40

strength
Coating of carbon fibers—The strength of the fibers. (1) 133-36
Determination of the *R*-curve from the strength–indentation load relation. (8) 2237-39
Effect of glass additions on the indentation-strength behavior of alumina. (4) 849-56
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics. (8) 2248-50
Effects of damage on thermal shock behavior of ceramics. (7) 1873-81
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis. (5) 1212-16
High-strength and high-fracture-toughness ceramics in the $Al_2O_3/LaAl_{11}O_{18}$ systems. (7) 1853-56
Mechanical properties of magnesia-doped lanthanum chromite versus temperature. (7) 1869-72
Oxidation and temperature effects on the interfacial shear strength in SCS-6 fiber-reinforced reaction-bonded silicon nitride. (1) 269-71
Simultaneous loading system to evaluate the structural reliability of brittle materials. (8) 2251-53
Strength and Young's modulus behavior of a partially sintered porous alumina. (1) 266-68
Strength measurements of monolithic SiC and Al_2O_3/SiC composites after exposure to coal slag. (10) 2837-40
Tensile strength of SiC fibers. (7) 1965-68
Time-dependent strength degradation of a siliconized silicon carbide determined by dynamic fatigue. (10) 2680-84

stress
Analytical modeling for bridging stress function involving grain size distribution in a polycrystalline alumina. (5) 1401-405
Comparison of bend stress relaxation and tensile creep of CVD SiC fibers. (12) 3244-52
Constrained-film sintering of a borosilicate glass: *In situ* measurement of film stresses. (3) 813-15
Cyclic fatigue in ceramics: A balance between crack shielding accumulation and degradation. (3) 513-20
Determination of crack velocity as a function of stress intensity from static fatigue data [correction]. (7) 2000
Effect of interface roughness on fiber pushout stress. (3) 560-66
Evaluation of the bridging relation from crack-opening-displacement measurements by use of the weight function. (4) 945-48
Evolution of stress failure resulting from high-temperature stress-corrosion cracking in a hot isostatically pressed silicon nitride. (8) 2129-40
Influence of coherency stress on kinetic demixing. (10) 2593-602
Internal stresses and the martensite start temperature in alumina-zirconia composites: Effects of composition and microstructure. (2) 291-96
Measurement of indentation residual stresses in materials susceptible to slow crack growth. (1) 173-77
Notch sensitivity and stress redistribution in three ceramic matrix composites. (7) 1719-28
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: I, Theory. (10) 2709-20
Relationships between hysteresis measurements and the constituent properties of ceramic matrix composites: II, Experimental studies on unidirectional materials. (10) 2721-31
Residual stresses in alumina/ceria-stabilized zirconia composites. (8) 2213-14
Residual stresses in unidirectional composites with closely spaced fibers. (12) 3316-22
Surface cracking in layers under biaxial, residual compressive stress. (9) 2353-59
Thermal stresses in ceramic-metal joints with an interlayer. (2) 285-90
Twinning-induced stress and electric field concentrations in ferroelectric ceramics. (12) 3290-96

strontium
Preparation of multication α-SiAlON containing strontium. (3) 588-92
Preparation of strontium ferrite particles by spray pyrolysis. (11) 2973-76
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method. (11) 3110-12

strontium oxide
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems. (5) 1261-64

strontium titanate
Computer simulation studies of strontium titanate. (2) 421-28
Dependence of the intrinsic conductivity minimum of $SrTiO_3$ ceramics on the sintering atmosphere. (9) 2569-71
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001). (10) 2633-40
Electric and kinetic properties of screen-printed strontium titanate films at high temperatures. (6) 1451-56
Interdiffusion and Kirkendall effect in doped barium titanate-strontium titanate diffusion couples. (4) 993-98
Investigation of low-temperature-fired strontium titanate multilayer grain-boundary layer capacitors. (5) 1391-92
Partial conductivities in $SrTiO_3$: Bulk polarization experiments, oxygen concentration cell measurements, and defect-chemical modeling. (12) 3265-72

structural ceramics
Fundamental research in structural ceramics for service near 2000°C [correction]. (1) 272

structure
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device camera. (5) 1411-13
Effect of variations in stoichiometry on the surface structure of $SrTiO_3$(001). (10) 2633-40
Fine structural features in α-silicon nitride powder particles and their implications. (12) 3393-96
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: The modulated structure and its influences on electrically induced polarizations and strains. (8) 2101-12
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering. (12) 3304-308
Observation of cell structures developed by Marangoni convection in glass thick films. (12) 3259-64
Structural transitions and proton conduction in nonstoichiometric $A_3B'B_2''O_9$ perovskite-type oxides. (11) 3033-39
Structure of zirconia prepared by homogeneous precipitation. (11) 2873-80
Structures of high-temperature cuprate superconductors. (12) 3171-94

substitution
Relationship between isomorphic substitutions and the thermal degradation of bentonites. (8) 2215-19

substrates
Influence of substrate temperature on physical structure of AlN thin films prepared on polycrystalline $MoSi_2$ by rf magnetron sputtering. (12) 3304-308
Rare-earth barium stannates: Synthesis, characterization, and potential use as substrates for $YBa_2Cu_3O_{7-\delta}$ superconductor. (11) 3088-92

sulfates
^{29}Si MAS NMR study of dicalcium silicate: The structural influence of sulfate and alumina stabilizers. (10) 2603-608

sulfides
Density of $xNa_2S\#.(1-x)B_2S_3$ (x=0 to 0.8) glasses: Correlation with short-range order. (12) 3329-35
Formation of calcium lanthanum sulfide by carbonate coprecipitation and CS_2 sulfurization. (5) 1185-90
Synthesis of diamond from carbon disulfide in hydrogen. (12) 3390-92

superconductors
Effect of high-temperature, high-oxygen-fugacity annealing on the stability of the $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$-type compound. (9) 2513-20
Effect of lead loss and sheath structure on phase formation and alignment in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$/Ag composite conductors. (10) 2785-89
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_1Cu_1O_y$ particles for the system Y-Ba-Cu-O. (7) 1980-82
Formation mechanism of MoO_3-doped $YSr_2Cu_3O_y$ using the citrate process. (4) 1111-14
Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics. (8) 2113-21
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor. (9) 2551-53
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors. (7) 1974-76
Low-temperature phase equilibria in the Y-Ba-Cu-O system. (7) 1745-52
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ in Ag-sheathed tape. (8) 2003-2008
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$. (7) 1953-57
Stability of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ thick films at elevated oxygen pressures and temperatures. (9) 2504-12
Structures of high-temperature cuprate superconductors. (12) 3171-94
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures. (7) 1781-86

surface
Alumina surface modification of silicon nitride for colloidal processing. (8) 2009-14
Characterization of surface-oxidized phase in silicon nitride and silicon oxynitride powders by X-ray photoelectron spectroscopy. (8) 2021-26
Simulation of segregation to free surfaces in cubic oxides (12) 3195-200
Surface cracking in layers under biaxial, residual compressive stress. (9) 2353-59
Surface damage of yttria-tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single point abrasion. (12) 3357-62
Surface diffusivity under high-pressure gas. (6) 1695-97

suspensions
Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions. (7) 1737-44
Preventing segregation during centrifugal consolidation of particulate suspensions: Particle drafting. (9) 2367-73

synthesis
^{29}Si and ^{27}Al MAS-NMR study of stratlingite. (7) 1921-26
Direct synthesis and sintering of silicon nitride/titanium nitride composite. (2) 495-96
Dopants in flame synthesis of titania. (11) 2984-92
Effect of synthesis techniques on crystallite size and morphology of lithium aluminate. (4) 933-38
Hydrothermal precipitation of lead zirconate titanate solid solutions: Thermodynamic modeling and experimental synthesis. (10) 2609-18
Hydrothermal synthesis of manganese zinc ferrites. (9) 2449-55
Molten-salt synthesis of $Ba_{1-x}Pb_xTiO_3$ in the system $BaTiO_3$-$PbCl_2$. (10) 2695-99
Reaction mechanisms of silicon carbide fiber synthesis by heat treatment of polycarbosilane fibers cured by radiation: I, Evolved gas analysis. (4) 1013-17
Synthesis and properties of $CaAl_2O_4$-coated Al_2O_3 microcomposite powders. (11) 2881-88
Synthesis and properties of dielectric ceramics from metallorganic precursors through the solid-state reaction of mixed gels. (6) 1457-62
Synthesis of diamond from carbon disulfide in hydrogen. (12) 3390-92
Synthesis of highly oriented $K(Ta,Nb)O_3$ (Ta:Nb = 65:35) film using metal alkoxides. (8) 2175-79
Synthesis of $KTiOPO_4$ (KTP) thin films using metallorganics. (11) 2956-60
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers. (9) 2545-47
Synthesis of silicon carbide fiber from blended precursor of organosilicon polymers. (12) 3405-408
Synthesis of silicon carbide from rice husk in a packed bed arc reactor. (9) 2381-84

Synthesis of vanadium oxide powders by evaporative decomposition of solutions. (1) 104-108

tantalates
Calculations of liquidus curve and subliquidus miscibility gap in the $LiTaO_3$-SiO_2 system. (4) 1101-102
Nonequilibrium phase formation in oxides prepared at low temperature: Fergusonite-related phases. (10) 2737-45
Role of defects in the ferroelectric relaxor lead scandium tantalate. (7) 1947-52

tantalum oxide
Characterization of optical thin films by spectroscopic ellipsometry. (9) 2412-16
Effects of temperature and reagent concentration on the morphology of chemically vapor deposited ß-Ta_2O_5. (5) 1297-300
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature. (6) 1585-92
Na_2SO_4-induced corrosion of Si_3N_4 coated with chemically vapor deposited Ta_2O_5. (7) 1927-30

tape
Phase regions and kinetics of formation of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ in Ag-sheathed tape. (8) 2003-2008

tape casting
Fabrication of glass matrix composites by tape casting. (5) 1423-24
Fabrication of SiC-whisker-reinforced $MoSi_2$ composites by tape casting. (11) 3129-32
Generalized fluid flow model for ceramic tape casting. (9) 2497-503
$MoSi_2$-based sandwich composite made by tape casting. (11) 2967-72
Processing strategy for producing highly anisotropic silicon nitride. (6) 1687-90
Strength of tape cast and laminated ceramics. (6) 1580-84

tellurites
Sellmeier coefficients and chromatic dispersions for some tellurite glasses. (10) 2828-30

tellurium oxide
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M = Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses. (4) 1061-65

temperature
Determination of fictive temperature of soda-lime-silicate glass. (3) 827-29
Temperature profiling of glass by FTIR emission spectroscopy. (4) 897-902

temperature dependence
Effect of temperature on toughness curves in alumina. (1) 260-62

tensile
Cavitation contributes substantially to tensile creep in silicon nitride. (8) 2085-96
Tensile properties of ceramic matrix fiber composites. (11) 3137-41

testing
Computer-aided, single-specimen controlled bending test for fracture-kinetics measurement in ceramics. (5) 1305-12
Fracture criteria for piezoelectric ceramics. (6) 1475-80
Microcomposite test procedure for evaluating the interface properties of ceramic matrix composites. (2) 401-405
Nonlinear compliance testing applied to indentation cracking in ceramics. (9) 2328-34
Simultaneous loading system to evaluate the structural reliability of brittle materials. (8) 2251-53
VAMAS round robin on fracture toughness of silicon nitride. (7) 1793-801

texture
Dependence of diamond transition on microtexture in graphite starting materials under shock compression. (8) 2079-84
Effect of texture of the rate of hydroxyapatite formation on gel-silica surfaces. (9) 2463-68

thallium
Growth of highly oriented $TlBa_2Ca_2Cu_3O_{9-y}$ superconducting films on Ag substrates using a dip-coated barium calcium copper oxide sol-gel precursor. (9) 2551-53

thermal analysis
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis. (11) 2940-44

thermal barriers
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating. (4) 1018-24

thermal conductivity
Thermal conductivity of polycrystalline materials. (3) 728-36

thermal decomposition
^{27}Al and ^{29}Si MAS NMR study of kaolinite thermal decomposition by controlled rate thermal analysis. (11) 2940-44

thermal expansion
Effect of the grain boundary thermal expansion coefficient on the fracture toughness in silicon nitride. (9) 2345-52
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics. (5) 1230-32
Thermal expansion and glass transition temperatures of Y-Mg-Si-Al-O-N glasses. (7) 1977-79
Thermal expansion of $YBa_2Cu_3O_{7-x}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures. (7) 1781-86

thermal properties
Thermal instability and proton conductivity of ceramic hydroxyapatite at high temperatures. (5) 1191-97

thermal shock
Effects of damage on thermal shock behavior of ceramics. (7) 1873-81
Thermal shock and size effects in castable refractories. (8) 2056-64

thermal shock resistance
Size sensitivity to thermal shock of plasma-sprayed ceramics and factors affecting the size effect. (10) 2700-704

thermodynamics
Thermodynamic assessment of the Ca-Cu-O system. (10) 2655-61
Thermodynamics of the Zr-H system. (12) 3323-28

thermoelectric properties
Improvement in thermoelectric characteristics of *n*-type iron disilicide by local composition modification. (4) 1089-92

thermooptic properties
Dispersion of thermooptic coefficients of soda-lime-silica glasses. (1) 218-20

thin films
Angularly and spectrally resolved light scattering from lead zirconate titanate thin films. (8) 2027-32
Characteristics of lead magnesium niobate thin film prepared by sol-gel processing using a complexing agent. (8) 2267-70
Deposition of $Pb(Zr,Ti)O_3$ thin films by metallorganic chemical vapor deposition using ß-diketonate precursors at low temperatures. (2) 329-36
Effect of Nb doping on the microstructure of sol-gel-derived PZT thin films. (6) 1513-20
Electron cyclotron resonance plasma-enhanced metallorganic chemical vapor deposition of tantalum oxide thin films on silicon near room temperature. (6) 1585-92
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation. (7) 1931-34
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties. (7) 1935-39
Formation of silicon nitride film by plasma decomposition of methylsilazane. (5) 1420-22
In situ annealing studies of sol-gel ferroelectric thin films by spectroscopic ellipsometry. (7) 1907-13
In situ fluorescence probing of the chemical changes during sol-gel thin film formation. (6) 1640-48
Microstructural developments and dielectric properties of rapid thermally processed PZT thin films derived by metallorganic decomposition. (6) 1617-23
Microstructure effects in multidipped tin oxide films. (10) 2669-72
Microstructure, orientation, and properties of sol-gel-derived $KTiOPO_4$ thin films. (8) 2033-44
New technique to measure the toughness of thin-film interfaces. (5) 1397-400
Pb diffusion barrier layers for $PbTiO_3$ thin films deposited on Si substrates by metallorganic chemical vapor deposition. (2) 337-41
Preparation of zinc titanate thin films by low-pressure metallorganic chemical vapor deposition. (11) 2993-3001
Short-circuit diffusion of Ba, Sr, and O during $ATiO_2$ (A = Ba, Sr) thin-film growth by the hydrothermal–electrochemical method. (6) 1521-31
Structure–optical property correlation of epitaxial potassium niobate thin films deposited on magnesium oxide (100) substrates using a strontium titanate transition layer. (7) 1825-33
Synthesis of $KTiOPO_4$ (KTP) thin films using metallorganics. (11) 2956-60

tin
Incommensurately modulated polar structures in antiferroelectric Sn-modified lead zirconate titanate: The modulated structure and its influences on electrically induced polarizations and strains. (8) 2101-12
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material. (3) 793-96

tin oxide
Microstructure effects in multidipped tin oxide films. (10) 2669-72

titanates
Compositional modifications of 10% Pb-doped $Bi_{0.5}Na_{0.5}TiO_3$ for high-temperature dielectrics. (8) 2274-78
Cracking during pyrolysis of oxide thin films—Phenomenology, mechanisms, and mechanics. (11) 2929-39
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$ [comment]. (4) 1134-35
Effects of organotitanate additions on the dispersion of aluminum nitride in nonpolar solvents. (5) 1291-96
Microstructure and grain-boundary structure of Na^+-diffused $(Sr,Ca)TiO_3$ capacitor-varistor ceramics. (1) 58-64
Piezoelectricity and phase transitions of the mixed-layer bismuth titanate niobate $Bi_7Ti_4NbO_{21}$. (11) 3142-44
Preparation of zinc titanate thin films by low-pressure metallorganic chemical vapor deposition. (11) 2993-3001
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material. (3) 793-96
Short-circuit diffusion of Ba, Sr, and O during $ATiO_2$ (A = Ba, Sr) thin-film growth by the hydrothermal–electrochemical method. (6) 1521-31

titania
Colloidal stability and titania precipitate morphology: Influence of short-range repulsions. (1) 21-32
Dopants in flame synthesis of titania. (11) 2984-92
Effect of high-voltage screening on strength distribution for titanium dioxide ceramics. (8) 2248-50
Effective elastic moduli of porous ceramic materials [comment]. (6) 1711
Effective elastic moduli of porous ceramic materials [reply]. (6) 1712
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions. (5) 1354-60
Measurements of excess enthalpy in ultrafine-grained titanium dioxide. (8) 2045-55
Metallorganic chemical vapor deposition by pulsed liquid injection using an ultrasonic nozzle: Titanium dioxide on sapphire from titanium(IV) isopropoxide. (10) 2763-68
Microwave characteristics of BaO-TiO_2 ceramics prepared via a citrate route. (5) 1169-72
Solid solutions within selected SrO-$LnO_{1.5}$-TiO_2 systems. (5) 1261-64
Surface diffusivity under high-pressure gas. (6) 1695-97
Varied atmosphere compensation—Exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors. (8) 2203-208

titanium
Chemical equilibria in the titanium(II) hydride-boron nitride system. (3) 685-88
Electrical resistivity of titanium diboride and zirconium diboride. (5) 1380-82
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia. (4) 961-64
Phase equilibria in the Ti-Al-O system at 945°C and analysis of Ti/Al_2O_3 reactions. (3) 572-76
Phase transition and ferroelectric characteristics of $Pb[(Mg_{1/3}Nb_{2/3})_{1-x}Ti_x]O_3$ ceramics modified with $La(Mg_{2/3}Nb_{1/3})O_3$. (8) 2168-74
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles. (5) 1247-51
Pyrolysis of titanium-metal-filled poly(siloxane) preceramic polymers: Effect of atmosphere on pyrolysis product chemistry. (7) 1818-24
Solid-state reactions and phase relations in the Ti-Si-O system at 1373 K. (2) 313-22
Synthesis of titanium silicon carbide. (3) 667-72
Titanium zirconate thick films on rutile substrates by reactive coating of zircon. (9) 2560-62

titanium carbide
Chemical interaction between silicon nitride-titanium carbide powder. (9) 2395-400
Reaction of TiO_2-Al-C in the combustion synthesis of TiC-Al_2O_3 composite. (4) 986-92
Sintering of Al_2O_3-TiC composite in the presence of liquid phase. (1) 257-59
Sintering ZrO_2/TiC composites with TiH_2: The role of transient liquid phase and of substoichiometry. (10) 2641-47
Stress-induced phase transformation in single-crystal titanium carbide. (6) 1537-45

titanium diboride
Consolidation of combustion-synthesized titanium diboride-based materials. (2) 275-84
Effect of SiC on interfacial reaction and sintering mechanism of TiB_2. (6) 1606-10
Fracture toughness of TiB_2 and B_4C using the single-edge precrack beam, indentation strength, chevron notched beam, and indentation strength methods. (8) 2187-92
Microcracking in B_4C-TiB_2 composites. (9) 2374-80
Tensile behavior of microcracking SiC-TiB_2 composites. (6) 1507-12
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition. (10) 2831-33

titanium nitride
Direct synthesis and sintering of silicon nitride/titanium nitride composite. (2) 495-96
Preparation of silicon nitride–titanium nitride and titanium–titanium nitride composites from $(CH_3)_3SiNHTiCl_3$-coated Si_3N_4 and Ti particles. (5) 1247-51
TiN-TiB_2 composites prepared by reactive hot-pressing and effects of Ni addition. (10) 2831-33

titration
Carbon determination in small amounts of ceramic powder by coulombic titration. (10) 2834-36

toughness
Effect of temperature on toughness curves in alumina. (1) 260-62
Mechanical properties of mica glass-ceramics. (5) 1217-22
New technique to measure the toughness of thin-film interfaces. (5) 1397-400
Relationship between microstructure, toughening mechanisms, and fracture toughness of reinforced silicon nitride ceramics. (10) 2619-24
Toughening by crack bridging in heterogeneous ceramics. (5) 1313-23

transducers
Development of fine-scale PZT ceramic fiber/polymer shell composite transducers. (7) 1900-906
Novel processing of 1-3 piezoelectric ceramic/polymer composites for transducer applications. (11) 2913-16

transformation toughening
Optimum microstructure of transformation-toughened ceramics for enhanced wear performance. (1) 3-8
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia. (6) 1481-88

transition metals
Nonlinear optical properties of TeO_2-based glasses: MO_x-TeO_2 (M = Sc, Ti, V, Nb, Mo, Ta, and W) binary glasses. (4) 1061-5

transitions
Dependence of diamond transition on microtexture in graphite starting materials under shock compression. (8) 2079-84
Wear and wear transition mechanism in silicon carbide during sliding. (4) 1076-78

transparent materials
Microstructure comparison of transparent and opaque CVD SiC. (6) 1571-79
Submicrometer transparent alumina by sinter forging seeded γ-Al_2O_3 *powders. (2) 491-94*

tubes
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition. (11) 3157-59

tungstates
Room-temperature preparation of highly crystallized luminescent $SrWO_4$ films by an electrochemical method. (11) 3110-12

tungsten
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction. (1) 238-40
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres. (3) 539-44

tungsten carbide
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: II, Effects of deposition conditions. (9) 2431-36

twinning
Computer simulation of twin formation during the displacive *c*→*t'* phase transformation in the zirconia-yttria system. (3) 769-73

ultrasonics
Ultrasonic evaluation of initiation and development of

oxidation damage in ceramic matrix composites. (7) 1809-17
Ultrasonic real-time monitoring of cake structure during slip casting. (3) 819-23
ultraviolet
Ultraviolet patterning of alkoxy-derived lithium niobate film. (6) 1649-52
uranium
Anodic dissolution of uranium mononitride in lithium chloride–potassium chloride eutectic melt. (8) 2279-81
vacancies
Nature of cation vacancies formed to compensate donors during oxidation of barium titanate. (4) 909-14
vanadates
Determination of the cerium oxidation state in cerium vanadate. (4) 1121-22
vanadium
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis. (5) 1147-52
vanadium oxides
Effect of tungsten and molybdenum doping on the semiconductor-metallic transition in vanadium dioxide produced by evaporative decomposition of solutions and hydrogen reduction. (1) 238-40
Synthesis of vanadium oxide powders by evaporative decomposition of solutions. (1) 104-108
varistors
Degradation phenomena due to impulse-current in zinc oxide varistors. (10) 2685-89
Varied atmosphere compensation—Exploring the roles of barium and bismuth in (Ba,Bi,Nb)-doped TiO_2 varistors. (8) 2203-208
viscosity
Viscosity and surface tension of oxynitride glass melts. (4) 1123-24
wafers
Dynamic characteristics of rainbow ceramics. (8) 2233-6
wear
Influence of speed on the tribochemical reaction products and the associated transitions for the dry sliding of silicon nitride against steel. (11) 3025-32
Rolling-contact fatigue and wear of CVD-SiC with residual surface compression. (9) 2307-13
Sliding wear of oxide ceramics at elevated temperatures. (11) 3018-24
Studies on abrasive wear of monolithic silicon nitride and a silicon carbide whisker-reinforced silicon nitride composite. (10) 2705-708
Wear and wear transition mechanism in silicon carbide during sliding. (4) 1076-78
wetting
Reaction densification of α′-SiAlON: I, Wetting behavior and acid-base reactions. (3) 545-52
Wetting in an electronic packaging ceramic system: I, Wetting of tungsten by glass in controlled oxygen partial pressure atmospheres. (3) 539-44
Wetting in an electronic packaging ceramic system: II, Wetting of alumina by a silicate glass melt under controlled pO_2 conditions. (11) 2923-28
whiskers
Colloidal processing of SiC whisker composites. (8) 2240-42
Preparation of aragonite whiskers. (7) 1983-84
Preparation of silicon nitride whiskers from diatomaceous earth: I, Reaction conditions. (1) 109-13
Synthesis of Mg_2SiO_4 whiskers by an oxidation-reduction reaction. (7) 1989-91
wollastonite
Phase diagram of wollastonite–tricalcium phosphate. (6) 1653-56
X-ray diffraction
Effect of stacking faults on the X-ray diffraction profiles of β-SiC powders. (3) 774-82
Probing of 1:2 ordering in $Ba(Ni_{1/3}Nb_{2/3})O_3$ and $Ba(Zn_{1/3}Nb_{2/3})O_3$ ceramics by XRD and Raman spectroscopy. (11) 3117-20
yttria
Computer simulation of twin formation during the displacive $c \rightarrow t'$ phase transformation in the zirconia-yttria system. (3) 769-73
Dehydration and crystallization kinetics of zirconia-yttria gels. (2) 429-32
Effect of heat treatment on the microstructure and properties of dense AlN sintered with Y_2O_3 additions. (9) 2335-44
Influence of processing conditions on the microstructure and mechanical properties of sintered yttrium oxides. (3) 716-22
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: A theoretical investigation. (6) 1680-86
Preparation and elastic properties of rf-sputtered amorphous films in the system SiO_2-Y_2O_3. (5) 1383-86
yttrium
Characterization of yttrium phosphate and a yttrium phosphate/yttrium aluminate laminate. (11) 3121-24
Formation and properties of Ln-Si-O-N glasses (Ln = lanthanides or Y) [correction]. (4) 1136
Sintering behavior of doped lanthanum and yttrium manganite. (3) 507-12
Thermal expansion and athermal phase transition of $Y_4Al_2O_9$ ceramics. (5) 1230-32
yttrium aluminum garnet (YAG)
Fabrication and optical properties of high-performance polycrystalline Nd:YAG ceramics for solid-state lasers. (4) 1033-40
Fabrication of polycrystalline, transparent YAG ceramics by a solid-state reaction method. (1) 225-28
Fracture characteristics of Czochralski-grown $Y_3Al_5O_{12}$. (8) 2282-86
Polycrystalline yttrium aluminum garnet fibers from colloidal sols. (8) 2141-48
Synthesis of Nd^{3+},Cr^{3+}-codoped YAG ceramics for high-efficiency solid-state lasers. (9) 2545-47
yttrium barium copper oxide (YBCO)
Effects of melt chemistry and platinum doping in the refinement of $Y_2Ba_1Cu_1O_y$ particles for the system Y-Ba-Cu-O. (7) 1980-82
Grain growth, microstructure, and superconducting properties of pure and Y_2BaCuO_5-doped $YBa_2Cu_3O_{7-x}$ ceramics. (8) 2113-21
High-temperature microwave complex permittivity of $YBa_2Cu_3O_{7-\delta}$ superconductors. (7) 1974-76
Low-temperature phase equilibria in the Y-Ba-Cu-O system. (7) 1745-52
Processing effects on microstructure and superconducting properties of sintered $YBa_2Cu_3O_{6+x}$. (7) 1953-57
Thermal expansion of $YBa_2Cu_3O_{7-\delta}$ as determined by high-temperature X-ray diffraction under controlled oxygen partial pressures. (7) 1781-86
zeolites
Direct observation of channel structures in zeolite Y and A with a slow-scan, charge-coupled-device camera. (5) 1411-13
zinc
Microstructure and physicochemical studies of pure and zinc-substituted lithim ferrites sintered above 1000°C. (2) 365-68
Reaction condition for the synthesis of ultrafine particles of the high-vacancy-content Zn(II)-bearing ferrites from iron(III) tartrate solution. (5) 1335-42
zinc oxide
Degradation phenomena due to impulse-current in zinc oxide varistors. (10) 2685-89
Early stages of crystallite growth of ZnO obtained from an oxalate precursor. (2) 323-28
Epitaxial aluminum-doped zinc oxide thin films on sapphire: I, Effect of substrate orientation. (7) 1931-34
Epitaxial aluminum-doped zinc oxide thin films on sapphire: II, Defect equilibria and electrical properties. (7) 1935-39
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with Al_2O_3 additions. (9) 2469-75
Grain growth of ZnO in ZnO-Bi_2O_3 ceramics with TiO_2 additions. (5) 1354-60
New approach to selective semiconductor gas sensors using a dc-biased *pn* heterocontact. (4) 865-73
Reaction sintering of ZnO-Al_2O_3. (12) 3217-24
Zinc oxide varistor gas sensors: I, Effect of Bi_2O_3 content on the H_2-sensing properties. (9) 2301-306
zinc sulfide
Zinc sulfide/gallium phosphide composites by chemical vapor transport. (7) 1834-40
zircon
Preparation of blue vanadium-zircon pigments by aerosol hydrolysis. (5) 1147-52
Titanium zirconate thick films on rutile substrates by reactive coating of zircon. (9) 2560-62
zirconate
Ferroelectric domains and incommensuration in the intermediate phase region of lead zirconate. (8) 2220-24
Formation and characterization of $Ce_2Zr_2O_8$ prepared by the hydrazine method. (5) 1414-16
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution. (11) 3163-64
Standard enthalpy of formation of lanthanum zirconate. (8) 2257-58
Titanium zirconate thick films on rutile substrates by reactive coating of zircon. (9) 2560-62
zirconia
Computer simulation of twin formation during the displacive $c \rightarrow t'$ phase transformation in the zirconia-yttria system. (3) 769-73
Crystal structure and equation of state of cotunnite-type zirconia. (2) 445-48
Crystallization of zirconia under hydrothermal conditions. (12) 3397-400
Dehydration and crystallization kinetics of zirconia-yttria gels. (2) 429-32
Development of nanocomposite microstructures in ZrO_2-Al_2O_3 via the solution precursor method. (6) 1489-94
Effect of dopant species on tetragonal (*t′*)-to-monoclinic phase transformation of arc-melted ZrO_2-$RO_{1.5}$ (R = Sm, Y, Er, and Sc) in water at 200°C and 100 MPa pressure. (8) 2229-32
Effect of particle size on colloidal zirconia rheology at the isoelectric point. (8) 2209-12
Formation of $PbZrO_3$ by transformation of cubic ZrO_2 solid solution. (11) 3163-64
Growth of monoclinic ZrO_2 thin, flaky crystals by hydrothermal decomposition of zirconium oxide sulfate crystals. (8) 2259-62
Internal stresses and the martensite start temperature in alumina-zirconia composites: Effects of composition and microstructure. (2) 291-96
Joining of zirconia ceramic to stainless steel and to itself using $Ag_{57}Cu_{38}Ti_5$ filler metal. (8) 2157-60
Load dependence of hardness in sintered submicrometer Al_2O_3 and ZrO_2. (5) 1417-19
Mechanical properties of alumina–zirconia–silver composites. (2) 465-69
Modification of α-Al_2O_3 platelet/ZrO_2 matrix interface by epitaxial growth of β″-Al_2O_3 on the α-Al_2O_3. (4) 892-96
Perturbed-angular-correlation study of zirconias produced by the sol-gel method. (5) 1329-34
Phase and microstructure evolution in alkoxide-derived mullite/MgO-partially-stabilized zirconia. (5) 1361-71
Possibility of spinodal decomposition in ZrO_2-Y_2O_3 alloys: A theoretical investigation. (6) 1680-86
Preparation of monodisperse and spherical zirconia powders by heating of alcohol-aqueous salt solutions. (10) 2690-94
Preparation of monodisperse ZrO_2 by the microwave heating of zirconyl chloride solutions. (4) 1103-106
Raman spectroscopic studies on the formation mechanism of hydrous-zirconia fine particles. (1) 146-52
Residual stresses in alumina/ceria-stabilized zirconia composites. (8) 2213-14
Rheology of zirconia suspensions in a nonpolar organic medium. (12) 3225-32
Sintering ZrO_2/TiC composites with TiH_2: The role of transient liquid phase and of substoichiometry. (10) 2641-47
Structure of zirconia prepared by homogeneous precipitation. (11) 2873-80
Surface precipitation route for the development of cordierite-zirconia composites. (3) 723-27
Tetragonal-monoclinic phase transition enthalpy and temperature of ZrO_2-CeO_2 solid solutions. (8) 2225-28
Zirconia gels in concentrated NaOH. (1) 221-24
zirconia: partially stabilized (PSZ)
Crack-tip degradation processes observed during *in situ* cyclic fatigue of partially stabilized zirconia. (10) 2801-10
Hertzian contact damage in magnesia-partially-stabilized zirconia. (4) 1083-86
High-resolution transmission electron microscopy of transformed magnesia partially-stabilized zirconia precipitates. (10) 2853-56
Microstructural development of coherent tetragonal precipitates in magnesium-partially-stabilized zirconia: A computer simulation. (3) 657-61
Phase stability of fine-grained (Mg,Y)-PSZ. (7) 1997-99
Surface damage of yttria-tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single point abrasion. (12) 3357-62
Transformation toughening and fracture behavior of molybdenum disilicide composites reinforced with partially stabilized zirconia. (6) 1481-88
zirconia: tetragonal polycrystals (TZP)
Cyclic fatigue of Ce-TZP/Al_2O_3 composites: Role of the degradation of transformation zone shielding. (3) 599-608
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: I, Measurement of internal stresses (3) 633-40
Deformation bands in ceria-stabilized tetragonal zirconia/alumina: II, Stress-induced aging at room temperature. (3) 641-44
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [comment]. (11) 3165-66
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media [reply]. (11) 3167-68
Fracture strength and dynamic elastic modulus of Ce- and Er-TZP at low temperature. (9) 2548-50
zirconia: yttria stabilized (YSZ)
Chemical compatibility between strontium-doped lanthanum manganite and yttria-stabilized zirconia. (4) 929-32
Crack deflection in ceramic/ceramic laminates with strong interfaces. (4) 1125-27
Defect formation during plastic deformation of Y_2O_3 partially stabilized ZrO_2 single crystals. (5) 1375-79
Electron paramagnetic resonance of titanium impurities in reduced yttria-stabilized zirconia. (4) 961-64
Failure mechanisms of a zirconia-8wt% yttria thermal barrier coating. (4) 1018-24
Fracture toughness of Al_2O_3-particle-dispersed Y_2O_3-partially stabilized zirconia. (4) 1079-82
Microstructure and oxidation-resistant property of sol-gel-derived ZrO_2-Y_2O_3 films prepared on austenitic stainless steel substrates. (2) 347-55
Novel method for preparing nickel/YSZ cermet by a vapor-phase process. (3) 593-98
Preparation of yttria-stabilized zirconia microtube by electrochemical vapor deposition. (11) 3157-59
Segregation in single-crystal fully stabilized yttria-zirconia. (2) 369-78
zirconia: yttria-stabilized tetragonal polycrystals (Y-TZP)
Crack propagation behavior of Y-TZP ceramics. (7) 1889-94
Evaluation of tensile strength and fracture toughness of yttria-stabilized zirconia polycrystals with fracture surface analysis. (5) 1212-16
Low-temperature sinter forging of nanostructured Y-TZP and YCe-TZP. (1) 121-28
Microstructure, flaw tolerance, and reliability of Ce-TZP and Y-TZP ceramics. (10) 2769-76
Scanning acoustic microscopy of indentation damage in Y_2O_3-stabilized tetragonal zirconia. (11) 2889-96
Surface damage of yttria-tetragonal zirconia polycrystals and magnesia-partially-stabilized zirconia in single point abrasion. (12) 3357-62
zirconium boride
Preparation of zirconium boride powder. (9) 2534-36
zirconium carbide
Formation and microstructure of carbon-containing oxide scales by oxidation of single crystals of zirconium carbide. (1) 41-48
zirconium
Compositional change and compositional fluctuation in $Pb(Zr,Ti)O_3$ containing excess PbO. (4) 1071-75
Electrical resistivity of titanium diboride and zirconium diboride. (5) 1380-82
Role of donor and acceptor ions in the dielectric loss tangent of $(Zn_{0.8}Sn_{0.2})TiO_4$ dielectric resonator material. (3) 793-96
Ternary phase equilibria in the Zr-Si-C system. (3) 662-66
Thermodynamics of the Zr-H system. (12) 3323-28